



Auto Refinishing Products

PRODUCT CATALOGUE





A person wearing a full-body white protective suit, including a hood and mask, is working on a car body. They are using a power tool, possibly a sander or polisher, on the surface of the car. The background is a workshop or garage setting.

QUALITY **LEADS**



Auto Refinishing Products



Auto Refinishing
Products



The Company

HB BODY was founded in 1982, with the aim to produce and distribute high quality and innovative products for the automotive refinishing industry, in order to make refinish work more efficient. The company employs 250 employees and is based in the Industrial Area of Sindos, in Thessaloniki - Greece, in private-owned establishments. HB BODY is known as the name for a full product range globally, as ninety percent (90%) of its production is exported to seventy-five (75) countries across the world, whilst holding the lead position in the Greek market.

HB BODY has invested in the vertical integration and automation of its production aiming to achieve shorter delivery times, increased production capacities and stable quality. All the production lines of the company are fully automatic and the company produces its own printed cans and aerosols at its can manufacturing and metal printing plants.



Our Vision

Our vision is to serve the global market with technologically advanced products always in reasonable prices for every professional who wants high quality results. It is our commitment to offer our end users, increased operational effectiveness and innovation, in their daily business.





Auto Refinishing
Products



Our Facilities

Industrial Area of Sindos - Thessaloniki

- 20.000 m² of Production with totally automated production lines
- 15.000 m² Warehouses
- 2.500 m² Administration
- 2.500 m² Research & Development
- 700 m² Training Centers
- 2.000 m² Color index Production Facility
- 9.000 m² Can manufacturing
- 4.500 m² Can metal-printing

Aspropyrgos - Athens

- 2.300 m² Distribution center

The group also has three (3) subsidiaries in UK, Spain and in Bulgaria comprising of logistics, sales and technical team. There are three (3) training centers in UK, Bulgaria and in Greece and two (2) sales & technical support teams in Russia and Serbia.



Our Services

Our products are made in the European Union using European quality raw materials with very strict raw material quality tests.

- We have the widest range of products in Europe and a production capacity of 270.000Kg daily.
- Customized products with adapting properties for every part of the world.
- Always meet market's most competitive prices.
- Continuous client support with seminars at our premises and technical support to any market overseas.
- Short delivery times, even for the most specialized orders.

Research & Development (R&D)

HB BODY constantly invests in R&D with a workforce of fifty (50) researchers, scientists and personnel developing leading-edge technologies and focusing strictly on the quality control by using the most advanced quality control equipment in the global market.

Certificate

In 1998, HB BODY SA obtained the ISO 9001 certificate by TUV Germany. This certification is an official guarantee for quality assurance in the design development, research, production, distribution and service.

CONTENTS

01. UNDERBODY

U 951 AUTO FLEX.....	09
955 TOUGH LINER.....	09
BODY 650 STONE CHIP.....	09
BODY 640 CAVITY WAX.....	09
900 CAVITY WAX.....	10
910 UNDERBODY.....	10
930 UNDERBODY.....	10
932 UNDERBODY.....	10
933 UNDERBODY.....	11
950 STONE CHIP.....	11
100 HYD STONE CHIP.....	11

02. FILLERS

F 202 ZINC PLUS.....	13
F 213 UNIPUS.....	13
F 290 MULTIFILLER.....	13
F 232 UNIVERSAL.....	13
F 282 FLYLITE.....	13
F 211 BODYSOFT.....	14
F 216 SOFTPLUS.....	14
F 220 BODYFINE.....	14
F 222 BUMPERSOFT.....	14
F 255 BODYALU.....	14
F 215 FIBERLIGHT.....	15
F 217 FIBERLIGHT.....	15
F 250 BODYFIBER.....	15
P 261 POLYESTER FILLING PRIMER.....	15
BODY 610 UNIVERSAL FILLER.....	15
BODY 611 MULTI FILLER.....	16
BODY 612 SOFT FILLER.....	16
BODY 631 LIGHT MULTI FILLER.....	16
BODY 615 FIBER FILLER.....	16
BODY 617 NANO FIBER.....	16
211 BODYSOFT.....	17
205 LP PLUS SOFT.....	17
209 UNILITE.....	17
210 UNISOFT.....	17
280 LIGHTWEIGHT FILLER.....	18
290 ULTRA LIGHT MULTIFILLER.....	18
225 UNIFINE.....	18
P 218 BODY GLAZE.....	18
P 980 1K FINE FILLER.....	19
241 NITROSOFT.....	19
243 NITROGLAZE.....	19
260 BODYFILLER.....	19
265 BODYFILLER LIGHT.....	19

03. PRIMERS 1K - 2K

P 261 POLYESTER FILLING PRIMER.....	21
P 307 4:1 HS FILLING PRIMER.....	21
P 333 3:1 HS FILLING PRIMER.....	21
P 334 4:1 HS FILLING PRIMER.....	21
P 335 5:1 HS FILLING PRIMER.....	22
P 360 2:1 HS FILLING PRIMER.....	22
P 411 4:1:1 WET ON WET PRIMER.....	22
P 961 1K ETCH PRIMER.....	22
P 981 1K EPOXY PRIMER.....	23
P 962 1K ISOLATOR.....	23

P 980 1K PRIMER.....	23
P 965 WASH PRIMER READY FOR USE.....	23
CHASSIS COAT.....	23
BODY 605 4:1 HS FILLING PRIMER.....	24
BODY 607 4:1 UHS FILLING PRIMER.....	24
BODY 634 4:1 HS FILLING PRIMER.....	24
BODY 635 5:1 HS FILLING PRIMER.....	24
BODY 680 1K FILLING PRIMER.....	24
300 3:1 HS FILLING PRIMER.....	25
305 4:1 HS FILLING PRIMER.....	25
310 5:1 HS FILLING PRIMER.....	25
308 TINT PASTE.....	25
320 ZINC FILL.....	26
970 FILLSEALER.....	26
960 WASH PRIMER.....	26
989 4:1 EPOXY PRIMER.....	26
340 PLASTOFIX.....	26
980 1K PRIMER.....	27
968 1K TOP NC FILLER.....	27
969 1K ANTICORROSIVE PRIMER.....	27
992 1K ANTICORROSIVE PRIMER.....	27

04. CLEAR COATS

C 894 CLEAR ULTRA HS 2:1.....	29
C 898 CLEAR ULTRA HS 2:1.....	29
C 494 CLEAR ULTRA HS 2:1.....	29
C 493 MATT CLEAR HS 2:1.....	29
C 495 CLEAR EXPRESS SR 4:1.....	29
C 495 CLEAR EXPRESS SEMI GLOSS.....	30
C 496 CLEAR HS SR 2:1.....	30
C 499 CLEAR HS SR 2:1.....	30
BODY 691 CLEAR UHS SR 2:1.....	30
BODY 698 CLEAR HS SR 2:1.....	31
BODY 699 CLEAR HS SR 2:1.....	30
BODY 697 CLEAR HS SR 2:1.....	30
491 AUTO CLEAR HS.....	31
492 AUTO CLEAR HS SR 3:1.....	31
1K AUTOCLEAR UNIVERSAL.....	31

05. COLOR SOLUTIONS MIX SYSTEM

32 / 33

06. MIX SYSTEMS

COLOR SOLUTIONS BASE COAT MIX SYSTEM.....	35
COLOR SOLUTIONS 2K ACRYLIC MIX SYSTEM.....	35
COLOR SOLUTIONS AQUA BASECOAT MIX SYSTEM.....	35
INDUSTRIAL PAINT MIX SYSTEM.....	35

07. PAINTS

AUTOEMAIL METALLIC PAINT STANDARD.....	37
AUTOEMAIL 2K ACRYLIC PAINT STANDARD.....	37
RALLY SYNTHETIC PAINT.....	37
BUMPER PAINT.....	37
BUMPER PAINT TEXTURE.....	37

08. HARDENERS

H 725 HARDENER FOR PRIMERS SLOW / FAST.....	39
H 729 HARDENER FOR PRIMERS NORMAL / FAST.....	39
H 752 HARDENER FOR TOPCOATS SLOW.....	39

H 753 HARDENER FOR TOPCOATS NORMAL.....	39
H 754 HARDENER FOR TOPCOATS FAST.....	39
H 733 HARDENER ULTRA HS SLOW.....	40
H 734 HARDENER ULTRA HS NORMAL.....	40
H 735 HARDENER ULTRA HS FAST.....	40
H 737 HARDENER ULTRA HS SLOW.....	40
H 738 HARDENER ULTRA HS NORMAL.....	40
716 HARDENER FOR TOPCOATS SLOW.....	41
717 HARDENER FOR TOPCOATS NORMAL.....	41
718 HARDENER FOR TOPCOATS FAST.....	41
955 TOUGH LINER HARDENER.....	41
BODY 625 HARDENER FOR PRIMERS.....	41
BODY 635 HARDENER FOR PRIMERS.....	42
BODY 620 HARDENER.....	42
727 POLAR HARDENER.....	42
730 AUTO HARD.....	42
989 EPOXY HARDENER.....	42
960 ACTIVATOR.....	43
20:80 HARDENER.....	43
801 BODY CONVERTER.....	43
AQUA BASECOAT HARDENER.....	43
HARDENER FOR POLYESTER FILLERS.....	43
HARDENER FOR POLYESTER SPRAY FILLER.....	43

09. THINNERS & ADDITIVES

THINNERS

740 ACRYL NORMAL THINNER.....	45
741 ACRYL SLOW THINNER.....	45
742 ACRYL EXTRA SLOW THINNER.....	45
750 SYNT THINNER.....	45
767 ECO THINN NITRO THINNER.....	46
770 ANTISIL NORMAL DEGREASER.....	46
771 ANTISIL FAST DEGREASER.....	46
A 715 TURBO AX ACCELERATOR.....	46
600 ECO PAINT REMOVER.....	47
700 PAINT REMOVER.....	47
769 GUN WASH CLEANER.....	47
AQUA BASECOAT DEGREASER.....	47
AQUA BASECOAT SPRAYING SOLVENT.....	48
AQUA BASECOAT BLEND - IN THINNER.....	48
775 EPOXY THINNER.....	48
777 BLEND-IN THINNER.....	48
780 POLY THINNER.....	49

ADDITIVES

800 MATTING AGENT.....	49
803 FLEX AGENT.....	49
804 ANTI SILICONE.....	49
955 ANTI SLIP ADDITIVE.....	49

10. SEAM SEALERS

S 115 AUTO SEAL.....	51
110 BODY SEAL.....	51
999 SEAM SEALER.....	51
BODY PU 944 SEALANT.....	51
BODY 920 SEALANT.....	51
BODY 940 SEALANT.....	52
120 SILICON BODY.....	52

11. AEROSOLS

U 951 AUTO FLEX.....	54
P 360 2K HS PRIMER.....	54
P 961 ETCH PRIMER.....	54
P 962 ISOLATOR PRIMER.....	54
P 965 WASH PRIMER.....	54
P 981 EPOXY PRIMER.....	55
C 495 2K CLEAR EXPRESS SEMI GLOSS.....	55
C 496 2K HS CLEAR.....	55
SPOT REPAIR PRIMER.....	55
BODY PRIMER.....	55
992 ANTICORROSIVE PRIMER.....	56
969 IRIDA ANTICORROSIVE PRIMER.....	56
960 WASH PRIMER.....	56
ZINC SPOT MIG WELDING PRIMER.....	56
340 PLASTOFIX.....	56
FLAT GUIDE.....	57
UNIVERSAL PAINT.....	57
SPECIAL PAINT.....	57
IRIDA PAINT.....	57
AUTOEMAIL METALLIC PAINT.....	57
AUTOEMAIL 2K ACRYLIC PAINT.....	58
RALLY SYNTHETIC PAINT.....	58
BUMPER PAINT.....	58
BUMPER PAINT TEXTURE.....	58
HEAT SUPER PAINT.....	58
HEAT SUPER TEXTURE PAINT.....	59
BRAKE CALIPER PAINT.....	59
LENS CLEAR.....	59
LENS TINT.....	59
CLEANER & POLISH.....	59
900 CAVITY WAX.....	60
930 UNDERBODY.....	60
950 STONE CHIP.....	60
600 ECO PAINT REMOVER.....	60
700 PAINT REMOVER.....	60
770 ANTISIL NORMAL DEGREASER.....	61
777 BLEND-IN THINNER.....	61
PREFILL WATERBORNE.....	61
SPRAY FILL.....	61

12. POLISHING COMPOUNDS

805 SUPER CUT.....	63
806 POWER POLISH.....	63
807 SEAL POLISH.....	63
802 BODYSAND.....	63

13. ABRASIVES

64 / 66

14. MASKING PRODUCTS

67 / 69

15. ANCILLARIES

70 / 77

16. MERCHANDISING

78 / 81

UNDERBODY



U 951 AUTO FLEX

Rubber - based sound deadening / sealing product. Suitable for application to internal or external parts of the underbody with high ageing stability. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet on wet" with all paint systems.

Part No.	Colour	Size	Unit
9510100001	White	1L	6
9510200001	Black	1L	6
9510700001	Grey	1L	6
5100100030	White	400ml Aerosol	6
5100200030	Black	400ml Aerosol	6
5100700030	Grey	400ml Aerosol	6



955 TOUGH LINER

A protective 2K polyurethane coating, that offers high mechanical endurance, scratch, solvent and UV protection. It has sound-proof and anti-slip abilities. Application for multiple purposes, such as pick-up truck beds, 4x4, SUV, off-road vehicles, trailers, motorboats, agricultural machines, floors, tools and many more. Mixing ratio 3:1 with 955 Tough Liner hardener. For maximum anti-slip effect use Anti-Slip Additive. Tintable version can be tinted to any colour you desire, by adding 10% HB BODY 2K acrylic top coat or basecoat.

Part No.	Colour	Size	Unit
9550200001	Black	600ml	6
9550100001	Tintable	600ml	6



BODY 650 STONE CHIP

An underbody material with sound deadening / sealing properties and optimum covering ability. Suitable for the external underneath and internal parts of the car body with excellent adhesion properties.

Part No.	Colour	Size	Unit
6500010001	White	1Kg	6
6500200001	Black	1Kg	6
6500700001	Grey	1Kg	6



BODY 640 CAVITY WAX

A special anticorrosive cavity wax oil treatment with sound deadening properties. Can be applied to all closed parts (doors, bonnet and running boards (chassis)) and external underbody of the vehicle. Penetrates easily and is resistant to high temperatures. Suitable for application after the paint procedure.

Part No.	Colour	Size	Unit
6400900001	Dark Brown	1L	6



900 CAVITY WAX

A special anticorrosive Cavity Wax oil treatment with sound deadening properties. Can be applied to all closed parts (doors, bonnet, and running boards (chassis)) and the external underbody of the vehicle. Penetrates easily and is resistant to high temperatures. Suitable for application after the paint procedure.

Part No.	Colour	Size	Unit
9000000001	Transparent	1L	6
9000900001	Brown	1L	6
9000000007	Transparent	20L	1
9000900007	Brown	20L	1
5130000001	Brown	400ml Aerosol	6



910 UNDERBODY

A rubber based thixotropic material with excellent rust and stonechip protection. Suitable for application onto running boards (Chassis), wheel arches and the vehicle underbody. Perfect adhesion, dries quickly and can be painted over with all paint systems.

Part No.	Colour	Size	Unit
9100700001	Grey	1Kg	6
9100700005	Grey	5Kg	3
9100700007	Grey	20Kg	1



930 UNDERBODY

A bituminous thixotropic coating that provides excellent anticorrosive and stone chip protection. Perfect adhesion with permanent elasticity. Applied on the underneath parts of the car body only. Can not be overpainted.

Part No.	Colour	Size	Unit
9300200001	Black	1Kg	6
9300200010	Black	1L	6
9300200003	Black	2.5Kg	3
9300200005	Black	5Kg	3
9300200007	Black	20Kg	1
5100200020	Black	400ml Aerosol	6



932 UNDERBODY

Special coating made of artificial resin, bitumen and wax. Perfect protection from moisture and rust with permanent elasticity in temperatures from -20°C (-4°F) to + 60°C (140°F). Very good adhesion to clean surfaces as well as on top of earlier bituminous coatings. Can not be overpainted.

Part No.	Colour	Size	Unit
9320200004	Black	4L	3
9320200007	Black	20Kg	1



933 UNDERBODY

Underbody coating made of wax, synthetic resin and bitumen, specially formulated against salinity (moisture). It is applied only on the underbody parts. Produces a perfect pinhole free finish, dries fast and remains elastic in temperatures of -20°C (-4°F) to +60°C (140°F). It has very good adhesion both on clean surfaces as well as on top of old coats. Can not be overpainted.

Part No.	Colour	Size	Unit
9330200001	Black	1L	6



950 STONE CHIP

Suitable for the external underneath and internal parts of the car body with excellent adhesion properties. Can be overpainted with all paint systems.

Part No.	Colour	Size	Unit
9500100001	White	1L	6
9500700001	Grey	1L	6
9500200001	Black	1L	6
9500100002	White	2Kg	6
9500200002	Grey	2Kg	6
9500700002	Black	2Kg	6
5100100000	White	400ml Aerosol	6
5100700000	Grey	400ml Aerosol	6
5100200000	Black	400ml Aerosol	6



100 HYD STONE CHIP

A waterborne based resin stonechip coating with sound deadening properties. Excellent adhesion and flexibility. Suitable for the external and internal parts of the car body. Can be overpainted with all paint systems.

Part No.	Colour	Size	Unit
1000100001	White	1L	6
1000200001	Black	1L	6
1000700001	Grey	1L	6
1000700007	Grey	20L	1



FILLERS



BODY



F 202 ZINC PLUS

2K polyester filler, suitable for all metals. Exceptional adhesion on galvanized surfaces. Sanded with P100 - P180.

Part No.	Colour	Size	Unit
2020300002	Beige	1,8Kg	6



F 213 UNIPLUS

2K polyester filler, suitable for application on all metals. Sanded with P100 - P180.

Part No.	Colour	Size	Unit
2130300012	Beige	1,8Kg	6



F 290 MULTIFILLER

2K ultra light multifiller. Excellent adhesion and elasticity over all metallic surfaces. Sanded with P180 - P400.

Part No.	Colour	Size	Unit
2901300050	Beige	200ml	24
2901300000	Beige	500ml	12
2901300001	Beige	1L	6
2901300002	Beige	1,5L	3
2901300003	Beige	3L	3



F 232 UNIVERSAL

2K polyester filler, that spreads smoothly with excellent adhesion on all new galvanized metal surfaces with easy application and premium filling properties. Also suitable for application on all metal, wooden and polyester surfaces. Dries quickly and can be easily sanded with P120 - P240 grit paper.

Part No.	Colour	Size	Unit
2320100001	White	1L	6



F 282 FLYLITE

2K ultra light multi filler. A self-leveling formula with filling properties and superior adhesion on all surfaces (Wood, Polyester, Bare metal, Stainless steel, Galvanized, Aluminum). Has advanced mechanical properties and spreads smoothly, giving a pinhole free finish. Easy to sand with P150 - P400 grit paper.

Part No.	Colour	Size	Unit
2820600003	Light Green	3L	3



F 211 BODYSOFT

2K polyester filler suitable for metallic, wooden and polyester surfaces. Sanded with P100 - P240.

Part No.	Colour	Size	Unit
2112300000	Beige	250g	24
2112300050	Beige	380g	24
2112300001	Beige	1Kg	12
2112300002	Beige	1,8Kg	6
2112300003	Beige	3Kg	3
2112300005	Beige	5Kg	3



F 216 SOFTPLUS

2K polyester filler suitable for all metallic surfaces. Sanded with P120 - P400.

Part No.	Colour	Size	Unit
2161300001	Beige	500ml	12
2161300002	Beige	1L	6
2161300003	Beige	1,5L	3



F 220 BODYFINE

2K extra fine polyester stopper / filler. Smooth surface and a perfect feather edge. Sanded with P150 - P400.

Part No.	Colour	Size	Unit
2200100050	White	250g	24
2200100001	White	1Kg	12



F 222 BUMPERSOFT

2K elastic polyester filler. Excellent adhesion on bumpers and plastic parts. Sanded with P120 - P180.

Part No.	Colour	Size	Unit
2220000050	Black	250g	24
2220200001	Black	1Kg	12



F 255 BODYALU

2K aluminium polyester filler. Increased thickness and resistance to vibration. Sanded with P80 - P120.

Part No.	Colour	Size	Unit
2550800050	Silver	250g	24
2550800001	Silver	1Kg	12
2550800012	Silver	1,8Kg	6



F 215 FIBERLIGHT

2K light polyester filler with long fiberglass for bridging and filling of cavities. Easy to sand with P100 - P120.

Part No.	Colour	Size	Unit
2150000001	Transparent	1L	6
2150000002	Transparent	2L	3



F 217 FIBERLIGHT

2K fiberglass light polyester filler for bridging and filling of cavities. Easy to sand with P100 - P120.

Part No.	Colour	Size	Unit
2170500000	Light Green	500ml	12
2170500001	Light Green	1L	6
2170500002	Light Green	2L	3



F 250 BODYFIBER

Fiberglass 2K polyester filler for bridging and filling of cavities. Easy to sand with P80 - P120.

Part No.	Colour	Size	Unit
2500600050	Green	250g	24
2500600040	Green	380g	24
2500600060	Green	750g	12
2500600001	Green	1,5Kg	6



P 261 POLYESTER FILLING PRIMER

2K polyester filling primer. Outstanding filling properties. Paintable with all paint systems.

Part No.	Colour	Size	Unit
2610700001	Grey	1L	6



BODY 610 UNIVERSAL FILLER

2K Universal Polyester based filler, which spreads smoothly appropriate for all kind of repairs. Suitable for application on all metal, wooden and polyester surfaces. Extremely easy sanding with P100 - P180 grit paper, without extra effort due to its special formula.

Part No.	Colour	Size	Unit
6100300002	Beige	1,8Kg	6



BODY 611 MULTI FILLER

2K Multi polyester based filler appropriate for use on all metallic and wooden surfaces. An excellent filler that spreads smoothly, giving a pinhole free finish. Easily applied and extremely easy to sand using P80 - P120 dry grit paper.

Part No.	Colour	Size	Unit
6110300050	Beige	250g	24
6110300040	Beige	380g	24
6110300001	Beige	900g	12
6110300002	Beige	1,8Kg	6



BODY 612 SOFT FILLER

2K Soft polyester based filler, appropriate for use on all metallic and wooden surfaces. An excellent filler that spreads smoothly, giving a pinhole free finish. Easily applied and extremely easy to sand using P80 - P120 dry grit paper.

Part No.	Colour	Size	Unit
6120300002	Beige	1,8Kg	6



BODY 631 LIGHT MULTI FILLER

2K Light Multi polyester based filler appropriate for use on all metallic and wooden surfaces. An excellent filler that spreads smoothly, giving a pinhole free finish. Easily applied and extremely easy to sand using only P100 - P180 dry grit paper.

Part No.	Colour	Size	Unit
6310300000	Beige	450ml	12
6310300011	Beige	900ml	6



BODY 615 FIBER FILLER

2K Fiberglass polyester filler. Ideal for bridging and filling of cavities. Spreads smoothly and dries fast. Has excellent mechanical properties and is easy to sand with P80 - P120 grit paper. Gives an elastic and durable surface.

Part No.	Colour	Size	Unit
6150600001	Green	900g	12
6150600002	Green	1,8Kg	6



BODY 617 NANO FIBER

2K Fiberglass polyester filler for bridging and filling of cavities. Also suitable for filling over corroded surfaces. Easy to apply, dries quickly and easy to sand with a P80 - P120 grit paper. Resulting in a high resistant and elastic surface.

Part No.	Colour	Size	Unit
6170600000	Green	500g	24
6170600001	Green	1Kg	12
6170600002	Green	1,8Kg	6



211 BODYSOFT

2K polyester filler suitable for metallic, wooden and polyester surfaces. A filler with good filling properties. Dries quickly and sands easily with P80 - P120 grit paper for a perfect pinhole free finish

Part No.	Colour	Size	Unit
2000300050	Beige	250g	24
2110300050	Beige	380g	24
2110300001	Beige	1Kg	12
2110300002	Beige	2Kg	6
2110300003	Beige	3Kg	3
2110300005	Beige	5Kg	3



205 LP PLUS SOFT

2K polyester filler for metal, wooden and polyester surfaces. A filler with good filling properties. Easy to sand even days after application. Fast drying and can be sanded with P80 - P150 grit paper for a perfect pinhole free finish.

Part No.	Colour	Size	Unit
2050300001	Beige	1Kg	12
2050300012	Beige	1,8Kg	6
2050300003	Beige	3Kg	3
2050300005	Beige	5Kg	3



209 UNILITE

2K light polyester filler. Suitable for repairing jobs on all metal surfaces including aluminium, galvanized steel, stainless steel and bare steel. Also suitable on wooden and polyester surfaces. It is sanded easily with P120 - P240 grit paper and it gives a perfect pinhole free finish.

Part No.	Colour	Size	Unit
2090300003	Beige	1,65L cartridge	6
2090100003	White	1,65L cartridge	6
2090300000	Beige	500ml	12
2090100000	White	500ml	12
2090300001	Beige	1L	6
2090100001	White	1L	6
2090400003	Beige	1,65L	3
2090100002	White	1,65L	3



210 UNISOFT

2K universal polyester filler, suitable for application on all metals (aluminium, stainless steel, galvanised steel, bare steel.) Also suitable for wooden and polyester surfaces. Can be sanded easily with P120 - P240 grit paper for perfect pinhole free finish.

Part No.	Colour	Size	Unit
2101300001	Beige	750ml	6
2101300002	Beige	1L	6
2101400003	Beige	1,5L cartridge	6
2101300003	Beige	1,5L	3



280 LIGHTWEIGHT FILLER

2K lightweight polyester filler, for metal, wooden and polyester surfaces. A fine particle filler, with excellent filling properties. Fast drying and can be sanded with P100 - P180 grit paper for a perfect pinhole free finish without clogging the sanding paper.

Part No.	Colour	Size	Unit
2800300003	Beige	3L	3



290 ULTRA LIGHT MULTIFILLER

2K ultra light polyester filler with excellent adhesion and elasticity over all metallic, wooden and polyester surfaces. Spreads smoothly giving a pinhole free finish. Dries quickly and is extremely easy to dry sand with P120 - P400 or wet sand with P180 - P400.

Part No.	Colour	Size	Unit
2900700000	Light Grey	500ml	12
2900700001	Light Grey	1L	6
2900700002	Light Grey	1,5L	3
2900700003	Light Grey	3L	3



225 UNIFINE

2K fine polyester filler / stopper, suitable for application over all metal surfaces (galvanized steel, aluminium, stainless steel, bare steel, chrome). Also suitable for plastic bumpers (excluding PE), polyester substrates and existing painted surfaces. Easily applied and extremely easy to sand with P150 - P400 grit paper. Produces a perfect pinhole free surface without clogging the sanding paper.

Part No.	Colour	Size	Unit
2251700000	White	200ml	24
2251700002	White	750ml	6
2251700003	White	1,5L	3



P 218 BODY GLAZE

2K self-levelling, finishing polyester filler (glaze), that spreads smoothly with excellent adhesion on all new galvanized metal surfaces with easy application and premium filling properties. Also suitable for application on all metal, wooden and polyester surfaces. Dries quickly and can be easily sanded with P120 - P240 grit paper.

Part No.	Colour	Size	Unit
2180600001	Light Green	600ml	8



P 980 1K FINE FILLER

1K fine filler, ideal for filling pinholes and finishing small uneven surfaces. Apply 2 - 3 light coats with a flash-off time and allow 30 minutes of drying. Can be easily sanded with P600-P1000 grit paper. Can be overcoated with all type of primers or paint systems.



Part No.	Colour	Size	Unit
9800700000	Grey	150g	20
9800600000	Green	150g	20

241 NITROSOFT

1K nitrocellulose filler, ideal for finishing of small uneven surfaces. Suitable for application over polyester fillers, nitrocellulose - high build primers and can be painted over with all paint systems. Apply 3 - 4 light layers allowing 5 -10 minutes between coats and can be sanded with dry or wet papers for a pinhole free finish.



Part No.	Colour	Size	Unit
2410600000	Green	750g	12
2410600002	Green	2Kg	6

243 NITROGLAZE

1K nitrocellulose self levelling (glaze) filler, spreads smoothly, ideal for finishing of small uneven surfaces. Suitable for application over polyester fillers, nitrocellulose - high build primers and can be painted over with all paint systems. Apply 3-4 light layers allowing 5 - 10 minutes between coats and can be sanded with dry or wet papers for a pinhole free finish.



Part No.	Colour	Size	Unit
2430700001	Grey	1Kg	12
2430700003	Grey	3Kg	3

260 BODYFILLER

2K polyester spray filler. Applied with a 2,50 - 3,00 mm spray gun nozzle.

Part No.	Colour	Size	Unit
2600300001	Beige	1L	6
2600300006	Beige	15L	1



265 BODYFILLER LIGHT

2K light polyester spray filler. Applied with a 2,50 - 3,00 mm spray gun nozzle.

Part No.	Colour	Size	Unit
2650700001	Grey	1L	6



PRIMERS 1K - 2K



P 261 POLYESTER FILLING PRIMER

2K polyester filling primer. Outstanding filling properties. Paintable with all paint systems.

Part No.	Colour	Size	Unit
2610700001	Grey	1L	6



P 307 4:1 HS FILLING PRIMER

2K high build acrylic primer. 4:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST or H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3070700001	Grey	1L	6
3070200001	Black	1L	6
3070790004	Grey	1 US Gallon	3
3070290004	Black	1 US Gallon	3
3070190004	White	1 US Gallon	3
3070700004	Grey	4L	3
3070200004	Black	4L	3
3070100004	White	4L	3
3070000004	Transparent	4L	3



P 333 3:1 HS FILLING PRIMER

2K high build acrylic primer. 3:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST or H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3330700001	Grey	1L	6
3330200001	Black	1L	6
3330100001	White	1L	6
3330700003	Grey	3L	3
3330200003	Black	3L	3
3330100003	White	3L	3



P 334 4:1 HS FILLING PRIMER

High quality acrylic – filling, sealing primer. Also suitable for plastic & unsanded cataphoresis OEM panels and “wet on wet” application. 4:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST or H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3340700001	Grey	1L	6
3340200001	Black	1L	6
3340100001	White	1L	6
3340700004	Grey	4L	3
3340200004	Black	4L	3
3340100004	White	4L	3



P 335 5:1 HS FILLING PRIMER

2K high build acrylic primer. 5:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST or H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3350700001	Grey	1L	6
3350200001	Black	1L	6
3350100001	White	1L	6
3350700004	Grey	4L	3
3350200004	Black	4L	3
3350100004	White	4L	3



P 360 2:1 HS FILLING PRIMER

High quality acrylic primer. Suitable for plastic & unsanded cataphoresis OEM panels. 2:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST or H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3600700001	Grey	1L	6
3600200001	Black	1L	6
3600790004	Grey	1 US Gallon	3
3600700004	Grey	4L	3
3600200004	Black	4L	3
3600100004	White	4L	3
3600000004	Transparent	4L	3
5100100001	White	400ml Aerosol	6
5100200011	Black	400ml Aerosol	6
5100300001	Yellow	400ml Aerosol	6
5100400001	Red	400ml Aerosol	6
5100500001	Blue	400ml Aerosol	6
5100600001	Green	400ml Aerosol	6
5100700001	Grey	400ml Aerosol	6



P 411 4:1:1 WET ON WET PRIMER

High quality acrylic sealing primer, ideal for "wet on wet" application. 4:1 mixing ratio with H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
4111700001	Grey	1L	6
4111200001	Black	1L	6
4111100001	White	1L	6
4111700004	Grey	4L	3
4111200004	Black	4L	3
4111100004	White	4L	3



P 961 1K ETCH PRIMER

1K direct to all metals anticorrosive primer. Overpainted with all paint systems.

Part No.	Colour	Size	Unit
9610700001	Grey	1L	6
9610700004	Grey	4L	3
5100700040	Grey	400ml Aerosol	6
5100700050	Dark Grey	400ml Aerosol	6
5100700060	Light Grey	400ml Aerosol	6
5100600040	Olive	400ml Aerosol	6
5100600050	Yellow Olive	400ml Aerosol	6



P 981 1K EPOXY PRIMER

Fast drying 1K epoxy primer. Overpainted with all paint systems.

Part No.	Colour	Size	Unit
9810700001	Grey	1L	6
5100700070	Grey	400ml Aerosol	6



P 962 1K ISOLATOR

1K special isolating primer. Fast drying primer that isolates old paintwork. Use 769 GUN WASH CLEANER to clean the spray gun.

Part No.	Colour	Size	Unit
9620600001	Khaki	1L	6
5200000003	Khaki	400ml Aerosol	6



P 965 WASH PRIMER READY FOR USE

1K transparent wash primer, ready for use. Suitable for aluminium, galvanized, stainless steel and zinc coated surfaces. Easy to apply, as there is no need of thinner addition. Chromate free.

Part No.	Colour	Size	Unit
9650000001	Transparent	1L	6
5100000020	Transparent	400ml Aerosol	6



P 980 1K PRIMER

Fast drying 1K filling primer. Suitable for all kinds of paints.

Part No.	Colour	Size	Unit
9801700001	Grey	1L	6
9801700004	Grey	4L	3



CHASSIS COAT

Chassis Coat is a rust preventive coat, Primer & Paint in One, with excellent anticorrosion protection. 1K Alkyd Based System with high quality, quick drying and color retention semi-gloss finish.

Part No.	Colour	Size	Unit
4100200001	Black	750ml	6
4100700001	Grey	750ml	6
4100900001	Oxide Red	750ml	6
4100200003	Black	2,5L	3
4100700003	Grey	2,5L	3
4100900003	Oxide Red	2,5L	3



BODY 605 4:1 HS FILLING PRIMER

2K acrylic primer. 4:1 mixing ratio with BODY 625 Hardener for Primers.

Part No.	Colour	Size	Unit
6050700001	Grey	800ml	6
6050200001	Black	800ml	6



BODY 607 4:1 UHS FILLING PRIMER

2K acrylic Primer. 4:1 mixing ratio with BODY 625 Hardener for Primers. Excellent filling properties, fast drying and easy sanding. Easy to apply in thick layers even in vertical surfaces due to its high viscosity formula.

Part No.	Colour	Size	Unit
6070700001	Grey	800ml	6
6070700003	Grey	2,5L	3



BODY 634 4:1 HS FILLING PRIMER

2K acrylic primer. 4:1 mixing ratio with BODY 625 Hardener for Primers or H 729 Hardener for Primers NORMAL / FAST. Excellent adhesion to all metals and unsanded CATAPHORESIS OEM PANELS (E-COAT), on all plastic parts without use of adhesion promoter. Due to its high filling properties, it can guarantee efficient application with combination of short drying time; can also be applied as wet on wet.

Part No.	Colour	Size	Unit
6340700001	Grey	800ml	6
6340200001	Black	800ml	6
6340100001	White	800ml	6
6340700003	Grey	2,5L	3
6340200003	Black	2,5L	3
6340100003	White	2,5L	3



BODY 635 5:1 HS FILLING PRIMER

2K acrylic primer. 5:1 mixing ratio with BODY 635 Hardener for Primers. Excellent adhesion to all metals and unsanded CATAPHORESIS OEM PANELS (E-COAT), on all plastic parts without use of adhesion promoter. Due to its high filling properties, it can guarantee efficient application with combination of short drying time.

Part No.	Colour	Size	Unit
6350700001	Grey	800ml	6
6350200001	Black	800ml	6
6350100001	White	800ml	6
6350700003	Grey	2,5L	3
6350200003	Black	2,5L	3
6350100003	White	2,5L	3



BODY 680 1K FILLING PRIMER

A fast drying 1K Filling Primer suitable for all kinds of paints (synthetic - single coat or base coat).

Part No.	Colour	Size	Unit
6800700001	Grey	800ml	6



300 3:1 HS FILLING PRIMER

Excellent high build 2K primer suitable for all paint systems (synthetics - single coat or base coat). 3:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST.

Part No.	Colour	Size	Unit
3000700001	Grey	1L	6
3000200001	Black	1L	6
3000900001	Red	1L	6
3000100001	White	1L	6
3000700003	Grey	3L	3
3000700006	Grey	15L	1



305 4:1 HS FILLING PRIMER

Excellent high build 2K primer with outstanding filling properties for all types of paints (synthetics - single coat or base coat). 4:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST.

Part No.	Colour	Size	Unit
3050700001	Grey	1L	6
3050700004	Grey	4L	3



310 5:1 HS FILLING PRIMER

Excellent high build 2K primer with outstanding filling properties, suitable for all paint systems. 5:1 mixing ratio with H 725 Hardener for Primers SLOW / FAST.

Part No.	Colour	Size	Unit
3100700001	Grey	1L	6
3100700004	Grey	4L	3
3100200004	Black	4L	3



308 TINT PASTE

Consists of five tinters (yellow, red, black, green and blue). To form a primer mix system used in combination with HS Filling Primers P 360 2:1 or P 307 4:1 in white or transparent. Using computer generated formula forty-eight different shades can be achieved.

Part No.	Colour	Size	Unit
3080300001	Yellow	1L	6
3080400001	Red	1L	6
3080200001	Black	1L	6
3080500001	Blue	1L	6
3080600001	Green	1L	6



320 ZINC FILL

Specially formulated 2K, adhesion promoting, anticorrosion primer. Suitable for all metal types (aluminium, galvanized steel, stainless steel, common metal). 4:1 mixing ratio with H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
3200400001	Red	1L	6
3200700001	Grey	1L	6



970 FILLSEALER

Excellent transparent acrylic 2K primer, suitable for the following applications: As a transparent adhesion promoter over non sanded areas. As a filler over treated surfaces. As a first layer (ground coat) for paints with inferior covering abilities (transparent or pigmented). 2:1 mixing ratio with H 729 Hardener for Primers NORMAL / FAST.

Part No.	Colour	Size	Unit
9700000001	Transparent	1L	6



960 WASH PRIMER

Excellent 2K wash primer suitable primarily to be applied over aluminium, galvanised, stainless steel and zinc coated surfaces. 1:1 mixing ratio with 960 Activator.

Part No.	Colour	Size	Unit
9600300001	Light Yellow	1L	6
5100300050	Light Yellow	400ml Aerosol	6



989 4:1 EPOXY PRIMER

High performance 2K epoxy primer with anticorrosive properties. Excellent sealing, adhesion and filling abilities. Resistant to extreme weather conditions. 4:1 mixing ratio with 989 Epoxy Hardener. Also available in Chassis coat version.

Part No.	Colour	Size	Unit
9890700001	Grey	1L	6
9890700004	Grey	4L	3
9890700008	Grey	25Kg	1
9890200004	Black Chassis	4L	3



340 PLASTOFIX

Special adhesion promoter primer suitable for application on all plastic parts of the car body (except PE).

Part No.	Colour	Size	Unit
3400000000	Transparent	500ml	6
3400000001	Transparent	1L	6
5100000010	Transparent	400ml Aerosol	6



980 1K PRIMER

Fast drying 1K filling primer suitable for all kinds of paints (synthetic - single coat or base coat).

Part No.	Colour	Size	Unit
9800700001	Grey	1L	6
9800200001	Black	1L	6
9800700004	Grey	4L	3



968 1K TOP NC FILLER

Fast drying 1K nitrocellulose primer suitable for application under Nitro, Synthetic or single coat acrylic paints.

Part No.	Colour	Size	Unit
9680300001	Beige	1Kg	6
9680700001	Grey	1Kg	6
9680700005	Grey	5Kg	3



969 1K ANTICORROSIVE PRIMER

Fast drying 1K anticorrosive primer which can be applied over metal and wooden surfaces. Great resistance to moisture, salinity, mechanical, chemical and other severe environmental conditions.

Part No.	Colour	Size	Unit
9690900001	Brown	1Kg	6
9690900005	Brown	5Kg	3
5010079690	Grey	400ml Aerosol	6



992 1K ANTICORROSIVE PRIMER

High quality, fast drying, 1K anticorrosive primer suitable for application over metallic and wooden surfaces. Excellent resistance to salinity, moisture and to severe weather conditions.

Part No.	Colour	Size	Unit
9920900001	Brown	1Kg	6
9920200001	Black	1Kg	6
9920700001	Grey	1Kg	6
9920200005	Black	5Kg	3
9920700005	Grey	5Kg	3
9920900007	Brown	20L	1
9920200007	Black	20L	1
9920700007	Grey	20L	1
5100499200	Brown	400ml Aerosol	6
5100299200	Black	400ml Aerosol	6
5100799200	Grey	400ml Aerosol	6



CLEAR COATS



C 894 CLEAR ULTRA HS 2:1

2K acrylic 2:1 Ultra HS clear coat, suitable for full and partial refinishes. Use with Hardeners Ultra HS H 733 SLOW, H 734 NORMAL & H 735 FAST.

Part No.	Size	Unit
8940000001	1L	6
8940000005	5L	4



C 898 CLEAR ULTRA HS 2:1

2K acrylic 2:1 quick drying Ultra HS clear coat, suitable for full and partial refinishes. Use with Hardeners Ultra HS H 737 SLOW or H 738 NORMAL. Force drying is only 5 min. at 60°C (140°F).

Part No.	Size	Unit
8980000001	1L	6
8980000005	5L	4



C 494 CLEAR ULTRA HS 2:1

2K acrylic 2:1 Ultra HS clear coat, suitable for full and partial refinishes. Use with Hardeners Ultra HS H 733 SLOW, H 734 NORMAL & H 735 FAST.

Part No.	Size	Unit
4940000001	1L	6
4940000005	5L	4



C 493 MATT CLEAR HS 2:1

2:1 matt clear coat with perfect matt finish for full and partial refinishes. Use with H 753 Hardener for Topcoats NORMAL.

Part No.	Colour	Size	Unit
4930200001	Matt	1L	6



C 495 CLEAR EXPRESS SR 4:1

Fast drying 4:1 SR clear coat, suitable for spot panel repairs. Use with H 753 Hardener for Topcoats NORMAL, 727 POLAR Hardener.

Part No.	Size	Unit
4959100000	500ml + 125ml 727	6
4950100001	1L	6
4950100005	5L	4



C 495 CLEAR EXPRESS SEMI GLOSS

4:1 semi gloss clear coat with perfect finish for partial refinish. Use with H 753 Hardener for Topcoats NORMAL.

Part No.	Size	Unit
4950200001	1L	6
5200000004	400ml Aerosol	6



C 496 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial refinishes. Use with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Size	Unit
4960100001	1L	6
4960100005	5L	4
5200000000	400ml Aerosol	6



C 499 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial refinishes. Use with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Size	Unit
4990100000	500ml	6
4990100001	1L	6
4990100005	5L	4



BODY 691 CLEAR UHS SR 2:1

A 2K Ultra HS 2:1 clear coat with excellent leveling, high gloss and long lasting protection. Easy to apply for all types of refinish (partial, full and spot repair). Use with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Size	Unit
6911000001	1L	6
6911000005	5L	4



BODY 698 CLEAR HS SR 2:1

A 2K HS clear coat, with excellent leveling and high gloss, long lasting protection. Easy to apply due to its high viscosity formula. Fast hardening properties for spot panel and full automotive repairs. Use with BODY 620 Hardener or Hardeners for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Size	Unit
6980000001	1L	6
6980000005	5L	4



BODY 699 CLEAR HS SR 2:1

A 2K HS 2:1 clear coat. Its high gloss retention, excellent leveling and fast hardening properties, make this clear suitable for spot panel and full automotive repairs. Use with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Size	Unit
6990000000	500ml	6
6990000001	1L	6
6990000005	5L	4



BODY 697 CLEAR HS SR 2:1

A 2K HS 2:1 clear coat with high gloss and fast hardening properties. Use with BODY 620 Hardener, H 752 SLOW, H 753 NORMAL & H 754 FAST Hardener for Topcoats.

Part No.	Size	Unit
6970000001	1L	6
6970000005	5L	4



491 AUTO CLEAR HS

2K, high solids, acrylic clear coat. 2:1 mixing ratio with 730 AUTOHARD HS Standard Hardener. Spraybooth temperature 60°C for 45 minutes is always required.

Part No.	Size	Unit
4910000001	1L	6
4910000005	5L	4



492 AUTO CLEAR HS SR 3:1

High quality 3:1 clear coat with excellent gloss properties for full and partial refinishes. Use with Hardener for Topcoats 716 SLOW, 717 NORMAL & 718 FAST.

Part No.	Size	Unit
4920100003	3L	4



1K AUTOCLEAR UNIVERSAL

1K Autoclear universal is easy to use with excellent results, fast drying and does not require hardener. Can be applied over all painted surfaces with any paint system.

Part No.	Size	Unit
4000000001	1L	6
4000000005	5L	4





Mix System



SPECTRO SOLUTIONS SEARCH & CORRECT



Spectro Solutions

HB BODY is able to provide valid colour matching like never before with a last generation spectrophotometer. The spectrophotometer in combination with a Spectro Solutions search & correct software and HB BODY colour index can produce accurate and efficient matching results speeding up the whole refinishing procedure.

Shade Finder

HB BODY's online Shade Finder, which has been developed by the HB BODY's IT department, includes all colour mix systems of HB BODY (Color Solutions Basecoat / 2K Acrylic Paint SR, Aqua Basecoat and Industrial Paint Mix Systems) and is a powerful colour matching tool. Shade Finder's Data Base includes more than 150,000 recipes in total and is constantly updated with the latest automotive colour codes of the market.

Colour Index

In the global automotive refinishing industry, finding the exact match for an automotive colour shade and its correct formulation is regarded by painters as a hard and demanding procedure. HB BODY is providing a handmade colour index with more than 15,000 shades which are updated continuously throughout the year hence speeding up the procedure and accuracy. The painters can rely 100% for the accuracy of the mixed shade without any unwanted surprises.

Mixing Machine

Modern design 96 positions mixing machine that is very easy and quick to assembly with stable and reliable performance. New technology, noiseless, due to separate small motors, for each position. Dimensions: 236cm length, 220cm height, 38cm depth.



**COLOR
SOLUTIONS**
MIX SYSTEM



**YOUR
COLOR
ALLY.**



MIX SYSTEMS



COLOR SOLUTIONS BASE COAT MIX SYSTEM

A one component solvent based mix system consisting of high quality acrylic resin system and pigments. Comprises basic tinters solid, metallic, pearls and Xirallic® pearls. Supplied with a specially designed stirring cabinet, a hand - sprayed colour index and a software with all shade formulations.

Part No.	Colour	Size	Unit
471...	Various	150ml	6
471...	Various	300ml	4
471...	Various	500ml	3
471...	Various	1L	3
471...	Various	3,75L	3



COLOR SOLUTIONS 2K ACRYLIC MIX SYSTEM

A two component fast drying acrylic mix system with scratch resistant properties that has high, durable gloss as well as chemical, severe weather and mechanical durability. Use as 2:1 mixing ratio with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST or as 3:1 mixing ratio with Hardener for Topcoats 716 SLOW, 717 NORMAL & 718 FAST.

Part No.	Colour	Size	Unit
443...	Various	1L	3
443...	Various	3,75L	3



COLOR SOLUTIONS AQUA BASECOAT MIX SYSTEM

A one component waterborne mix system. Comprises basic tinters metallic, solid colours, pearls and Xirallic® pearls. Supplied with a specially designed heated cabinet, a hand - sprayed colour index and a software with all shade formulations.

Part No.	Colour	Size	Unit
480...	Various	500ml	2
480...	Various	1L	2



INDUSTRIAL PAINT MIX SYSTEM

A one component fast drying alkyd based mix system with high endurance and gloss. Supplied with hand - sprayed colour chips and a software that covers all major agricultural machinery shades and a variety of RAL shades.

Part No.	Colour	Size	Unit
681...	Various	3,75L	3



PAINTS



AUTOEMAIL METALLIC PAINT STANDARD

Fast drying metallic base coat. Available in various standard shades.

Part No.	Colour	Size	Unit
470...	Various	1L	6



AUTOEMAIL 2K ACRYLIC PAINT STANDARD

A two component quick drying acrylic resin based paint with scratch resistant properties that has high durable gloss as well as chemical, severe weather and mechanical durability. Available in various shades. Use as 2:1 mixing ratio with Hardener for Topcoats H 752 SLOW, H 753 NORMAL & H 754 FAST.

Part No.	Colour	Size	Unit
440...	Various	1L	6
442...	Various	1L	6
440...	Various	20L	1



RALLY SYNTHETIC PAINT

Synthetic air drying alkyd resin paint with reliable drying time, high level and permanent gloss. Excellent coverage and excellent resistance to severe weather conditions. Available in various standard shades and can be manufactured to any shade if required.

Part No.	Colour	Size	Unit
400...	Various	750ml	6



BUMPER PAINT

Fast drying 1K paint for restoring OEM look of plastic bumpers and plastic parts. Easy to apply with excellent mechanical resistance due to its high elasticity.

Part No.	Colour	Size	Unit
4110200001	Black	1L	6
4110703001	Grey	1L	6
4110200004	Black	4L	3
5130200000	Black	400ml Aerosol	6
5130201000	Light Grey	400ml Aerosol	6
5130202000	Grey	400ml Aerosol	6
5130203000	Dark Grey	400ml Aerosol	6



BUMPER PAINT TEXTURE

Fast drying 1K texture paint for plastic parts and for restoring OEM look of plastic bumpers. Easy to apply with excellent mechanical resistance due to its high elasticity.

Part No.	Colour	Size	Unit
4120200001	Black	1L	6
5130200010	Black	400ml Aerosol	6
5130703000	Grey	400ml Aerosol	6



HARDENERS



H 725 HARDENER FOR PRIMERS SLOW / FAST

Slow / Fast isocyanate hardener for 2K primers only. Available in transparent yellow colour.

Part No.	Type	Size	Unit
7251000030	Slow	200ml	6
7251000020	Slow	250ml	6
7251000010	Slow	333ml	6
7251000001	Slow	1L	6
7250000030	Fast	200ml	6
7250000020	Fast	250ml	6
7250000010	Fast	333ml	6
7250000000	Fast	500ml	6
7250000001	Fast	1L	6



H 729 HARDENER FOR PRIMERS NORMAL / FAST

Normal / Fast isocyanate hardener for 2K primers only and for wet on wet application. Available in transparent colour.

Part No.	Type	Size	Unit
7290000020	Normal	250ml	6
7290000000	Normal	500ml	6
7290000001	Normal	1L	6
7292000020	Fast	250ml	6
7292000000	Fast	500ml	6
7292000001	Fast	1L	6



H 752 HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for 2K acrylic paints and 2K clear coats.

Part No.	Type	Size	Unit
7520000000	Slow	500ml	6
7520000001	Slow	1L	6
7520000003	Slow	2,5L	4
7520000005	Slow	5L	4



H 753 HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for 2K acrylic paints and 2K clear coats.

Part No.	Type	Size	Unit
7530000020	Normal	250ml	6
7530000000	Normal	500ml	6
7530000001	Normal	1L	6
7530000003	Normal	2,5L	4
7530000005	Normal	5L	4



H 754 HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for 2K acrylic paints and 2K acrylic clear coats.

Part No.	Type	Size	Unit
7540000000	Fast	500ml	6
7540000001	Fast	1L	6
7540000003	Fast	2,5L	4
7540000005	Fast	5L	4



H 733 HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra high solid clear coats.

Part No.	Type	Size	Unit
7330000000	Slow	500ml	6
7330000003	Slow	2,5L	4



H 734 HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra high solid clear coats.

Part No.	Type	Size	Unit
7340000000	Normal	500ml	6
7340000003	Normal	2,5L	4



H 735 HARDENER ULTRA HS FAST

Fast isocyanate hardener for 2K ultra high solid clear coats.

Part No.	Type	Size	Unit
7350000000	Fast	500ml	6
7350000003	Fast	2,5L	4



H 737 HARDENER ULTRA HS SLOW

Slow isocyanate hardener for 2K ultra high solid clear coats.

Part No.	Type	Size	Unit
7370000000	Slow	500ml	6
7370000003	Slow	2,5L	4



H 738 HARDENER ULTRA HS NORMAL

Normal isocyanate hardener for 2K ultra high solid clear coats.

Part No.	Type	Size	Unit
7380000000	Normal	500ml	6
7380000003	Normal	2,5L	4



716 HARDENER FOR TOPCOATS SLOW

Slow isocyanate hardener for 492 AUTO CLEAR HS SR 3:1 clear coat and 2K acrylic paints.

Part No.	Type	Size	Unit
7160000001	Slow	1L	6



717 HARDENER FOR TOPCOATS NORMAL

Normal isocyanate hardener for 492 AUTO CLEAR HS SR 3:1 clear coat and 2K acrylic paints.

Part No.	Type	Size	Unit
7170000001	Normal	1L	6



718 HARDENER FOR TOPCOATS FAST

Fast isocyanate hardener for 492 AUTO CLEAR HS SR 3:1 clear coat and 2K acrylic paints.

Part No.	Type	Size	Unit
7180000001	Fast	1L	6



955 TOUGH LINER HARDENER

Isocyanate hardener for 955 Tough Liner protective coating.

Part No.	Size	Unit
9550000030	200ml	6



BODY 625 HARDENER FOR PRIMERS

Isocyanate hardener for BODY 634 4:1 HS, BODY 605 4:1 HS and BODY 607 4:1 UHS Filling Primers.

Part No.	Size	Unit
6250000030	200ml	6
6250000001	625ml	6



BODY 635 HARDENER FOR PRIMERS

Isocyanate hardener for BODY 635 5:1 HS Filling Primer.

Part No.	Size	Unit
6350000040	160ml	6
6350000000	500ml	6



BODY 620 HARDENER

Isocyanate hardener for BODY 697 HS SR 2:1 and BODY 698 HS SR 2:1 clear coats.

Part No.	Size	Unit
6200000000	500ml	6
6200000003	2,5L	4



727 POLAR HARDENER

Extra fast isocyanate hardener for C 495 Clear Express SR 4:1 clear coat.

Part No.	Size	Unit
7270000020	250ml	6
7270000000	500ml	6
7270000001	1L	6
7270000011	1,25L	4
7270000002	1,7L	4
7270000003	2,5L	4



730 AUTO HARD

HS standard hardener for 491 Auto Clear HS clear coat.

Part No.	Size	Unit
7300000000	500ml	6
7300000001	1L	6
7300000003	2,5L	4



989 EPOXY HARDENER

Epoxy hardener for 989 4:1 Epoxy Primer.

Part No.	Size	Unit
7320300000	250ml	6
7320300001	1L	6
7320300004	3,75Kg	4



960 ACTIVATOR

Special hardener activator for 960 Wash Primer.

Part No.	Size	Unit
7310000001	1L	6



20:80 HARDENER

Special hardener - thinner for curing / dilution of synthetic paints (RALLY SYNTHETIC PAINT) at a 4:1 mixing ratio.

Part No.	Size	Unit
7100000099	250ml	6
7100000000	500ml	6
7100000001	1L	6



801 BODY CONVERTER

Special hardener for 2K primers, topcoats and clears to be used with sprayfill. After mixing with the material the mixture has an indefinite pot life when filled in the spray can.

Part No.	Size	Unit
8010000001	1L	6



AQUA BASECOAT HARDENER

Isocyanate hardener especially designed for COLOR SOLUTIONS AQUA BASECOAT MIX SYSTEM, giving excellent weathering and chemical resistance. For use on inner parts of the car where no clear coat can be applied.

Part No.	Size	Unit
7740000000	500ml	6



HARDENER FOR POLYESTER FILLERS

Hardener for polyester fillers.

Part No.	Colour	Size	Unit
01003.....	Red	Various	Per piece



HARDENER FOR POLYESTER SPRAY FILLER

Hardener for polyester fillers and primers.

Part No.	Colour	Size	Unit
7050000003	Transparent	50ml	6
7050000007	Transparent	750ml	1



THINNERS & ADDITIVES



740 ACRYL NORMAL THINNER

Special thinner (reducer) NORMAL used for the dilution of 2K acrylic high build primers and 2K acrylic topcoats and basecoats. DOES NOT contain Recycled Solvents.

Part No.	Size	Unit
7400000000	500ml	6
7400000001	1L	6
7400000005	5L	4
7400000007	20L	1



741 ACRYL SLOW THINNER

Special thinner (reducer) SLOW used for the dilution of 2K acrylic high build primers and 2K acrylic topcoats and basecoats. DOES NOT contain Recycled Solvents.

Part No.	Size	Unit
7410000000	500ml	6
7410000001	1L	6
7410000005	5L	4
7410000007	20L	1



742 ACRYL EXTRA SLOW THINNER

Special thinner (reducer) EXTRA SLOW used for the dilution of 2K acrylic high build primers and 2K acrylic topcoats and basecoats. DOES NOT contain Recycled Solvents.

Part No.	Size	Unit
7420000001	1L	6



750 SYNT THINNER

Special thinner (reducer) used for the dilution of synthetic, alkyd based products. DOES NOT contain Recycled Solvents.

Part No.	Size	Unit
7500100000	250ml	6
7500000000	500ml	6
7500000001	1L	6
7500000007	20L	1



767 ECO THINN NITRO THINNER

Thinner (reducer) suitable for nitrocellulose paints, clear coats, as well as for nitrocellulose surfacers and 1K filling primers. Recommended for cleaning of spray guns and paint tools. DOES NOT contain Recycled Solvents.

Part No.	Size	Unit
7670000001	1L	6
7670000005	5L	4
7670000007	20L	1



770 ANTISIL NORMAL DEGREASER

Special degreaser NORMAL for the removal of any contamination from surfaces prior to painting.

Part No.	Size	Unit
7700000001	1L	6
7700000005	5L	4
5200000002	400ml Aerosol	6



771 ANTISIL FAST DEGREASER

Special degreaser FAST for the removal of any contamination from surfaces prior to painting.

Part No.	Size	Unit
7710000001	1L	6
7710000005	5L	4



A 715 TURBO AX ACCELERATOR

An outstanding accelerator compatible with all HB BODY clear coats. It improves drying time and produces excellent results. Use 4 caps in 1 Litre of the ready for use product.

Part No.	Size	Unit
7150000000	500ml	6



600 ECO PAINT REMOVER

A transparent **ECO Paint Remover** suitable for the removal of paint, clear coats and latex material from all metal and plastic surfaces. Also suitable for cleaning of paint tools (e.g. spray guns, spatulas etc).

Part No.	Size	Unit
6000000000	500ml	6
6000000001	1L	6
5220000000	400ml Aerosol	6



700 PAINT REMOVER

A transparent **coating** suitable for the removal of paint, clear coats and latex materials from all metal surfaces. Also suitable for cleaning of paint tools (e.g. spray guns, spatulas, etc).

Part No.	Size	Unit
7000000000	500ml	6
7000000001	1L	6
5210000000	400ml Aerosol	6



769 GUN WASH CLEANER

Special gun wash cleaner used after the application of P 962 Isolator, in order to avoid any product remainings in the spray gun.

Part No.	Size	Unit
7690000001	1L	6



AQUA BASECOAT DEGREASER

Special waterborne degreaser for the removal of any contamination from surfaces prior to painting. Also for cleaning any spraying equipment of waterbased paint. Contains high purity demineralised water and additives for proper cleaning.

Part No.	Size	Unit
7720100001	1L	6



AQUA BASECOAT SPRAYING SOLVENT

Special thinner (reducer) for AQUA BASECOAT waterborne basecoat paint. Contains high purity demineralised water and special additives for proper surface wetting and levelling.

Part No.	Size	Unit
7730000000	1L	6



AQUA BASECOAT BLEND IN THINNER

Special Blend-in Thinner for AQUA BASECOAT basecoat paint. Suitable for all COLOR SOLUTIONS AQUA BASECOAT MIX SYSTEM shades either metallic or non-metallic, whenever blending (fade-out) on spot repairs is necessary.

Part No.	Size	Unit
7760000001	1L	6



775 EPOXY THINNER

Special epoxy thinner to be used with 989 4:1 Epoxy Primer.

Part No.	Size	Unit
7750000001	1L	6
7750000005	5L	4
7750000007	20L	1



777 BLEND-IN THINNER

Special thinner (reducer) for blending of top coats (also known as fade out thinner).

Part No.	Size	Unit
7770000001	1L	6
5200000001	400ml Aerosol	6



780 POLY THINNER

Special thinner (reducer) suitable for the dilution of polyester spray fillers and primers like 260 Bodyfiller, 265 Bodyfiller Light and P 261 Polyester Filling Primer. It can also be used to clean any equipment used in the application of polyester materials.

Part No.	Size	Unit
7800000001	1L	6



800 MATTING AGENT

Special agent developed to reduce the gloss of 1K or 2K paints and clear coats. Add 20-50% depending on the level of gloss required. After adding the matting agent, less thinner (reducer) is required.

Part No.	Size	Unit
8000000001	1L	6



803 FLEX AGENT

Special additive for flexing of 2K systems i.e. 2K Primers, 2K Paints or 2K Clear coats. Flexing all the above is absolutely necessary for painting elastic parts of the car (bumpers, spoilers etc).

Part No.	Size	Unit
8030000001	1L	6



804 ANTI SILICONE

Additive suitable for the prevention and confrontation of silicon craters.

Part No.	Size	Unit
8040000020	250ml	6



955 ANTI SLIP ADDITIVE

Anti-slip Additive is a supplementary product of the 955 Tough Liner series. The use of Anti-Slip Additive gives an anti-slip effect in accordance with EN 13036-4 (BS 7976-2).

Part No.	Colour	Size	Unit
9550000010	Light Purple	120g	6



SEAM SEALERS



S 115 AUTO SEAL

Rubber - based sealer. Can be overpainted with all paint systems.

Part No.	Colour	Size	Unit
1150700000	Grey	300ml cartridge	12
1150700001	Grey	1Kg	6



110 BODY SEAL

Waterborne seamsealer for high quality bonding and sealing of the internal and external parts of the car body. Also suitable for wood and marine. Dries quickly and remains permanently elastic. It is also suitable for exterior surfaces (Quarter panels, wing edges, door skins etc) that are directly exposed to UV rays. Retains its shape, and is overcoatable with all paint systems.

Part No.	Colour	Size	Unit
1100700000	Grey	300ml cartridge	12
1100700001	Grey	1Kg	6
1100100000	White	300ml cartridge	12
1100100001	White	1Kg	6



999 SEAM SEALER

Rubber based seamsealer, ideal for bonding metallic surfaces and for joint filling of the car body. It is suitable for the inner automobile parts that are not directly exposed to UV rays. After drying it can be overcoated by any type of paint.

Part No.	Colour	Size	Unit
9990300010	Light Beige	120g tube	20
9990300000	Light Beige	300ml cartridge	12
9990300001	Light Beige	1Kg	6



BODY PU 944 SEALANT

A Hybrid PU sealant with excellent mechanical endurance and UV resistance. It has adhesion to all metal, plastic, wooden, glass, concrete, polycarbonate and ceramic surfaces. Fast curing and overpaintable with all paint systems. It does not contain isocyanate, silicone or PVC and it does not polymerize in cartridge after first use.

Part No.	Colour	Size	Unit
9440200000	Black	300ml cartridge	12
9440100000	White	300ml cartridge	12



BODY 920 SEALANT

Black adhesive, ideal for bonding of rubber to metal, also suitable for bonding of window and door fittings, tight sealing of headlamps and windscreens. Also suitable for making car mats adhere to the automobile floor.

Part No.	Colour	Size	Unit
9200200000	Black	100g tube	20



BODY 940 SEALANT

Windscreen sealant featuring exceptional resistance against weather extremes. Also provides efficient sealing between welds in a panel assembly and for sticking metal to cement surfaces. It never dries and cannot be painted over. It should never be used as bonding sealer.

Part No.	Colour	Size	Unit
9400200000	Black	300ml cartridge	12



120 SILICON BODY

An excellent material suitable for bonding, filling and sealing of concrete, metal, ceramics, glass and plastic. Excellent adhesive ability, permanently elastic and resistant to weather extremes. Care should always be taken to ensure that all surfaces are degreased and dust free before application.

Part No.	Colour	Size	Unit
1200000000	Transparent	100ml tube	20
1200000001	Transparent	280ml cartridge	12





AEROSOLS

U 951 AUTO FLEX

A rubber based sound deadening / sealing material. Suitable for application to the internal or external parts of the underbody, with high ageing stability. Provides scratch and stone chip protection, remains elastic and can be overpainted "wet-on-wet" with all paint systems.

Part No.	Colour	Size	Unit
5100100030	White	400ml Aerosol	6
5100200030	Black	400ml Aerosol	6
5100700030	Grey	400ml Aerosol	6



P 360 2K HS PRIMER

High quality filling anticorrosive primer with ideal adhesion over unsanded OEM (E-COAT) panels. Good absorption of overspray and excellent leveling guarantees outstanding results.

Part No.	Colour	Size	Unit
5100700001	Grey	400ml Aerosol	6
5100200011	Black	400ml Aerosol	6
5100100001	White	400ml Aerosol	6
5100400001	Red	400ml Aerosol	6
5100600001	Green	400ml Aerosol	6
5100500001	Blue	400ml Aerosol	6
5100300001	Yellow	400ml Aerosol	6



P 961 ETCH PRIMER

Fast drying anticorrosive primer. Suitable for all metal substrates as galvanized, stainless steel, aluminium, and bare metal.

Part No.	Colour	Size	Unit
5100700040	Grey	400ml Aerosol	6
5100700050	Dark Grey	400ml Aerosol	6
5100700060	Light Grey	400ml Aerosol	6
5100600040	Olive	400ml Aerosol	6
5100600050	Yellow Olive	400ml Aerosol	6



P 962 ISOLATOR PRIMER

Quick drying primer that prevents from lifting and bleeding of old paint which is sensitive to strong solvents. It can be overcoated with primer / surfacer or polyester spray filler after 1 hour. Does not require any sanding.

Part No.	Colour	Size	Unit
5200000003	Khaki	400ml Aerosol	6



P 965 WASH PRIMER

Excellent transparent wash primer. Suitable for aluminium, galvanized, stainless steel and zinc coated surfaces.

Part No.	Colour	Size	Unit
5100000020	Transparent	400ml Aerosol	6



P 981 EPOXY PRIMER

Fast drying epoxy primer. Suitable for all metal substrates as galvanized, stainless, aluminium, bare metal and OEM (E-COAT). It has anticorrosive properties, excellent coverage and can be painted with all paint systems.

Part No.	Colour	Size	Unit
5100700070	Grey	400ml Aerosol	6



C 495 2K CLEAR EXPRESS SEMI GLOSS

A semi gloss high quality clear with excellent leveling. Fast hardening, suitable for all top quality refinishes. Ensures excellent resistance to extreme weather conditions.

Part No.	Size	Unit
5200000004	400ml Aerosol	6



C 496 2K HS CLEAR

A crystal clear, high gloss coat with excellent leveling. Fast hardening, suitable for all top quality refinishes. Ensures durable gloss and offers excellent resistance to extreme weather conditions.

Part No.	Size	Unit
5200000000	400ml Aerosol	6



SPOT REPAIR PRIMER

Fast drying primer suitable for repairing small imperfections. Fast drying and excellent levelling guarantees efficient application and easy sanding.

Part No.	Colour	Size	Unit
5100200001	Black	400ml Aerosol	6
5100100011	White	400ml Aerosol	6
5100700002	Grey	400ml Aerosol	6



BODY PRIMER

Fast drying, thermoplastic primer. Easy to sand. Can be painted over with all paint systems.

Part No.	Colour	Size	Unit
5100400030	Red	400ml Aerosol	6
5100700020	Grey	400ml Aerosol	6
5100200010	Black	400ml Aerosol	6
5100100010	White	400ml Aerosol	6



992 ANTICORROSIVE PRIMER

High quality, fast drying alkyd anticorrosive primer suitable for application over metallic and wooden surfaces. Excellent resistance to moisture, salinity, mechanical, chemical and other severe environmental conditions.

Part No.	Colour	Size	Unit
5100799200	Grey	400ml Aerosol	6
5100299200	Black	400ml Aerosol	6
5100499200	Brown	400ml Aerosol	6



969 IRIDA ANTICORROSIVE PRIMER

Fast drying alkyd anticorrosive primer applied over metal and wooden surfaces. Very good resistance to moisture, salinity mechanical, chemical and other severe environmental conditions.

Part No.	Colour	Size	Unit
5010079690	Grey	400ml Aerosol	6



960 WASH PRIMER

Anticorrosive adhesion primer for galvanized and stainless steel, aluminium and common metal.

Part No.	Colour	Size	Unit
5100300050	Light Yellow	400ml Aerosol	6



ZINC SPOT MIG WELDING PRIMER

Fast drying high zinc filled, anticorrosive, conductive primer for MIG or spot welding of metal sheets.

Part No.	Colour	Size	Unit
5100200060	Black	400ml Aerosol	6



340 PLASTOFIX

Fast drying transparent adhesion promoter, perfect for use on all bare plastics (except PE).

Part No.	Colour	Size	Unit
5100000010	Transparent	400ml Aerosol	6



FLAT GUIDE

Special black powder assists in sanding of fillers – primers. Tack free.

Part No.	Colour	Size	Unit
5110200000	Black	400ml Aerosol	6



UNIVERSAL PAINT

Quick drying high gloss acrylic paint with excellent coverage for automotive and general decorative use. Available in a wide variety of shades.

Part No.	Colour	Size	Unit
500...	Various	400ml Aerosol	6



SPECIAL PAINT

Quick drying high gloss acrylic paint. Excellent coverage for automotive and general decorative use. Available in special effect shades, e.g. metallic (aluminium bronze, copper), fluorescent etc.

Part No.	Colour	Size	Unit
505...	Various	400ml Aerosol	6



IRIDA PAINT

Quick drying acrylic paint with excellent coverage for automotive and general decorative use. Available in a wide variety of RAL shades.

Part No.	Colour	Size	Unit
501...	Various	400ml Aerosol	6



AUTOEMAIL METALLIC PAINT

Fast drying metallic paint. It can be applied over old layers of paint or on primer treated surfaces. After drying any clear coat can be applied. Available in a wide variety of shades, upon request.

Part No.	Colour	Size	Unit
510...	Various	400ml Aerosol	6



AUTOEMAIL 2K ACRYLIC PAINT

Quick hardening acrylic paint with durable gloss and high resistance to chemical and other severe conditions. It is available in a wide variety of shades, upon request.

Part No.	Colour	Size	Unit
510...	Various	400ml Aerosol	6



RALLY SYNTHETIC PAINT

Synthetic air drying alkyd resin paint with reliable drying time, high level and permanent gloss. Excellent coverage and excellent resistance to severe weather conditions. Especially suitable for high quality automotive repairs. Available in a wide variety of shades upon request.

Part No.	Colour	Size	Unit
502...	Various	400ml Aerosol	6



BUMPER PAINT

Fast drying acrylic topcoat for plastic parts. Excellent coverage. Suitable for use on all plastic surfaces e.g. bumpers, moldings etc (except PE) without primer or adhesion promoter underneath.

Part No.	Colour	Size	Unit
5130200000	Black	400ml Aerosol	6
5130203000	Dark Grey	400ml Aerosol	6
5130201000	Light Grey	400ml Aerosol	6
5130202000	Grey	400ml Aerosol	6



BUMPER PAINT TEXTURE

Fast drying acrylic texture topcoat, suitable for use on all plastic surfaces, bumpers etc. (except PE) without primer or adhesion promoter underneath. Results to a fine textured surface similar to the original bumper.

Part No.	Colour	Size	Unit
5130703000	Grey	400ml Aerosol	6
5130200010	Black	400ml Aerosol	6



HEAT SUPER PAINT

Excellent heat resistant paint up to 600°C (1112°F), with excellent coverage.

Part No.	Colour	Size	Unit
5120200000	Black	400ml Aerosol	6
5120800000	Silver	400ml Aerosol	6
5120900000	Brown Red	400ml Aerosol	6



HEAT SUPER TEXTURE PAINT

Heat resistant paint up to 300°C (572°F), with excellent coverage. Colour red. Available in texture form. Ideal for the engine covers.

Part No.	Colour	Size	Unit
5120400010	Texture paint Ferrari red	400ml Aerosol	6



BRAKE CALIPER PAINT

BRAKE CALIPER PAINT is heat resistant up to 300°C (572°F) and gives a high performance finish on brake calipers. Does not crack, fade or rust. It gives a high gloss finish with resistance to wheel acid and brake fluid. Dries fast and gives a durable finish.

Part No.	Colour	Size	Unit
5120400020	Red	400ml Aerosol	6



LENS CLEAR

LENS CLEAR is a special designed elastic clear that gives a gloss look to the front or tail lens. The perfect solution for lens that become yellow and fade due to weather conditions.

Part No.	Colour	Size	Unit
5230000000	Transparent	400ml Aerosol	6



LENS TINT

LENS TINT is a black transparent clear specially designed to create a black (smoked) effect for the tail lights.

Part No.	Colour	Size	Unit
5160200000	Black transparent	400ml Aerosol	6



CLEANER & POLISH

CLEANER & POLISH aerosol is special designed to clean the surfaces from grease, bugs and to protect from dirt accumulation. It polishes chrome - aluminium and top coated surfaces. Protects against UV and gives long lasting gloss. Water repellent and silicon free.

Part No.	Colour	Size	Unit
5240000000	White	400ml Aerosol	6



900 CAVITY WAX

Anticorrosive, protective wax oil for exterior and interior automotive closed parts. A special long plastic tube of 60cm can be used for difficult to be accessed car parts.

Part No.	Colour	Size	Unit
5130000001	Brown	400ml Aerosol	6



930 UNDERBODY

A bituminous thixotropic coating that provides excellent anticorrosive and stone chip protection. Perfect adhesion with permanent elasticity. Applied on the underneath parts of the car body. Can not be overpainted.

Part No.	Colour	Size	Unit
5100200020	Black	400ml Aerosol	6



950 STONE CHIP

Special formulated material with sound proof and protective properties. Based on synthetic rubber. Protects the interior and lower automotive parts, providing scratch and stone chip protection.

Part No.	Colour	Size	Unit
5100200000	Black	400ml Aerosol	6
5100700000	Grey	400ml Aerosol	6
5100100000	White	400ml Aerosol	6



600 ECO PAINT REMOVER

A transparent ECO Paint Remover suitable for the removal of paint, clear coats and latex material from all metal and plastic surfaces. Also suitable for cleaning paint tools (e.g. spray guns, spatulas etc).

Part No.	Colour	Size	Unit
5220000000	Transparent	400ml Aerosol	6



700 PAINT REMOVER

Transparent coating suitable for the removal of paint – clear – latex materials from all surfaces. Long lasting action that does not affect the surfaces underneath the paint layers.

Part No.	Colour	Size	Unit
5210000000	Transparent	400ml Aerosol	6



770 ANTISIL NORMAL DEGREASER

Special degreaser for the removal of any contamination from surfaces prior to painting.

Part No.	Colour	Size	Unit
5200000002	Transparent	400ml Aerosol	6



777 BLEND-IN THINNER

Special thinner (reducer) in aerosol form suitable for fading out the overspray in areas needed to be blended (spot Panels).

Part No.	Colour	Size	Unit
5200000001	Transparent	400ml Aerosol	6



PREFILL WATERBORNE

Aerosol can, containing universal thinners and propellant gas suitable and compatible with all waterborne paint systems.

Part No.	Size	Unit
5180000001	400ml Aerosol	6



SPRAY FILL

Aerosol can containing universal thinners and a propellant gas suitable and compatible with 1K – 2K – Metallic topcoats, 1K primers, 2K acrylic and epoxy primers, 1K and 2K clears. Can be used with 801 BODY Converter hardener for 2K products.

Part No.	Size	Unit
5140000000	400ml Aerosol	6



POLISHING COMPOUNDS



805 SUPER CUT

A high quality coarse machine polishing compound suitable for the removal sanding scratches from P1500 and anything finer. Also suitable for the removal of car wash scratches and for the removal of orange peel giving a deep and lasting shine. Silicone free and suitable for all paint finishes including new and aged cured.

Part No.	Colour	Size	Unit
8050100010	White	200ml	8
8050100001	White	1Kg	6



806 POWER POLISH

A high quality medium – fine machine polishing compound. 806 Power Polish is the second step required in the process of polishing and compliments the 805 Super Cut. 806 Power Polish removes and cleans any imperfections and fine sanding lines without leaving any compound swirl. Silicone free and suitable for all paint finishes including new and aged cured. This leaves a permanent finish where the swirls will not reappear.

Part No.	Colour	Size	Unit
8060300010	White	200ml	8
8060300001	White	1L	6



807 SEAL POLISH

A high quality fine polishing compound. 807 Seal Polish is the final step required in the process of polishing. With one step you polish and seal permanently. Silicone-free. Removes small surface imperfections, gives a perfect hologram free finish and a water repellant effect.

Part No.	Colour	Size	Unit
8070300010	Beige	200ml	8
8070300001	Beige	1L	6




802 BODYSAND

A waterborne paste used for lightly sanding old paintwork prior to painting, providing adhesion for the new coat of paint. Silicone and ammonia free. It can be used in place of the usual wet or dry sanding paper. It is applied with wet sponge or non woven pad.

Part No.	Colour	Size	Unit
8020300000	Beige	750g	12



ABRASIVES



VELCRO DISCS (15 HOLES)

Aluminium oxide high performance special abrasive with Velcro backing. Guarantees long life, excellent finish with high resistance to clogging. Available in 150 mm disc.



Part No.	Size	Unit
0200601030	P40	50
0200601031	P60	50
0200601032	P80	50
0200601033	P100	100
0200601034	P120	100
0200601035	P150	100
0200601036	P180	100
0200601037	P220	100
0200601038	P240	100
0200601039	P320	100
0200601040	P400	100
0200601041	P500	100

WATERPROOF SANDING SHEETS

Superior - HB WPF abrasive paper for wet sanding of different materials. The backing consists of a very flexible, impregnated latex paper. This combined with full resin bonding provides a very high water resistance.



Part No.	Size	Unit
0200602041	P80	50
0200602042	P120	100
0200602043	P150	100
0200602044	P180	100
0200602045	P220	100
0200602046	P240	100
0200602047	P280	100
0200602048	P320	100
0200602049	P360	100
0200602051	P400	100
0200602052	P500	100
0200602053	P600	100
0200602054	P800	100
0200602055	P1000	100
0200602056	P1200	100
0200602057	P1500	100
0200602058	P2000	100

SANDING ROLL

Abrasive paper for dry sanding. A continuous roll of high sanding performance. Consists of very flexible impregnated paper easy to tear.



Part No.	Size	Unit
0200604001	P60	1
0200604002	P80	1
0200604003	P100	1
0200604004	P120	1
0200604005	P150	1
0200604007	P240	1
0200604008	P320	1
0200604009	P400	1
0200604010	P500	1

NON-WOVEN PADS

Excellent non-woven pads for scuffing metal or old paint surfaces before applying paint and primer. Suitable for steel glazing and paint opacification. It can be used for car repairing, metal, wood, stone etc.

Part No.	Colour	Size	Unit
0200609001	Maroon/Red	152mm x 229mm x 10mm	20
0200609002	Grey	152mm x 229mm x 10mm	20



NON-WOVEN ROLLS

Excellent non-woven rolls for scuffing metal or old paint surfaces before applying paint and primer. Suitable for steel glazing and paint opacification. It can be used for car repairing, metal, wood, stone etc.

Part No.	Colour	Size	Unit
0200608001	Maroon/Red	115mm x 10 m	5
0200608002	Grey	115mm x 10 m	5



SOFT-FLEX

Roll of abrasive sponge. Very flexible, easy to use. Available in 200 pre-cut sponges of (115 x 120 mm).

Part No.	Size	Unit
0200700001	P150	1
0200700002	P180	1
0200700003	P220	1
0200700004	P240	1
0200700005	P320	1
0200700006	P400	1
0200700007	P500	1
0200700008	P600	1
0200700009	P800	1
0210700003	P1000	1



MASKING PRODUCTS



PRO MASKING TAPE

Self adhesive masking tape based on impregnated, waterproof, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures of up to 80°C. Easily removed after use, without any adhesive residues left.

Part No.	Size	Unit
0210300001	19x50	48
0210300002	25x50	36
0210300005	30x50	28
0210300003	38x50	24
0210300004	50x50	24



MASKING TAPE 60°C

Self-adhesive masking tape based on impregnated, waterproof, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures up to 60°C. Easily removed after use, without any adhesive residues left.

Part No.	Size	Unit
0200300005	19x50	48
0200300006	25x50	36
0200300007	38x50	24
0200300008	50x50	24



MASKING TAPE 60°C (BROWN)

Self adhesive masking tape based on impregnated, waterproof, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures up to 60°C. Easily removed after use, without any adhesive residues left.

Part No.	Colour	Size	Unit
0200300011	Brown	18x45	48
0200300012	Brown	24x45	36
0200300009	Brown	36x45	24
0200300010	Brown	48x45	24



MASKING TAPE 80°C

Self-adhesive masking tape based on impregnated, waterproof, low crepe paper. Resistant to external agents such as paint solvents. Resists to high temperatures up to 80°C. Easily removed after use, without any adhesive residues left.

Part No.	Size	Unit
0200300001	19x50	48
0200300002	25x50	36
0200300004	38x50	24
0200300003	50x50	24



FOAM TAPE

Edge masking foam tape suitable for protection of internal parts of the car body during painting. Ensures that the paint flows to a soft edge to aid in blending. No residue remains after removal of tape. Available on a roll. (13 mm thickness. 5m x 11 pieces = 55m).

Part No.	Size	Unit
0200300050	13mm x 55m	1



LIFT MASKING TAPE

Special pre-cut tape designed for masking window trims and rubbers.

Part No.	Size	Unit
0200300060	9mm x 10m	30
0200300065	14mm x 10m	30



MOUNT TAPE (DOUBLE SIDED)

Double sided, high quality adhesive tape specially designed for mounting of plastic profiles, emblems (badges) and name / number plates in the automotive industry.

Part No.	Size	Unit
0200300041	5mm x 5m	30 x 4
0200300028	10mm x 5m	15 x 4
0200300029	12mm x 5m	12 x 4
0200300030	15mm x 5m	12 x 4
0200300031	19mm x 5m	8 x 4
0200300042	5mm x 10m	34 x 4
0200300015	10mm x 10m	18 x 4
0200300016	12mm x 10m	15 x 4
0200300017	15mm x 10m	12 x 4
0200300018	19mm x 10m	9 x 4



MASKING FILM

High performance and density masking film. Tear-resistant with electrostatic and corona treatment.

Part No.	Size	Unit
0200300070	4m x 150m	1



ANCILLARIES



MIXING CUPS

High resistant mixing cups for mixing and storage of all coatings. Several mixing ratio scale for complete and accurate mixing. Available in sizes of 385 ml, 750 ml, 1.400 ml & 2.300 ml.

Part No.	Size	Unit
0210400005	385ml cup	200
0210400006	750ml cup	200
0210400007	1400ml cup	200
0210400008	2300ml cup	100
0900000109	385ml lid	200
0900000110	750ml lid	200
0900000111	1400ml lid	200
0900000112	2300ml lid	200



POLISHING PADS

High performance single sided foam polishing pad, can be used with major machine polishers. Available in white colour for the 805 Super cut polishing compound and in yellow colour for the 806 Power Polish polishing compound. Available in package of one piece – carton contains 12 pieces.

Part No.	Colour	Unit
0200607001	White	12
0200607002	Yellow	12



WAFFLE POLISHING PAD

Waffle type pad with uneven surface that gives excellent results in polishing especially with the use of 806 Power Polish or 807 Seal Polish compound. Available in package of one piece – carton contains 12 pieces.

Part No.	Colour	Unit
0200607003	Black	12



SANDING PAD 15 HOLES

15 holes universal sanding pad for 6, 9 and 15 holes velcro abrasives. Suitable for all types of dust extraction sanding machines. Available in two types super (normal pad), one piece per box - Superior (excellent dust extraction) one piece per box.

Part No.	Type	Unit
0200400058	Super	1
0200400059	Superior	1



SANDING PAD (INTERFACE)

15 holes soft back pad interface for 6, 9 and 15 holes velcro abrasives and pads. Eliminates the grinding action over body contours.

Part No.	Unit
0200400060	2



PAINT STRAINERS

Disposable paper strainer with nylon mesh for filtering top coats and primers.

Part No.	Size	Unit
0200400056	125 microns	4 x 250
0200400009	190 microns	4 x 250



SEAM SEALER BRUSH

Hard nylon brush for application of water or solvent based seam sealers. Available in a box of 12 pieces.

Part No.	Unit
0200400015	12



MIXING BOARD

Waterproof disposable paper used for mixing of polyester fillers (putties). Available in a multi layers board of 100 sheets.

Part No.	Unit
0200400029	10



SPRAY OUT TEST CARDS

Black and white test cards for opacity checking of all paints, primers, aerosols etc.

Part No.	Unit
0900000021	30



METAL TEST PLATES

Excellent quality metal test plates with black line for coverage check.

Part No.	Colour	Unit
0200400077	Grey	100
0200400076	White	100



SPREADERS

Set of three elastic, solvent resistant plastic spreaders suitable for polyester filler (putty) spreading. Sizes: Small, medium and large (one of each in every set).

Part No.	Unit
0200400041	24



MEASURING STICKS

Mixing ratio measuring sticks for all products. Can be used for (2:1 / 4:1) and (3:1 / 5:1) mixing ratio.

Part No.	Size	Unit
0900000001	2:1 / 4:1	1
0900000005	3:1 / 5:1	1



OPEN MIX

Special tool for opening auto refinish cans. It can be used as well as a stirrer. It has 3 holes so the stirring becomes easier and quicker.

Part No.	Unit
0210400001	50



EMPTY METAL CANS

Excellent quality metal cans for re-packing primers and top coats.

Part No.	Size	Unit
0100101026	250ml	1
0100101015	500ml	1
0100101025	1L	1
0100101016	3L	1
0100101017	4L	1



UNDERBODY CAPS

Compatible with all underbody ready for use cans.

Part No.	Colour	Unit
0100200022	Black	2500
0100200023	White	2500
0100200024	Grey	2500



STIRRING LID

Compatible with all HB BODY COLOR SOLUTIONS base coat, 2K acrylic SR and primers 1L and 4L cans.

Part No.	Size	Unit
0200100005	1L	1
0200100006	4L	1
0200100038	1L NEW M/M	1
0200100039	1L NEW M/M	1



HANDLE FOR STIRRING LIDS

Handle for stirring primers - paints outside the mixing machine. Compatible with 1L, 4L stirring lids

Part No.	Unit
0200100009	1



DISPERSION TUBE

Special tube extension (60 cm) for use with 900 wax aerosol. Emits a 360 degree fan for total coverage of internal car part.

Part No.	Size	Unit
0200400052	60cm	1



AEROSOL NOZZLE

Different types of buttons for aerosols, depending the type of product and needs of end users.

Part No.	Colour	Unit
0100500009	White	1000
0100500019	Black	1000
0100500014	Red	1000



SPRAY FILLING MACHINE

Two types spray filling machines (manual - pneumatic) for filling solvent or waterborne sprays.

Part No.	Type	Unit
0200100008	Manual	1
0200100014	Pneumatic	1



FILLER DISPENSER

Dispenser for filler (putty) and hardener. Ensures accurate proportion of product and hardener. The quantity of hardener dispensed can be adjusted to different percentage to allow for different climates. Suitable for 1,5Kg to 3Kg cartridges of filler (putty) only.

Part No.	Unit
0200400024	1



PA SPRAY GUN

Fully aluminum short blow gun with flow delivery valve.

Part No.	Unit
0200000037	1



PA / CV SPRAY GUN

Fully aluminum blow gun with flow delivery valve to increase the volume of air.

Part No.	Unit
0200000021	1



SPRAY GUNS

Conventional gravity spray guns which are reliable, versatile and adaptable to the needs of all professional painters. Can be used with different needle and nozzles for sprayfillers, primers, base coats and top coats.

Part No.	Size	Unit
0200000016	1,4mm	1
0200000014	1,8mm	1
0200000015	2,5mm	1



SPRAY GUN NOZZLES

Spray gun nozzles for conventional gravity spray guns.

Part No.	Size	Unit
0200000026	1,4mm nozzle	1
0200000025	1,8mm nozzle	1
0200000031	2,5mm nozzle	1



TS SPRAY GUN

Special gun for stone chip coatings. Fits directly to the can and it can be easily cleaned. Comes with a dispersion tube extension, for wax application.

Part No.	Unit
0200000022	1



UBS SPRAY GUN

Special gun with adjustable nozzle (for fine or rough texture) for stone chip coatings. Fits directly to the can and it can be easily cleaned.

Part No.	Unit
0200000040	1



PLASTIC BAGS

A specially designed plastic bag, produced by high-density polyethylene (HDPE) with high durability. Dimensions: 58cm width x 34cm tuck from each side x 60cm height (including handles). Available per Kg.

Part No.	Unit
0900000000	20Kg



PAINT OVERALL

White silky antistatic overall ideal for use in the spraybooth during the paint procedures.

Part No.	Size	Unit
0200400018	L	1
0200400019	XL	1
0200400020	XXL	1



PAINT OVERALL (JACKET)

White silky antistatic jacket ideal for use in the spraybooth during paint procedures.

Part No.	Size	Unit
0200400066	L	1
0200400067	XL	1
0200400068	XXL	1



AEROSOL STAND

Metal wire display stand for aerosols with strong structural design which can take up to 200 cans. It can be used separately in two pieces (without the wheels) and can hold 100 cans. Can be fixed on the wall. One stand single or double with its wheels.

Part No.	Type	Unit
02004000002	Single	1
02004000049	Double with Wheels	1



HB BODY STAND

Metal display stand for products with strong structural design which can take up various products.

Part No.	Unit
02004000082	1



MERCHANDISING



PLASTIC PEN

Push button plastic pen with wide clip. Blue ink.

Code	Colour	Unit
3711	Dark Blue	50pcs



METALLIC PEN

Push button pen in aluminium finish. Blue ink.

Code	Colour	Unit
8893-18	Grey	50pcs



BACKPACK

Backpack

Code	Colour	Unit
200183	Blue	25pcs



CERAMIC MUG

HB BODY white ceramic mug with handle.

Code	Colour	Size	Unit
1922	White	9*8cm	36pcs



VACUUM INSULATED MUG

HB BODY stainless steel interior and exterior with handle

Code	Colour	Unit
5265	Blue	50pcs



T-SHIRT

HB BODY round neck T-shirt.

Code	Colour	Size	Type
B64000	Blue Navy	M-L-XL-XXL-XXXL	Cotton
W64000	White	M-L-XL-XXL-XXXL	Cotton



SWEATSHIRT

HB BODY sweatshirt.

Code	Colour	Size	Type
18000	Blue Navy	M-L-XL XXL-XXXL	50% Cotton / 50% Polyester Fleece



ZIPPED HOODY

HB BODY zipped hoody.

Code	Colour	Size	Type
18600	Blue Navy	M-L-XL-XXL	50% Cotton / 50% Polyester Fleece



TABLE CALENDAR

HB BODY table triangle pyramid calendar. Different theme every year.

Part No.
0900000012



WALL CALENDAR

HB BODY spiral wall calendar. Different theme every year.

Part No.
0900000013



FLAG

HB BODY flag with high durability.

Part No.
Upon request



STICKERS

HB BODY logo stickers in different dimensions according to your needs.

Part No.
Upon request



WINDOW STICKERS

HB BODY window stickers in different designs and sizes according to your needs.

Part No.
Upon request




ROLL UP

HB BODY roll up in different designs according to your needs.

Part No.
Upon request





Auto Refinishing Products

Exporting
to **75** countries



Headquarters




Subsidiaries



Sales & Technical Support Team






Sales Network



Notes

[illegible]





Auto Refinishing Products

HB BODY S.A.

HEADQUARTERS - INDUSTRIAL AREA SINDOS, THESSALONIKI - GR 570 22 - GREECE P.O. BOX 1261
T. +30 2310 790 000 - F. +30 2310 790 010 - E. exsales@hbbody.com

Follow us:



www.hbbody.com

