



HUBCO, INC.

Molded Polyurethane Pads

When quality and performance count-

Count on HUBCO

Table of Contents

A Pad and Face for Every Job	1
Random Orbital Back-up Pads	2
..... 1¼" (32 mm) ¼-20 female thread Straight Edge Medium Urethane Molded Pads	2
..... 1 ⁵ / ₁₆ " (34 mm) ¼-20 female thread Tapered Edge Medium Urethane Molded Pads	2
..... 3" (77 mm) Straight Edge Medium Urethane Molded Pads (80 grams).....	2
..... 3" (77 mm) Low Profile (¼-20 thread) Medium Urethane Molded Pads (30 grams).....	2
..... 3½" (89 mm) Low Profile, Medium Urethane Molded Pads (80 grams).....	2
..... 5" (127 mm) Low Profile Delta Medium Urethane Molded Pads (100 grams).....	2
..... 5" (127 mm) Tapered Edge Medium Urethane Molded Pads (100 grams)	3
..... 6" (152 mm) Low Profile Medium Urethane Molded Pads (130 grams).....	3
..... 6" (152 mm) Tapered Edge Medium Urethane Molded Pads (130 grams)	3
..... 6" (152 mm) Low Profile 6+1 Vac Medium Urethane Molded Pads (130 grams).....	4
Screen Vac Medium Urethane Molded Pads	4
PadSAVERS™ (for Random Orbital screen vac)	4
Orbital Sander Back-up Pads	5
..... 3" X 4" (75 x 110 mm) Curved Edge Medium Urethane Molded Pads	5
..... 3" X 4" (75 x 100 mm) Straight Edge Medium Urethane Molded Pads.....	5
..... 3" X 5" (81 x 133 mm) Medium Urethane Molded Pads.....	5
..... 3" X 7" (75 x 175 mm) Medium Urethane Molded Pads.....	6
..... 3 ² / ₃ " X 7" (93 x 178 mm) Medium Urethane Molded Pads	6
Orbital Sander Screen Vac Back-up Pads	7
..... 3" X 4" (75 x 110 mm) Screw-on Attachment Screen Vacuum Pads.....	7
..... 3" X 5" (81 x 133 mm) Screw-on Attachment Screen Vacuum Pads.....	7
..... 3" X 7" (75 x 175 mm) Screw-on Attachment Screen Vacuum Pads.....	7
..... 3 ² / ₃ " X 7" (93 x 178 mm) Screw-on Attachment Screen Vacuum Pads.....	7
PadSAVERS™ (for Orbital screen vac)	7

A Pad and Face for Every Job

1 1/4" Pad*

1 5/16" Pad*

3" Low Profile Pad*

3" Straight Edge Pad*

3 1/2" Low Profile Pad*

5" Low Profile Pad*

5" Tapered Edge Pad*

6" Low Profile Pad*

6" Tapered Edge Pad*

HUBCO produces a quality line of back-up pads for woodworking, automotive and industrial applications that require precise control of the sanding operations. HUBCO exceeds the needs of these industries with consistent balance, performance and wear characteristics.

Straight Edge pads have limited edge flex for level sanding across the face of the pad. This provides a stronger working edge to obtain maximum width of sanding for small, flat and semi-flat areas. The pads are ideal for sanding in tight areas.

Low Profile pads are about 3/8" thick and have a stiffer edge. Generally recommended for aggressive sanding and leveling and can be used in low clearance applications.


Tapered Edge pads are about 5/8" thick and have a more flexible edge. Generally recommended for contour sanding and feather edging.

HUBCO quality offers full 1/2" diameter vacuum holes that match standard paper and allow maximum performance of your tools vacuum system.

HUBCO quality offers pads made to the industry standard of weight and balance to insure perfect performance every time.


HUBCO quality offers a stud assembly that is rigidly attached to the backing with four rivets.

HUBCO quality offers a rugged thermoset fiberglass epoxy backing that withstands the abuse of heat, flexing, and impact to keep the pad running flat and true.



PSA

Is used with a Pressure Sensitive Adhesive (PSA) backed abrasive.




Hook

Is used with the standard hook and loop sanding system where the pad face contains the hooks.



J-Hook

Similar to standard hook but has a taller profile that works well with nonwoven abrasives or where higher bond strength is needed.



Short Hook

Similar to standard hook but has a shorter profile that works well with micro-abrasive papers.

*Pads shown actual size

Random Orbital Back-up Pads

All HUBCO random orbital back-up pads are all rated at 12,000 RPM Maximum

1 1/4" (32 mm) 1/4-20 female thread Straight Edge Medium Urethane Molded Pads



Face	Part No.
PSA	2911400
Hook	2911401
Short Hook	2911403

1 5/16" (34 mm) 1/4-20 female thread Tapered Edge Medium Urethane Molded Pads



Face	Part No.
PSA	2913800
Hook	2913801
Short Hook	2913803

3" (77 mm) Straight Edge (5/16-24 thread) Medium Urethane Molded Pads (80 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2931200
Non-Vacuum	Hook	2931201
Non-Vacuum	J-Hook	2931202

3" (77 mm) Low Profile (1/4-20 thread) Medium Urethane Molded Pads (30 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2932000
Non-Vacuum	Hook	2932001
Non-Vacuum	J-Hook	2932002

Vacuum 3-hole	PSA	2932010
Vacuum 3-hole	Hook	2932011
Vacuum 3-hole	J-Hook	2932012



3 1/2" (89 mm) Low Profile (5/16-24 thread) Medium Urethane Molded Pads (80 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2930000
Non-Vacuum	Hook	2930001
Non-Vacuum	J-Hook	2930002

5" (127 mm) Low Profile Delta (5/16-24 thread) Medium Urethane Molded Pads (100 grams)



Type	Face	Part No.
Vacuum 6-hole	Hook	2950611
Vacuum 6-hole	J-Hook	2950612

5" (127 mm) Low Profile (⁵/₁₆-24 thread) Medium Urethane Molded Pads (100 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2950000
Non-Vacuum	Hook	2950001
Non-Vacuum	J-Hook	2950002
Vacuum 5-hole	PSA	2950010
Vacuum 5-hole	Hook	2950011
Vacuum 5-hole	J-Hook	2950012
Vacuum 8-hole	PSA	2950070
Vacuum 8-hole	Hook	2950071
Vacuum 8-hole	J-Hook	2950072



5" (127 mm) Tapered Edge (⁵/₁₆-24 thread) Medium Urethane Molded Pads (100 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2950200
Non-Vacuum	Hook	2950201
Non-Vacuum	J-Hook	2950202
Vacuum 5-hole	PSA	2950210
Vacuum 5-hole	Hook	2950211
Vacuum 5-hole	J-Hook	2950212



6" (152 mm) Low Profile (⁵/₁₆-24 thread) Medium Urethane Molded Pads (130 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2960000
Non-Vacuum	Hook	2960001
Non-Vacuum	J-Hook	2960002
Vacuum 6-hole	PSA	2960010
Vacuum 6-hole	Hook	2960011
Vacuum 6-hole	J-Hook	2960012



6" (152 mm) Tapered Edge (⁵/₁₆-24 thread) Medium Urethane Molded Pads (130 grams)



Type	Face	Part No.
Non-Vacuum	PSA	2960200
Non-Vacuum	Hook	2960201
Non-Vacuum	J-Hook	2960202
Vacuum 6-hole	PSA	2960210
Vacuum 6-hole	Hook	2960211
Vacuum 6-hole	J-Hook	2960212



6" (152 mm) Low Profile 6+1 Vac (⁵/₁₆-24 thread) Medium Urethane Molded Pads (130 grams)



Type	Face	Part No.
Vacuum 7-hole	PSA	2960060
Vacuum 7-hole	Hook	2960061
Vacuum 7-hole	J-Hook	2960062

Screen Vac (⁵/₁₆-24 thread) Medium Urethane Molded Pads



Description	Type	Face	Part No.
3" (77 mm) Low Profile (¹ / ₄ -20 thread) (30 grams)	Screen Vac 3-hole	J-Hook	2932012
Above With PadSaver			2932052

5" (127 mm) Low Profile (100 grams)	Screen Vac 47-hole	J-Hook	2950042
Above With PadSaver			2950052

5" (127 mm) Low Profile, Delta (100 grams)	Screen Vac 49-hole	J-Hook	2950642
Above With PadSaver			2950652

6" (150 mm) Low Profile (130 grams)	Screen Vac 52-hole	J-Hook	2960042
Above With PadSaver			2960052

This pad recommended for use with Multihole and 6 hole abrasives.




6" (152 mm) Low Profile Screen Vac+15 (⁵/₁₆-24 thread) Medium Urethane Molded Pads (130 grams)



Type	Face	Part No.
Screen Vac+15 50-hole	J-Hook	2964442
Above With PadSaver		2964452

This pad recommended for use with Multihole, 6, 9 & 15 hole abrasives.

PadSAVERS™ (for screen vac)



6" shown

PadSavers increase the life of screen vac hook face pads. The PadSAVER™ is a thin interface that attaches between the pad and the abrasive. Over time hook material on the face of the pad wears out and no longer can deliver adequate holding force for the abrasive. With PadSAVERS the hook material on the PadSAVER wears out and not the pad. Simply replace the PadSAVER and not the pad at a fraction of the cost.

Description	Part No.
3" PadSAVER 10 pack	A0764
5" PadSAVER 10 pack	A0766
6" PadSAVER 10 pack	A0767

Orbital Sander Back-up Pads

HUBCO's quality line of orbital back-up pads for 3"x4", 3"x5", 3"x7", and 3²/₃"x7" fits AirVANTAGE™ brand and other similar type orbital sanders.



3" X 4" (75 x 110 mm) Curved Edge Medium Urethane Molded Pads



Attachment	Type	Face	Part No.
------------	------	------	----------

Adhesive	Curved Edge, non-vacuum/vacuum	PSA	2971610
Adhesive	Curved Edge, non-vacuum/vacuum	Hook	2971611
Adhesive	Curved Edge, non-vacuum/vacuum	J-Hook	2971612

Screw-on	Curved Edge, non-vacuum	PSA	2972600
Screw-on	Curved Edge, non-vacuum	Hook	2972601
Screw-on	Curved Edge, non-vacuum	J-Hook	2972602



Screw-on	Curved Edge, Standard Vacuum 4-hole	PSA	2972610
Screw-on	Curved Edge, Standard Vacuum 4-hole	Hook	2972611
Screw-on	Curved Edge, Standard Vacuum 4-hole	J-Hook	2972612

3" X 4" (75 x 100 mm) Straight Edge Medium Urethane Molded Pads

Attachment	Type	Face	Part No.
------------	------	------	----------

Screw-on	Straight edge, non-vacuum	PSA	2973400
Screw-on	Straight edge, non-vacuum	Hook	2973401
Screw-on	Straight edge, non-vacuum	J-Hook	2973402




Screw-on	Straight edge, standard Vacuum 4-hole	PSA	2973410
Screw-on	Straight edge, standard Vacuum 4-hole	Hook	2973411
Screw-on	Straight edge, standard Vacuum 4-hole	J-Hook	2973412

3" X 5" (81 x 133 mm) Medium Urethane Molded Pads

Attachment	Type	Face	Part No.
------------	------	------	----------

Screw-on	Non-vacuum	PSA	2972800
Screw-on	Non-vacuum	Hook	2972801
Screw-on	Non-vacuum	J-Hook	2972802

Screw-on	Standard Vacuum 16-hole	PSA	2972830
Screw-on	Standard Vacuum 16-hole	Hook	2972831
Screw-on	Standard Vacuum 16-hole	J-Hook	2972832



3" X 7" (75 x 175 mm) Medium Urethane Molded Pads



Attachment	Type	Face	Part No.
Screw-on	Non-vacuum	PSA	2973000
Screw-on	Non-vacuum	Hook	2973001
Screw-on	Non-vacuum	J-Hook	2973002

Screw-on	Standard Vacuum 12-hole	PSA	2973010
Screw-on	Standard Vacuum 12-hole	Hook	2973011
Screw-on	Standard Vacuum 12-hole	J-Hook	2973012



3 2/3" X 7" (93 x 178 mm) Medium Urethane Molded Pads



Attachment	Type	Face	Part No.
Adhesive	Non-vacuum	PSA	2971800
Adhesive	Non-vacuum	Hook	2971801
Adhesive	Non-vacuum	J-Hook	2971802

Adhesive	US vacuum 10-hole	PSA	2971810
Adhesive	US vacuum 10-hole	Hook	2971811
Adhesive	US vacuum 10-hole	J-Hook	2971812




Adhesive	Asian Vacuum 8-hole	PSA	2971820
Adhesive	Asian Vacuum 8-hole	Hook	2971821
Adhesive	Asian Vacuum 8-hole	J-Hook	2971822

Adhesive	Euro Vacuum 8-hole	PSA	2971830
Adhesive	Euro Vacuum 8-hole	Hook	2971831
Adhesive	Euro Vacuum 8-hole	J-Hook	2971832




Screw-on	Non-vacuum	PSA	2973200
Screw-on	Non-vacuum	Hook	2973201
Screw-on	Non-vacuum	J-Hook	2973202

Screw-on	US vacuum 10-hole	PSA	2973210
Screw-on	US vacuum 10-hole	Hook	2973211
Screw-on	US vacuum 10-hole	J-Hook	2973212



Screw-on	Asian Vacuum 8-hole	PSA	2973220
Screw-on	Asian Vacuum 8-hole	Hook	2973221
Screw-on	Asian Vacuum 8-hole	J-Hook	2973222

Screw-on	Euro Vacuum 8-hole	PSA	2973230
Screw-on	Euro Vacuum 8-hole	Hook	2973231
Screw-on	Euro Vacuum 8-hole	J-Hook	2973232



Orbital Sander Screen Vac Back-up Pads

3" X 4" (75 x 110 mm) Screw-on Attachment Screen Vacuum Pads



Attachment	Type	Face	Part No.
Screw-on	Curved edge, Screen Vacuum 33-hole	J-Hook	2972642
Above with PadSAVER			2972652

Screw-on	Screen Vacuum 33-hole	J-Hook	2973442
Above with PadSAVER			2973452



3" X 5" (81 x 133 mm) Screw-on Attachment Screen Vacuum Pads



Attachment	Type	Face	Part No.
Screw-on	Screen Vacuum 54-hole	J-Hook	2972842
Above with PadSAVER			2972852

3" X 7" (75 x 175 mm) Screw-on Attachment Screen Vacuum Pads




Attachment	Type	Face	Part No.
Screw-on	Screen Vacuum 48-hole	J-Hook	2973042
Above with PadSAVER			2973052

3²/₃" X 7" (93 x 178 mm) Screw-on Attachment Screen Vacuum Pads



Attachment	Type	Face	Part No.
Screw-on	Screen Vacuum 76-hole	J-Hook	2973242
Above with PadSAVER			2973252

PadSAVERS™ (for screen vac)



PadSAVERS increase the life of screen vac hook face pads. The PadSAVER is an interface that attaches between the pad and the abrasive. Over time hook material on the face of the pad wears out and no longer can deliver adequate holding force for the abrasive. With PadSAVERS the hook material on the PadSAVERS wears out and not the pad. Simply replace the PadSAVERS at a fraction of the cost.

Description	Part No.
3" x 4" (75x110mm) PadSAVER 10 pack	A0773
3" x 5" (81x133mm) PadSAVER 10 pack	A0774
3 ² / ₃ " x 7" (93x178mm) PadSAVER 10 pack	A0775

When quality and performance count- Count on HUBCO

Private Labeling Private label services are available. Contact us for price and delivery.

Custom Manufacturing We will design and fabricate custom products for your special requirements. Call and let us know how we can help you.

OEM Our many years of experience in the dual action random orbital sander industry qualifies us as experts in the field. Let us assist you in the design of your next system.

Packaging: 10 Pack is ten pads individually sleeve wrapped in a box.
Bulk is sleeved or unsleeved pads 100 per box.

Ordering: Order total must be in increments of 1 full box.

Terms: Net 30 to qualified accounts.

Freight Policy: All orders FOB Alden, NY, U.S.A.


Return Policy: Returned goods will not be accepted without prior authorization from HUBCO Inc. All returned goods must be sent freight prepaid and in saleable condition.

Warranty: HUBCO, Inc. will replace the pad at no charge provided the defect is not the result of misuse and the part is returned to our factory freight prepaid

HUBCO, INC.

2885 Commerce Dr. Alden, NY 14004
TEL (716) 683-5940 FAX (716) 683-7220
www.hubcopads.com

Specifications subject to change without notice.

The image is a complex, abstract composition of overlapping shapes and textures. It features a large, textured blue area at the top left, a dark brown textured area at the top right, and a large black textured area in the center. Overlaid on these are several rectangular and circular shapes with perforated patterns. Some shapes are solid blue with circular holes, while others are dark brown with circular holes. The overall effect is a layered, geometric design with a strong sense of depth and texture.

Distributed By:

**2885 Commerce Dr. Alden, NY 14004
TEL (716) 683-5940 FAX (716) 683-7220
www.hubcopads.com**