


# CATALOGUE 2021



# **Table of Contents**

| Spray Guns 4   |  |
|--|--|
| SATAjet® X 5500 PHASER10   |  |
| SATAjet® X 5500  |  |
| SATAjet® 5000 B  |  |
| SATAjet® 3000 K  |  |
| SATAjet® 4800 K spray mix  |  |
| SATAjet® 3000 K spray mix  |  |
| SATAjet® 1000 B  |  |
| SATAjet® 1000 B  |  |
| Lignum 2   |  |
| SATAjet® 1000 K  |  |
| SATAjet® 1000 H  |  |
| SATAjet® 100 B F   |  |
| SATAjet 100 B P  |  |
|  |  |
| SATAminijet® 4400 B  |  |
| SATAminijet® 1000 K  |  |
| SATAjet® H   |  |
| SATA® spray master RP®   |  |
| SATAjet® 20 B  |  |
| SATAgraph™ 1/3   |  |
| SATAgraph™ 450   |  |
| Extensions SATAjet® 1000 B RP®                                     |  |
| Extensions SATAjet® 1000 K RP®53                                   |  |
| Material and air connection SATAjet® 3000 K, 1000 K54              |  |
| Material and air connection SATAminijet® 1000 K                    |  |
| Spray Gun Cases56  |  |
| Nozzle Sets and spare parts of discontinued gun models59           |  |
| Spare parts SATAjet® 5000 B PHASER                                 |  |
| (discontinued gun model)60   |  |
| Spare parts SATAjet® 4000 B  |  |
| (discontinued gun model)61   |  |
| Spare Parts SATAminijet® 3000 B HVLP (discontinued gun model) . 62 |  |
| SATAjet® B / SATAjet® GR   |  |
| (discontinued gun model)63   |  |
| SATA adam 2,   |  |
| SATA adam 2 black64  |  |
| Spare parts for SATA spray guns with gravity flow cup              |  |
| Accessories for spray guns68                                       |  |
| Cleaning and Maintenance of Spray Guns                             |  |
| Cup Systems 73   |  |
| SATA® RPS®   |  |
| Multi-Purpose Cup System   |  |
| SATA® RPS® Accessories   |  |
| Gravity flow cup for spray guns                                    |  |
| RPS® Adapters for SATA Spray Guns                                  |  |
| RPS® Adapters for NON SATA GUNS                                    |  |
|  |  |
| SATA® Agitator Cup   |  |

| Breathing Protection  | 84                |
|---|-------------------|
| SATA® air vision™ 5000  | 88                |
| SATA® vision™ 2000  | 92                |
| SATA® air star C  | 94                |
| Accessories for SATA vision 2000/SATA air star C  | 96                |
| SATA® air star® F   | 98                |
| Filter Technology   | 100               |
| SATA® filter 100 prep™/101 prep™/103 prep™  | 102               |
| SATA® filter 414 <sup>TM</sup> /424 <sup>TM</sup> /434 <sup>TM</sup> /464 <sup>TM</sup>   | 104               |
| SATA® filter 444 <sup>TM</sup> /474 <sup>TM</sup> /484 <sup>TM</sup>  | 106               |
| SATA® filter 524 <sup>TM</sup> /544 <sup>TM</sup> /564 <sup>TM</sup> /584 <sup>TM</sup>   | 109               |
| Accessories for SATA® filter series   | 112               |
| Accessories   | 114               |
| 110000001100  | 114               |
| SATA® mini set™ 2   |                   |
|   | 116               |
| SATA® mini set™ 2   | 116               |
| SATA® mini set™ 2<br>SATA® paint set™ 10<br>SATA® Paint Pressure Tanks 24 I / 48 I  | 116               |
| SATA® mini set™ 2<br>SATA® paint set™ 10<br>SATA® Paint Pressure Tanks 24 I / 48 I<br>SATA® vario top spray™  | 116               |
| SATA® mini set™ 2<br>SATA® paint set™ 10<br>SATA® Paint Pressure Tanks 24 I / 48 I  | 116<br>118<br>120 |
| SATA® mini set™ 2   |                   |
| SATA® mini set™ 2  SATA® paint set™ 10  SATA® Paint Pressure Tanks 24 I / 48 I  SATA® vario top spray™  Grit Blasting Equipment /  Blow Guns  SATA Cleaning Systems  SATA® trueSun™  SATA® dry jet 2™ |                   |

# **General Information**

# **Technical Information**

As most end-users use quick couplings, SATA spray guns are generally supplied with air inlet G 1/4" male thread without hose screws.

# Terms of Delivery

All indicated prices are ex works. They exclude packaging, freight, shipment and insurance cost. The general terms and conditions of delivery and payment apply exclusively. They can be viewed at www.sata.com/LZB. We object to any other purchasing conditions.

# **Prices**

All prices in this list are recommended prices only and will be valid for the indicated period of time. All prices are quoted exclusive of VAT. We reserve the right to change prices at any time and without prior notification.

# **Small Order Policy**

Small orders below a value agreed with the customer (list prices excl. VAT) will be invoiced at gross list prices without


discount. In case that nothing has been stipulated with the customer, a minimum order value of 2.500.00 € applies.

# Exchange/Return

We only accept return and exchange of products upon prior written authorisation by SATA. Goods for refund must be returned in unused, pristine condition and in their original packaging. Outdated, used or damaged parts will not be accepted for return. For the return of products which have been incorrectly ordered, or for other reasons which we cannot be held responsible for, a charge of 20 % of the net purchase price will be levied to cover inspection and administrative costs. A handling charge of minimum 60.00 € will apply in any case for each transaction.

Errors, technical modifications and printing errors reserved.


# Structure of the Price Sheets



# Product classification in condition groups (CG)

- (0) Special items
- (1) Spray guns, filtration technology, blow guns and underbody protection spray guns
- (2) Breathing Protection
- (3) Components, accessories and spare parts for articles belonging to group CG 1, e.g. nozzle sets, gravity flow cups, etc
- **(4)** Components, accessories and spare parts for articles belonging to groups CG 2 and CG 5
- (5) Pumps, pressure pots, rustproofing equipment, automatic spray guns, dry-blowing systems, cleaning devices and dispensing systems
- (6) Other devices, service
- (7) Industrial equipment

# **Spray Guns**





| Spray gun types |  | Fields of application   | Operating mode   |
|-----------------|--|---|--|
|                 | SATAjet® X 5500<br>PHASER<br>RP® /HVLP<br>10 - 11  | Top coat application for perfect finishes of e.g. vehicles, utility vehicles, furniture, yachts or high quality industrial components with all paint systems. | <ul> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology with each two different nozzle systems</li> <li>I-nozzles for a controlled application</li> <li>O-nozzles for a fast application</li> <li>Fan control</li> <li>Material flow control</li> <li>Air micrometer</li> <li>RPS multi-purpose cup</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>  |
|                 | SATAjet X 5500<br>RP® /HVLP<br>12 – 13   | Top coat application for perfect finishes of e.g. vehicles, utility vehicles, furniture, yachts or high quality industrial components with all paint systems. | Optionally available in HVLP low pressure or optimised high pressure RP technology with each two different nozzle systems     I-nozzles for a controlled application     O-nozzles for a fast application     Fan control     Material flow control     Air micrometer     RPS multi-purpose cup     Optional feature: integrated digital pressure gauge     Retrofit: digital pressure gauge, SATA adam 2 |
|                 | SATAjet 5000 B  RP® /HVLP  14 - 15   | Top coat application for perfect finishes of e.g. vehicles, utility vehicles, furniture, yachts or high quality industrial components with all paint systems. | <ul> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology</li> <li>Fan control</li> <li>Material flow control</li> <li>Air micrometer</li> <li>RPS multi-purpose cup</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>   |
|                 | SATAjet 1000 B  RP® /HVLP 23 - 25  SATAjet 1000 B LIGNUM 2  RP® /HVLP 26 - 27  SATAjet 1000 H  RP® /HVLP 32 - 33 | Top coat application for perfect finishes of e.g. furniture, yachts or high quality industrial components with all paint systems.                             | Optionally available in HVLP low pressure or optimised high pressure RP technology     Fan control     Material flow control     Air micrometer     RPS multi-purpose cup     Retrofit: digital pressure gauge, SATA adam 2  |

| Spray gun types |   | Fields of application  | Operating mode  |
|-----------------|---|--|---|
|                 | SATAjet 3000 K<br>RP® /HVLP<br>16 – 17  | Ideally suited for coating large areas, e.g. on commercial vehicles, or other high-quality objects       | <ul> <li>To be used in combination with paint pressure tanks or low pressure pumps, e.g. SATA vario top spray</li> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology</li> <li>Axial fan control</li> <li>Material flow control</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul> |
|                 | SATAjet 4800 K<br>spray mix<br>18 - 19  | Ideally suited for coating large areas in airless or airmix application                                  | <ul> <li>To be used in combination with high pressure pumps up to 250 bar</li> <li>Air micrometer</li> <li>Swivel joint on material connection</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>  |
|                 | SATAjet 3000 K<br>spray mix<br>20 - 21  | Ideally suited for coating large areas, e.g. on<br>commercial vehicles, or other high-quality<br>objects | <ul> <li>To be used in combination with high pressure pumps up to 250 bar</li> <li>Fan control</li> <li>Air micrometer</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>  |
|                 | SATAjet 1000 K<br>RP® /HVLP<br>29 – 31  | Ideally suited for coating large areas, e.g. on<br>commercial vehicles, or other high-quality<br>objects | <ul> <li>To be used in combination with paint pressure tanks or low pressure pumps, e.g. SATA vario top spray</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>   |
|                 | SATAjet 100 B F<br>RP® /HVLP<br>34 - 35 | Application of primer and filler materials in refinish, craft and industry                               | <ul> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology</li> <li>Fan control</li> <li>Material flow control</li> <li>Air micrometer</li> <li>Gravity flow cup with QCC bayonet lock</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>   |



| Spray gun types |  | Fields of application  | Operating mode  |
|-----------------|--|--|---|
|                 | <b>SATAjet 100 B P</b> 34 – 35             | Application of sprayable putty   | <ul> <li>High pressure spray gun with shortened air cap horns without air micrometer</li> <li>Functional components like SATAjet 100 B, however without air micrometer</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>  |
|                 | SATAminijet 4400 B<br>RP® /HVLP<br>37 - 39 | Spray gun for small paint jobs and areas of difficult access design in craft and industry. Also perfectly suitable for the application of release agents. Special SR nozzle sets for spot repairs in the automotive sector   | <ul> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology</li> <li>Fan control</li> <li>Material flow control</li> <li>Air micrometer</li> <li>Gravity flow cup with QCC bayonet lock or RPS multi-purpose cup</li> <li>Special HVLP SR and RP SR nozzle sets</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul> |
|                 | SATAminijet 1000 K<br>RP® /HVLP<br>40 - 41 | Spray gun for the manual serial coating of small and complex parts as well as for decorative and design applications, for instance in the toy or cosmetic industry. It is also perfectly suitable for the application of release agents and lubricants on diecasting or forging moulds | <ul> <li>Optionally available in HVLP low pressure or optimised high pressure RP technology</li> <li>To be used in combination with paint pressure tanks, e.g. SATA mini set 2</li> <li>As suction cup version in combination with RPS multi-purpose cups</li> <li>Retrofit: digital pressure gauge, SATA adam 2</li> </ul>                                       |
|                 | <b>SATAjet 20 B</b><br>46 – 47             | Spray gun for custom design in craft and industry, calligraphy, patination   | <ul> <li>Exclusively available with round spray nozzles</li> <li>Reusable cup</li> </ul>  |
|                 | <b>SATAgraph 1/3/4</b> 48 – 51             | Spray guns for custom design in craft and industry   | <ul> <li>Airbrush gun with gravity or suction cup, resp.</li> <li>Exclusively available with round spray nozzles</li> <li>Some featuring double-action function</li> </ul>  |
|                 | SATA spray master RP® 44 - 45              | Application of small amounts of high-viscosity materials   | Optimised high pressure RP     Pressurised gravity flow cup with pressure regulation valve  |

# The revolutionary nozzle system

State-of-the-art paint systems and the latest application recommendations open up new possibilities, but also pose new challenges for professional painters. The SATAjet X 5500 featuring the new X-nozzle system now defines a wholly new application standard for the future.

The concept of this nozzle system is easy and straightforward to understand: Both proven application technologies – HVLP and RP – remain available, but now each of them with the additional choice between "I" and "O"-nozzle sets. In line with the increasing nozzle sizes within each of the respective technology (HVLP / RP), the material flow rate increases too with constant increments – which means that the spray fan size and width remain unchanged across the entire nozzle spectrum. In essence, end-users can now rely on a transparent and consistent system which offers them clear and well-structured application options.

The "I"-nozzles produce a parallel spray fan pattern with a minimal dry zone and a drier centre which is ideal for painters preferring a **reduced application speed** and maximum application control during the painting process. The **film build per coat** in comparison to an "O"-nozzle of the same size is **slightly reduced**.

- Parallel spray fan with minimal dry zone
- Improved control during application
- Reduced film build per coat compared to the nozzle set currently in use or the "O"-nozzle

"O"-nozzles do have an oval-shaped spray fan pattern with a larger dry zone and a wet core to accommodate **increased** application speed at the expense of slightly less application control during the painting process. The **film build per coat** in comparison to an "I"-nozzle is **slightly higher**.

- Oval-shaped spray fan with larger dry zone
- Wet core for increased application speed
- Film build per coat slightly higher compared to the "I"nozzle



# PRODUCT BENEFITS

- Revolutionary: The X-nozzles are taking atomisation to a whole new level
- Noticeably quieter: Whispering nozzle<sup>TM</sup> due to optimised air flow geometry, reduced noise level in the relevant sound frequency ranges
- Individual: Matches any application requirement, such as specific characteristics of the paint system, climatic conditions and application method (application speed/ application control)
- Precise: Optimised material distribution for enhanced spraying uniformity and atomisation with both spray fan shapes
- Low maintenance: No air distribution insert required, thus also ensuring a much easier and faster cleaning process
- Consistent: Constant fan size across the entire nozzle spectrum (within each respective atomisation technology) with linear increases of the material flow rate
- Efficient: The optimised atomisation concept enables to realise considerable material savings using the same application method as before

# Select your favorite nozzle







### www.sata.com/nozzlefinder

# SPRAY FAN SHAPES


## Examples of current fan shapes



With SATAjet X 5500
Fan shape I-nozzle HVLP/RP



# Fan shape O-nozzle HVLP/RP



# SATAjet® X 5500 PHASER

# RP® /HVLP















| Technical data:            | RP                      | HVLP                    |
|----------------------------|-------------------------|-------------------------|
| Inlet pressure             | Operating range         | Operating range         |
|                            | (Field of application): | (Field of application): |
|                            | 0.5 bar - 2.4 bar       | 0.5 bar - 2.4 bar       |
|                            | Compliant: max. 2.0     | Compliant: max. 2.0     |
|                            | bar                     | bar                     |
| Air consumption at 2.0 bar | 290 NI/min              | 430 NI/min              |
| Spray distance             | Operating range         | Operating range         |
|                            | (Field of application): | (Field of application): |
|                            | 10 cm - 21 cm           | 10 cm - 21 cm           |
|                            | Recommended:            | Recommended:            |
|                            | 17 cm - 21 cm           | 10 cm - 15 cm           |



| ī    | -NOZZLE           |                      |                       | 0-NOZZLE |         |         |
|------|-------------------|----------------------|-----------------------|----------|---------|---------|
|      | 1,2               | 1,3                  | 1,4                   | 1,2      | 1,3     | 1,4     |
| -    | Standard with RPS | multi-purpose cup 0. | 6   / 0.9   (each 1x) |          |         |         |
| 윤    | 1096066           | 1096074              | -                     | 1096090  | 1096082 | -       |
| HV I | 1096157           | 1096149              | 1096131               | 1096107  | 1096115 | 1096123 |
| _    | Nozzle set        |                      |                       |          |         |         |
| RP.  | 1096181           | 1096199              | -                     | 1096214  | 1096206 | -       |
| HVLP | 1096272           | 1096264              | 1096256               | 1096222  | 1096230 | 1096248 |



# Spare parts

# SATAjet® X 5500 **PHASER**

15438

Paint needle packing

86843

Air piston rod

96875

PVC insert for paint spray guns with QCC cup connection

131987

Spare plug-in sieve 200  $\mu m,$  pastel green (packing unit 100 pieces)

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133991

Air piston head (packing unit 3 pieces)

140582

Sealing element (packing unit 5 pieces) for fluid tip

211391

Locking screw (packing unit 3 pieces) for air micrometer

211409

CCS-Clips, green, blue, red, black (packing unit 4pieces)

211508

Sealing ring (packing unit 5 pieces)

213025

Spindle, cpl., for round / flat spray control

1006669

Kit consisting of coloured marking rings (blue, green, black, packing unit each 1 piece)

1006734

Trigger fixing clip

1057323

Tool kit

1092973 Trigger kit

1092981

Air connection piece 1/4" male thread

1092999


Control knob with screw (pack of 2 pieces)

1093004

Material flow control with counter nut

1093012

Air micrometer



### Tool kit

### 1057323

- · Universal spanner
- · Combi tool · Cleaning brush
- · CCS clips
- · Paint straine

Universal spanner kit (pack of 3 pieces)

## Repair kit

1093020 Repair kit

Air piston service unit

1063619

1063627

# SATAjet® X 5500

# RP® /HVLP



















Technical data: RP HVLP Inlet pressure Operating range Operating range (Field of application): (Field of application): 0.5 bar - 2.4 bar 0.5 bar - 2.4 bar Compliant: max. 2.0 bar Compliant: max. 2.0 bar Air consumption at 2.0 bar bar 290 NI/min 430 NI/min Spray distance Operating range Operating range (Field of application): (Field of application): 10 cm - 21 cm 10 cm - 21 cm

Recommended:

|      |                    | 17 cm - 2             | 1 cm 10 c                      | cm - 15 cm       |         |         |  |
|------|--------------------|-----------------------|--------------------------------|------------------|---------|---------|--|
|      |                    |                       |                                |                  |         |         |  |
|      | I-NOZZLE           |                       |                                |                  |         |         |  |
|      | 1,1                | 1,2                   | 1,3                            | 1,4              | 1,5     | 1,6     |  |
|      | Standard with RPS  | multi-purpose cup 0.6 | 6   / 0.9   (each 1x) <b>w</b> | ith swivel joint |         |         |  |
| 8    | 1061548            | 1061556               | 1061564                        | 1061572          | 1106534 | 1106542 |  |
| HWLP | 1061895            | 1061902               | 1061887                        | 1061910          | 1061928 | -       |  |
|      | DIGITAL with RPS m | ulti-purpose cup 0.6  | / 0.9 I (each 1x) wit          | h swivel joint   |         |         |  |
| A A  | 1061621            | 1061647               | 1061697                        | 1061712          | -       | -       |  |
| HVLP | 1061994            | 1061879               | 1062025                        | 1062033          | 1062067 | -       |  |
|      | Nozzle set         |                       |                                |                  |         |         |  |
| 윤    | 1063536            | 1063544               | 1063552                        | 1063560          | 1106493 | 1106526 |  |
|      |                    |                       |                                |                  |         |         |  |

1063635

Recommended:

|      | 0-NOZZLE                  |                       |                                |                  |         |         |  |
|------|---------------------------|-----------------------|--------------------------------|------------------|---------|---------|--|
|      | 1,1                       | 1,2                   | 1,3                            | 1,4              | 1,5     | 1,6     |  |
|      | Standard with RPS         | multi-purpose cup 0.6 | 61/0.91(each 1x) w             | ith swivel joint |         |         |  |
| ద    | 1061580                   | 1061598               | 1061605                        | 1061613          | 1106550 | 1106568 |  |
| HVLP | 1061936                   | 1061944               | 1061952                        | 1061960          | 1061978 | -       |  |
|      | <b>DIGITAL</b> with RPS m | ulti-purpose cup 0.6  | l / 0.9 l (each 1x) <b>wit</b> | h swivel joint   |         |         |  |
| 윤    | 1061746                   | 1061788               | 1061803                        | 1061829          | -       | -       |  |
| HVLP | 1062075                   | 1062108               | 1062124                        | 1062158          | 1062166 | -       |  |
|      | Nozzle set                |                       |                                |                  |         |         |  |
| 쮼    | 1063578                   | 1063586               | 1063594                        | 1063601          | 1106500 | 1106518 |  |
| HVLP | 1063677                   | 1063685               | 1063643                        | 1063693          | 1063700 | -       |  |

1063651

1063669



## Spare parts

# SATAjet® X 5500

15438

Paint needle packing

16162

Swivel joint

19745 Swivel joint

86843

Air piston rod 96875

PVC insert for paint spray guns with QCC cup

connection

131987

Spare plug-in sieve 200  $\mu m$ , pastel green (packing unit 100 pieces)

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133991

Air piston head (packing unit 3 pieces)

140582

Sealing element (packing unit 5 pieces) for fluid tip

211391

Locking screw (packing unit 3 pieces) for air micro-

meter

211409 CCS-Clips, green, blue, red, black (packing unit 4

211433 Trigger kit

211441

Seal retainer with sleeve

211458

Trigger sleeve kit

211466

Air micrometer

211474 Material flow control with counter nut

211508

Sealing ring (packing unit 5 pieces) 211516

Swivel joint with seal retainer and sleeve

213025 Spindle, cpl., for round / flat spray control

1057323


Tool kit

1057357

Control knob with screw (packing unit 2 pieces)

1057414

Battery kit



### Tool kit

### 1057323

- · Universal spanner
- · Combi tool · Cleaning brush
- · CCS clips
- · Paint straine

Universal spanner kit (pack of 3 pieces)

## Repair kit

1047522 Repair kit

Air piston service unit

# SATAjet® 5000 B

# RP® /HVLP













Technical data:

Inlet pressure

0.5 bar - 2.4 b

Compliant: max Air consumption at 2.0 bar bar 290 NI/min

Spray distance

| 00 B                    |                                |                                       |
|-------------------------|--------------------------------|---------------------------------------|
| UIEX OUEX STURN CCS     | 1+2-3<br>PREMILION<br>WARRANTY |                                       |
| RP                      | HVLP                           |                                       |
| Operating range         | Operating range                |                                       |
| (Field of application): | (Field of application):        | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 0.5 bar - 2.4 bar       | 0.5 bar - 2.4 bar              |                                       |
| Compliant: max. 2.0 bar | Compliant: max. 2.0 bar        |                                       |
| 290 NI/min              | 430 NI/min                     |                                       |
| Operating range         | Operating range                |                                       |
| (Field of application): | (Field of application):        |                                       |
| 10 cm - 21 cm           | 10 cm - 21 cm                  |                                       |
| Recommended:            | Recommended:                   |                                       |
| 17 cm - 21 cm           | 10 cm - 15 cm                  |                                       |

|         | 1,0   | 1,1              | 1,2          | 1,2 W             | WSB                     | 1,3    | 1,3 cc  | 1,4     |  |
|---------|---|------------------|--------------|-------------------|-------------------------|--------|---------|---------|--|
|         | Standard with RPS multi-purpose cup 0.3 I / 6 I / 0.9 I (each 1x) with swivel joint |                  |              |                   |                         |        |         |         |  |
| 윤       | 1117523   | 215640           | 209775       | 209783            | -                       | 209791 | 1005075 | 209809  |  |
| HVLP    | 210732  | -                | 210559       | -                 | 210567                  | 210575 | -       | 210591  |  |
|         | Nozzle set  |                  |              |                   |                         |        |         |         |  |
| AP.     | 210245  | 210252           | 210260       | 210278            | -                       | 210286 | 1002104 | 210294  |  |
| HVLP    | 210955  | -                | 210963       | -                 | 210971                  | 210989 | -       | 211011  |  |
|         |   |                  |              |                   |                         |        |         |         |  |
|         | 1,5   | 1,6              | 1,7          | 1,8               | 1,9                     | 2,0    | 2,2     | 2,5     |  |
|         | Standard with R   | PS multi-purpose | cup 0.31/61/ | 0.9   (each 1x) w | <b>ith</b> swivel joint |        |         |         |  |
| RP<br>P | -   | 209890           | -            | 209908            | -                       | 209916 | -       | 1117531 |  |
| HVLP    | 210609  | -                | 210831       | -                 | 210849                  | -      | 210856  | -       |  |
|         | Nozzle set  |                  |              |                   |                         |        |         |         |  |
| ₽       | -   | 210302           | -            | 210310            | -                       | 210328 | -       | 210336  |  |
| HVLP    | 211045  | -                | 211052       | -                 | 211060                  | -      | 211078  | -       |  |



# Spare parts

# SATAjet® 5000 B

Spare plug-in sieve 200  $\mu m,$  pastel green (packing unit 100 pieces)

15438

Paint needle packing

19745

Swivel joint

86843

Air piston rod

96875

PVC insert for paint spray guns with QCC cup connection

133934

Sealing (packing unit 3 pieces) for spindle

133942

133959

Pressure spring (3 pieces) for paint needle and air

piston 133991

Air piston head (packing unit 3 pieces)

134098

Air connection piece 1/4" (male thread)

Sealing element (packing unit 5 pieces) for fluid tip

211391

Locking screw (packing unit 3 pieces) for air micro-

meter

211409 CCS-Clips, green, blue, red, black (packing unit 4

pieces) 211425

Air distribution ring (packing unit 3 pieces)

211433 Trigger kit

211441

Seal retainer with sleeve

211458

Trigger sleeve kit

211466

Air micrometer

211474

Material flow control with counter nut

211482

Control knob with screw (each 2 pieces)

211490

Air connection with sleeve

211508

Sealing ring (packing unit 5 pieces)


211516

Swivel joint with seal retainer and sleeve

Spindle, cpl., for round / flat spray control 213769

Battery kit

Tool kit 211524 · Universal spanner · Combi tool · Cleaning brush



· CCS clips · Paint straine

· Extraction tool 1097379

Universal spanner kit (pack of 3 pieces)

## Repair kit

1047522 Repair kit

82552

Air piston service unit

# SATAjet® 3000 K

# RP® /HVLP












| Technical data:                | RP                | HVLP          |
|--------------------------------|-------------------|---------------|
| Inlet pressure                 | 2.5 bar - 3.0 bar | 2.5 bar       |
| Air consumption at 2.5 bar bar | 430 NI/min        | 560 NI/min    |
| Spray distance:                | 17 cm - 21 cm     | 10 cm - 15 cm |
| Material connection:           | 3/8" m            | nale thread   |
|                                |                   |               |



|      | 0,8        | 1,0   | 1,1   | 1,2   | 1,3   | 1,4    | 1,5   | 1,6   | 1,7   | 2,0   |   |
|------|------------|-------|-------|-------|-------|--------|-------|-------|-------|-------|---|
|      | Spray gun  |       |       |       |       |        |       |       |       |       | 1 |
| 윤    | 92932      | -     | 93336 | -     | 93344 | -      | 93351 | -     | 93369 | 93377 |   |
| HVLP | 93385      | 92924 | -     | 93393 | -     | 193656 | -     | 96164 | -     | 96172 |   |
|      | Nozzle set |       |       |       |       |        |       |       |       |       |   |
| RP   | 92494      | -     | 92502 | -     | 92510 | -      | 92528 | -     | 95422 | 95356 |   |
| HVLP | 92783      | 92791 | -     | 92809 | -     | 191379 | -     | 92817 | -     | 92825 |   |

# Required accessories for SATA pressure fed spray guns

92031

SATA paint tube G 3/8" (female thread) - 3/8" (male thread) for SATA pressure fed spray guns



38265

SATA paint strainer 60 msh, G 3/8" (female thread) and 3/8" (male thread) for SATA pressure fed spray gun except for SATAminijet

- **Upon request:** spray guns and nozzle sets with surface treatment for increased lifetime of the fluid tip and paint needle.
- Further accessories as well as material and air connections see pages 54 and 68|69.



Spare parts

# SATAjet® 3000 K

6395

CCS Clips, green, blue, red, black packing unit 4pieces)

15438

Paint needle packing

91959

Air piston rod

92056

Trigger kit

92619

Material flow control with counter nut

92742

Round/flat spray control

93526

Material connection, stainless steel

93559

Insert, stainless steel

97824

Air distribution ring (3 pieces)

133926

Trigger sleeve kit

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air

Adjustment screw (packing unit 3 pieces) for air micrometer

133991


Air piston head (packing unit 3 pieces)

134098

Air connection piece 1/4" (male thread)

139964

Air micrometer



### Tool kit

# 9050

- · Extraction tool
- · Paint strainer
- · Cleaning brush
- $\cdot \ \text{Allen wrench 2 mm width} \\$ · Allen wrench 4 mm width
- · Universal spanner



# Repair kit

92767 Repair kit

92759

Air piston service unit

# SATAjet® 4800 K spray mix







### Technical data:


Max. operating pressure

10.0 bar

atomisation air:

Max. operating pressure material: 250.0 bar

Weight incl. material filter: 760 g



## Spray mix gun

1006354

SATAjet 4800 K spray mix with paint tube, strainer 100 msh, material and air swivel joint, without paint nozzle

# Spray mix spray gun with inversion switch

SATAjet 4800 K spray mix with paint strainer 100 msh, material and air swivel joint, inversion switch without inversion nozzle

207530

Retrofit kit, inversion switch without inversion nozzle for SATAjet 4800 K spray mix / 3000 K spray mix

| Nozzle No.  | Art. No.       | ø mm         | ø inch | Angle   | Width | I/min at 70 bar |         | Strainer         |
|-------------|----------------|--------------|--------|---------|-------|-----------------|---------|------------------|
| Fluid tip   |                | 1            |        |         |       |                 |         |                  |
| 1840        | 23044          | 0,18         | 0,007  | 40°     | 18    | 0,16            |         |                  |
| 2325        | 7328           | 0,23         | 0,009  | 25°     | 14    | 0,23            |         |                  |
| 2350        | 7435           | 0,23         | 0,009  | 50°     | 22    | 0,23            |         |                  |
| 2360        | 74922          | 0,23         | 0,009  | 60°     | 24    | 0,23            | 200 msh | 74856            |
| 2825        | 16998          | 0,28         | 0,011  | 25°     | 14    | 0,30            | 85 µm   | Set of four pcs. |
| 2850        | 50906          | 0,28         | 0,011  | 50°     | 22    | 0,30            |         |                  |
| 2865        | 13771          | 0,28         | 0,011  | 65°     | 26    | 0,30            |         |                  |
| 3325        | 20206          | 0,33         | 0,013  | 25°     | 14    | 0,45            |         |                  |
| 3350        | 50898          | 0,33         | 0,013  | 50°     | 23    | 0,45            |         |                  |
| 3365        | 13789          | 0,33         | 0,013  | 65°     | 28    | 0,45            |         |                  |
| 3375        | 74930          | 0,33         | 0,013  | 75°     | 32    | 0,45            | 100 msh | 12278            |
| 3390        | 73742          | 0,33         | 0,013  | 90°     | 40    | 0,45            | 150 μm  | Set of four pcs. |
| 3825        | 13797          | 0,38         | 0,015  | 25°     | 15    | 0,61            |         |                  |
| 3850        | 7344           | 0,38         | 0,015  | 50°     | 25    | 0,61            |         |                  |
| 3882        | 74948          | 0,38         | 0,015  | 82°     | 34    | 0,61            |         |                  |
| 4650        | 19307          | 0,46         | 0,018  | 50°     | 25    | 0,95            |         |                  |
| 4682        | 74955          | 0,46         | 0,018  | 82°     | 35    | 0,95            | 60 msh  | 12260            |
| 5370        | 150276         | 0,53         | 0,021  | 70°     | 33    | 1,28            | 250 μm  | Set of four pcs. |
| 6050        | 17004          | 0,60         | 0,024  | 50°     | 31    | 1,59            |         |                  |
| Inversion n | ozzle for inve | rsion switch |        |         |       |                 |         |                  |
| 2550        | 207548         | 0,25         | 0,010  | 20°/50° | 14/22 | 0,25            | 200 msh | 74856            |
| 3050        | 207555         | 0,30         | 0,012  | 20°/50° | 14/22 | 0,38            | 85 µm   | Set of four pcs. |
| 3550        | 207563         | 0,35         | 0,014  | 20°/50° | 14/24 | 0,50            | 100 msh | 12278            |
| 4050        | 207571         | 0,40         | 0,016  | 20°/50° | 14/25 | 0,70            | 150 µm  |                  |

▶ Hose pairs see pages 138|139. / Further accessories as well as material and air connections see pages 54 and 68|69.



# recommended list prices. Errors, technical modifications and printing errors reserved. All prices are

## **Spare Parts**

# SATAjet® 4800 K spray mix

12260

Sieve 60 msh (packing unit 4 pieces)

12278

Sieve, 100 msh (packing unit 4 pieces)

Pressure spring for paint needle

19745

Swivel joint

27813

Spring for air piston of SATA spray guns except for SATA minijet

74856

Strainer kit: Sieve 200 msh (4 pcs.) strainer holder (

Paint needle SATAjet 4800 K spray mix, 3000 K spray mix, iet K3 sprav mix without needle tip

82636

Seal retainer, cpl.

97824

Air distribution ring (3 pieces)

98434

Pre-nozzle, cpl. SATA jetK3 Spray mix

98459

Air cap round/flat spray fan

98525 Seal retainer, cpl.

98541

Carbide needle tip

Paint needle with carbide needle tip, cpl.

133991

Air piston head (packing unit 3 pieces)

207522

Gasket unit inversion switch

207530

Retrofit kit, inversion switch without inversion nozzle

211391

Locking screw (packing unit 3 pieces) for air micrometer

228049

Air cap ring with protection against accidental contact

Air cap ring with protection against accidental contact

1006362

Round/Flat spray control, cpl.

Nozzle head and material supply cpl., without filter adapter and swivel joint

Kit, consisting of gun suspension hook, suspension eye and countersunk screw, each 1 piece

1014076

Material filter housing, cpl. with swivel joint

1014084 Trigger kit

1014092

Air piston rod


1014109

Locking screw

1014117

O-ring nozzle head (packing unit 10 pieces

1014125 Nozzle head nut 1014133 Air micrometer, cpl.



### Tool kit

1006966

Universal spanner

· Cleaning brush

· Extraction tool

Repair kit

1006940 Repair kit

Nozzle cleaning kit

(not shown on exploded view)

# SATAjet® 3000 K spray mix







### Technical data:

Max. operating pressure

10.0 bar

atomisation air:

Max. operating pressure material: 250.0 bar

Weight incl. material filter: 650 g



# Spray mix gun

120006

SATAjet 3000 K spray mix with paint tube, strainer 100 msh, without paint nozzle

# Spray mix spray gun with inversion switch

120014

SATAjet 3000 K spray mix with paint tube, strainer 100 msh, inversion switch, without inversion nozzle

Retrofit kit, inversion switch without inversion nozzle for SATAjet 4800 K spray mix / 3000 K spray mix

| Nozzle No.  | Art. No.        | ø mm        | ø inch | Angle   | Width | l/min at 70 bar |         | Strainer         |
|-------------|-----------------|-------------|--------|---------|-------|-----------------|---------|------------------|
| Fluid tip   |                 |             |        |         |       |                 |         |                  |
| 1840        | 23044           | 0,18        | 0,007  | 40°     | 18    | 0,16            |         |                  |
| 2325        | 7328            | 0,23        | 0,009  | 25°     | 14    | 0,23            |         |                  |
| 2350        | 7435            | 0,23        | 0,009  | 50°     | 22    | 0,23            |         |                  |
| 2360        | 74922           | 0,23        | 0,009  | 60°     | 24    | 0,23            | 200 msh |                  |
| 2825        | 16998           | 0,28        | 0,011  | 25°     | 14    | 0,30            | 85 µm   |                  |
| 2850        | 50906           | 0,28        | 0,011  | 50°     | 22    | 0,30            |         |                  |
| 2865        | 13771           | 0,28        | 0,011  | 65°     | 26    | 0,30            |         |                  |
| 3325        | 20206           | 0,33        | 0,013  | 25°     | 14    | 0,45            |         |                  |
| 3350        | 50898           | 0,33        | 0,013  | 50°     | 23    | 0,45            |         |                  |
| 3365        | 13789           | 0,33        | 0,013  | 65°     | 28    | 0,45            |         |                  |
| 3375        | 74930           | 0,33        | 0,013  | 75°     | 32    | 0,45            | 100 msh | 12278            |
| 3390        | 73742           | 0,33        | 0,013  | 90°     | 40    | 0,45            | 150 µm  | Set of four pcs. |
| 3825        | 13797           | 0,38        | 0,015  | 25°     | 15    | 0,61            |         |                  |
| 3850        | 7344            | 0,38        | 0,015  | 50°     | 25    | 0,61            |         |                  |
| 3882        | 74948           | 0,38        | 0,015  | 82°     | 34    | 0,61            |         |                  |
| 4650        | 19307           | 0,46        | 0,018  | 50°     | 25    | 0,95            |         |                  |
| 4682        | 74955           | 0,46        | 0,018  | 82°     | 35    | 0,95            | 60 msh  | 12260            |
| 5370        | 150276          | 0,53        | 0,021  | 70°     | 33    | 1,28            | 250 µm  | Set of four pcs. |
| 6050        | 17004           | 0,60        | 0,024  | 50°     | 31    | 1,59            |         |                  |
| Inversion n | ozzle for inver | sion switch |        |         |       |                 |         |                  |
| 2550        | 207548          | 0,25        | 0,010  | 20°/50° | 14/22 | 0,25            | 200 msh | 74856            |
| 3050        | 207555          | 0,30        | 0,012  | 20°/50° | 14/22 | 0,38            | 85 µm   | Set of four pcs. |
| 3550        | 207563          | 0,35        | 0,014  | 20°/50° | 14/24 | 0,50            | 100 msh | 12278            |
| 4050        | 207571          | 0,40        | 0,016  | 20°/50° | 14/25 | 0,70            | 150 μm  | Set of four pcs. |

Hose pairs see pages 138|139. / Further accessories as well as material and air connections see pages 54 and 68|69.



## **Spare Parts**

# SATAjet® 3000 K spray mix

12260

Sieve 60 msh (packing unit 4 pieces)

12278

Sieve, 100 msh (packing unit 4 pieces)

18341

Pressure spring for paint needle

Spring for air piston of SATA spray guns except for SATA miniiet

74856

Strainer kit: Sieve 200 msh (4 pcs.) strainer holder ( 2 pcs.), screw (1 pcs.)

91959

Air piston rod

94961 Air micrometer

97824

Air distribution ring (3 pieces)

98418 Closing screw

98434

Pre-nozzle, cpl. SATA jetK3 Spray mix

98459 Air cap round/flat spray fan

98509

Insert with seal retainer

98525

Seal retainer, cpl

98541

98590 Material connection

98608

Paint tube with strainer 100 msh

98681 Trigger kit

98764

Nozzle set SATAjet 4800 K spray mix / 3000 K spray mix, consisting of pre-nozzle and needle tip

98772

Paint needle with carbide needle tip, cpl.

Round/flat spray control SATAjet K3 spray mix, jet 3000 K spray mix

120071

Trigger block, cpl.

133926

Trigger sleeve kit

133942

Seal retainer, cpl.

Adjustment screw (packing unit 3 pieces) for air micrometer

133991

Air piston head (packing unit 3 pieces)

134098 Air connection piece 1/4" (male thread)

207522 Gasket unit inversion switch


207530


Retrofit kit, inversion switch without inversion nozzle

228049

Air cap ring with protection against accidental contact

Air cap ring with protection against accidental contact





### Tool kit

1006966

Universal spanner · Cleaning brush

· Extraction tool



### Repair kit

98707 Repair kit

Air piston service unit

30833

Nozzle cleaning kit

(not shown on exploded view)

# SATAjet 1000 B The multi-talent!

The allround spray guns for craft and industry



# SATAjet® 1000 B

# RP® /HVLP













| Technical data:                | RP                | HVLP          |
|--------------------------------|-------------------|---------------|
| Inlet pressure                 | 1.5 bar - 2.0 bar | 2.0 bar       |
| Air consumption at 2.0 bar bar | 275 NI/min        | 350 NI/min    |
| Spray distance                 | 17 cm - 21 cm     | 13 cm - 17 cm |



|          | 0,8  | 1,0                         | 1,3                          | 1,4                          | 1,6    | 1,7    | 1,8    |  |  |  |
|----------|--|-----------------------------|------------------------------|------------------------------|--------|--------|--------|--|--|--|
|          | Spray gun with 0.6   | l QCC reusable plast        | ic gravity flow cup <b>w</b> | <b>ithout</b> swivel joint   |        |        |        |  |  |  |
| 윤        | 151183   | 151191                      | 149302                       | -                            | 149310 | -      | 150391 |  |  |  |
| HVLP     | -  | -                           | -                            | 149377                       | -      | 149385 | -      |  |  |  |
|          | Spray gun with 0.6 I QCC reusable PVC gravity flow cup with swivel joint |                             |                              |                              |        |        |        |  |  |  |
| <b>R</b> | 157875   | 157883                      | 157891                       | -                            | 157909 | -      | 157917 |  |  |  |
| HVLP     | -  | -                           | -                            | 157966                       | -      | 157974 | -      |  |  |  |
|          | Spray gun with 0.75  | 5 I QCC reusable <b>alu</b> | minium gravity flow          | cup <b>without</b> swivel jo | oint   |        |        |  |  |  |
| 윤        | 151225   | 151233                      | 150342                       | -                            | 149344 | -      | 150409 |  |  |  |
| HVLP     | -  | -                           | -                            | 149419                       | -      | 149427 | -      |  |  |  |
|          | Nozzle set   |                             |                              |                              |        |        |        |  |  |  |
| <u>a</u> | 151316   | 151324                      | 149161                       | -                            | 149179 | -      | 150417 |  |  |  |
| HVLP     | -  | -                           | -                            | 149195                       | -      | 149203 | -      |  |  |  |

For more versions see the next page.

1,9

2,0

**Spray gun** with 0.6 I QCC reusable plastic gravity flow cup **without** swivel joint

2,1

| 윤        | -  | 149328               | -                            | 151209       | 151217  | -      | -      |  |  |  |  |
|----------|--|----------------------|------------------------------|--------------|---------|--------|--------|--|--|--|--|
| 쮼        | -  | -                    | -                            | -            | -       | 154161 | -      |  |  |  |  |
| 8        |  |                      | HIGH-VISCOSITY >             | 1003194      | 1003201 | -      | -      |  |  |  |  |
| HVLP     | 149393   | -                    | 149401                       | -            | -       | -      | -      |  |  |  |  |
| S        | pray gun with 0.6  | l QCC reusable PVC   | gravity flow cup <b>with</b> | swivel joint |         |        |        |  |  |  |  |
| 윤        | -  | 157925               | -                            | 157933       | 157941  | -      | -      |  |  |  |  |
| 윤        | -  | -                    | -                            | -            | -       | 157958 | -      |  |  |  |  |
| 8        |  |                      | HIGH-VISCOSITY >             | 1003235      | 1003243 | -      | -      |  |  |  |  |
| HVLP     | 157982   |                      | 157990                       |              |         |        |        |  |  |  |  |
| S        | Spray gun with 0.75 I QCC reusable aluminium gravity flow cup without swivel joint |                      |                              |              |         |        |        |  |  |  |  |
| 윤        | -  | 149351               | -                            | 151241       | 151258  | -      | -      |  |  |  |  |
| 윤        | -  | -                    | -                            | -            | -       | 154179 | -      |  |  |  |  |
| 8        |  |                      | HIGH-VISCOSITY >             | 1003219      | 1003227 | -      | -      |  |  |  |  |
| HVLP     | 149435   | -                    | 149443                       | -            | -       | -      | -      |  |  |  |  |
| _        | Nozzle set   |                      |                              |              |         |        |        |  |  |  |  |
| <u>В</u> | -  | 149187               | -                            | 151332       | 151340  | -      | -      |  |  |  |  |
| A<br>B   | -  | -                    | -                            | -            | -       | 154187 | 154195 |  |  |  |  |
| 윤        |  |                      | HIGH-VISCOSITY >             | 222372       | 222380  | -      | -      |  |  |  |  |
| HVLP     | 149211   | -                    | 149229                       | -            | -       | -      | -      |  |  |  |  |
|          |  |                      |                              |              |         |        |        |  |  |  |  |
| SAT      | Ajet 1000 B RP fo  | or glue applications | <u> </u>                     |              |         |        |        |  |  |  |  |
| 4.0      | 0.4000   |                      |                              |              |         |        |        |  |  |  |  |

2,5

3,0

4,0

5,0

164962

SATAjet 1000 B RP nozzle 1.6 D twisted round spray 0.6 I QCC reusable plastic cup

164970

Nozzle set SATAjet 1000 B RP 1.6 twisted round spray

214320

SATAjet 1000 B RP nozzle 1.3 DA pressurised cup spray gun for dispersion glues, incl. SATA BVD add-on kit

214338

Nozzle set SATAjet 1000 B RP 1.3 DA for dispersion glues

Extensions see page 52.



## Spare parts

# SATAjet® 1000 B

Anti-drip device (packing unit 4 pieces)

3988

Paint strainer, 300 µm (packing unit 10 pieces)

6395

CCS Clips, green, blue, red, black packing unit 4

15438

Paint needle packing

16162

Swivel joint

27243

Reusable plastic cup, 0.6 I with QCC without fine thread

49395

Screw-on lid for 0.6 I PVC cup with drip-catching ring and non-drip device

76018

Paint strainer, 300  $\mu m$  (packing unit 100 pieces)

Paint strainer, 300 µm (packing unit 500 pieces)

89771

Spindle, cpl., f. round / flat spray control SATAjet 2000 HVLP

91959

Air piston rod

130393

Sealing ring for air cap ring SATAjet 100 and 1000

130492 Trigger kit

133926

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

Air piston head (packing unit 3 pieces)

139188

Material flow control with counter nut


139964

Air micrometer

140574 Control knob with screw

Sealing element (packing unit 5 pieces) for fluid tip

143230 Air distribution ring (packing unit 3 pieces)



### Tool kit

### 9050 · Extraction tool

- · Paint strainer
- · Cleaning brush
- · Allen wrench 2 mm width
- · Allen wrench 4 mm width
- · Universal spanner

1097379

Universal spanner kit (pack of 3 pieces)

# Repair kit 130542 Repair kit

Air piston service unit

# SATAjet® 1000 B Lignum 2

RP® /HVLP















Technical data: Inlet pressure

1.5 bar - 2.0 bar

HVLP 2.0 bar

Air consumption at 2.0 bar bar Spray distance

275 NI/min

350 NI/min 17 cm - 21 cm

13 cm - 17 cm



|      | 0,8                | 1,0                 | 1,3                             | 1,4                 | 1,6    | 1,7    | 1,8    |  |
|------|--------------------|---------------------|---------------------------------|---------------------|--------|--------|--------|--|
|      | Spray gun with 0.6 | I QCC reusable PVC  | gravity flow cup <b>with</b>    | swivel joint        |        |        |        |  |
| 윤    | -                  | -                   | 190157                          | -                   | 190165 | -      | 190173 |  |
| HVLP | -                  | -                   | -                               | 190124              | -      | 190132 | -      |  |
|      | Nozzle set         |                     |                                 |                     |        |        |        |  |
| RP   | 151316             | 151324              | 149161                          | -                   | 149179 | -      | 150417 |  |
| HVLP | -                  | -                   | -                               | 149195              | -      | 149203 | -      |  |
| [    | 1,9                | 2,0                 | 2,1                             | 2,5                 | 3,0    | 4,0    | 5,0    |  |
| _    | Spray gun with 0.6 | I QCC reusable plas | tic gravity flow cup <b>w</b> i | ithout swivel joint |        |        |        |  |
| ₽    | -                  | 190181              | -                               | 197665              | -      | -      | -      |  |
| HVLP | 190140             | -                   | -                               | -                   | -      | -      | -      |  |
|      | Nozzle set         |                     |                                 |                     |        |        |        |  |
| 윤    | -                  | 149187              | -                               | 151332              | 151340 | -      | -      |  |
| ₽    | -                  | -                   | -                               | -                   | -      | 154187 | 154195 |  |
| ₽    |                    |                     | HIGH-VISCOSITY >                | 222372              | 222380 | -      | -      |  |
| HVLP | -                  | -                   | -                               | 149195              | -      | 149203 | -      |  |

# **Available versions**

SATA BVD conversion kit with QCC without fine thread



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

29926

SATA agitator cup, conversion kit



Extensions see page 52.



# errors reserved. All prices are recommended list prices. Errors, technical modifications and printing

# Spare parts

# SATAjet® 1000 B LIGNUM 2

1826

Anti-drip device (packing unit 4 pieces)

3988

Paint strainer, 300 µm (packing unit 10 pieces)

CCS Clips, green, blue, red, black packing unit 4 pieces)

15438

Paint needle packing

16162

Swivel joint

27243

Reusable plastic cup, 0.6 I with QCC without fine thread

Screw-on lid for 0.6 I PVC cup with drip-catching ring and non-drip device

Paint strainer, 300 µm (packing unit 100 pieces)

76026

Paint strainer, 300 µm (packing unit 500 pieces)

Spindle, cpl., f. round / flat spray control SATAjet 2000 HVLP

91959

Air piston rod

Sealing ring for air cap ring SATAjet 100 and 1000  $\,$ 

130492

Trigger kit

133926 Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl

133959

Pressure spring (3 pieces) for paint needle and air

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

133991

Air piston head (packing unit 3 pieces)

Material flow control with counter nut


139964

Air micrometer

140574 Control knob with screw

140582 Sealing element (packing unit 5 pieces) for fluid tip

Air distribution ring (packing unit 3 pieces)



### Tool kit

9050

· Extraction tool

- · Paint strainer
- · Cleaning brush · Allen wrench 2 mm width
- · Allen wrench 4 mm width
- · Universal spanner

Universal spanner kit (pack of 3 pieces)

# Repair kit

130542 Repair kit

Air piston service unit

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ACCESSORIES

MERCHANDISE ITEMS

# SATAjet® 1000 K

# RP® /HVLP











| Technical data:                | RP            | HVLP          |  |
|--------------------------------|---------------|---------------|--|
| Inlet pressure                 | 2.5 bar       | 2.5 bar       |  |
| Air consumption at 2.5 bar bar | 410 NI/min    | 530 NI/min    |  |
| Spray distance                 | 17 cm - 21 cm | 10 cm - 15 cm |  |
| Material connection            | 3/8" r        | nale thread   |  |

|          | 0,8  | 1,0                 | 1,1                    | 1,2          | 1,3    | 1,4    | 1,5    |  |  |  |  |
|----------|--|---------------------|------------------------|--------------|--------|--------|--------|--|--|--|--|
| -        | Spray gun  |                     |                        |              |        |        |        |  |  |  |  |
| 윤        | 132092   | -                   | 132100                 | -            | 132118 | -      | 132126 |  |  |  |  |
| HVLP     | 139196   | 139204              | -                      | 139212       | -      | 193664 | -      |  |  |  |  |
| 3        | Spray gun with lifetime prolonging surface on fluid tip and paint needle |                     |                        |              |        |        |        |  |  |  |  |
| AP<br>P  | 141903   | -                   | 141911                 | -            | 141929 | -      | 141937 |  |  |  |  |
| HVLP     | 141960   | 141978              | -                      | 141986       | -      | -      | -      |  |  |  |  |
| _        | Nozzle set   |                     |                        |              |        |        |        |  |  |  |  |
| <u>~</u> | 132159   | -                   | 132167                 | -            | 132175 | -      | 132183 |  |  |  |  |
| HVLP     | 139253   | 139261              | -                      | 139279       | -      | 191387 | -      |  |  |  |  |
| _        | Nozzle set with life   | etime prolonging su | rface of fluid tip and | paint needle |        |        |        |  |  |  |  |
| 윤        | 141648   | -                   | 141655                 | -            | 141663 | -      | 141689 |  |  |  |  |

141804

For more versions see the next page.

141770

141762

|        |  |                     |                        |              |        |        |        | 1 |  |  |
|--------|--|---------------------|------------------------|--------------|--------|--------|--------|---|--|--|
|        | 1,6  | 1,7                 | 2,0                    | 2,5          | 3,0    | 4,0    | 5,0    |   |  |  |
|        | Spray gun  |                     |                        |              |        |        |        |   |  |  |
| 윤      | -  | 132134              | 132142                 | 153486       | 153494 |        |        |   |  |  |
| 윤      |  |                     |                        |              |        | 154336 | -      |   |  |  |
| HVLP   | 139220   | -                   | 139238                 | =            | -      | -      | -      |   |  |  |
|        | Spray gun with lifetime prolonging surface on fluid tip and paint needle |                     |                        |              |        |        |        |   |  |  |
| 윤      | -  | 141945              | 141952                 | -            | -      | -      | -      |   |  |  |
| HVLP   | 142000   | -                   | 142018                 | -            | -      | -      | -      |   |  |  |
|        | Spray gun with slit  | nozzle              |                        |              |        |        |        |   |  |  |
| A<br>B | -  | -                   | -                      | 154344       | 154351 | 154369 | -      |   |  |  |
|        | Nozzle set   |                     |                        |              |        |        |        |   |  |  |
| 윤      | -  | 132191              | 132209                 | 153528       | 153536 |        |        |   |  |  |
| 윤      |  |                     |                        |              |        | 154377 | 154385 |   |  |  |
| HVLP   | 139287   | -                   | 139295                 | -            | -      | -      | -      |   |  |  |
|        | Nozzle set with life   | etime prolonging su | rface of fluid tip and | paint needle |        |        |        |   |  |  |
| 8      | -  | 141697              | 141705                 | 159442       | -      | -      | -      |   |  |  |
| HVLP   | 141812   | -                   | 141838                 | -            | -      | -      | -      |   |  |  |
|        | Slit nozzle set  |                     |                        |              |        |        |        |   |  |  |
| 윤      |  |                     |                        | 154393       | 154401 | 154419 | -      |   |  |  |

# SATAjet 1000 K RP for adhesive applications

161232

SATAjet 1000 K RP nozzle 1.6 D twisted round spray, material connection 3/8" (male thread)

Nozzle set SATAjet 1000 K RP 1.6 twisted round spray

SATAjet 1000 K RP nozzle 1.3 DA for dispersion adhesives, material connection 3/8" (male thread)

211961

Nozzle set SATAjet 1000 K RP 1.3 DA, for dispersion adhesives

# Required accessories for SATA pressure fed spray guns

SATA paint tube G 3/8" (female thread) - 3/8" (male thread) for SATA pressure fed spray guns

SATA paint strainer 60 msh, G 3/8" (female thread) and 3/8" (male thread) for SATA pressure fed spray gun except for SATAminijet



## Spare parts

# SATAjet® 1000 K

6395

CCS Clips, green, blue, red, black packing unit 4 pieces)

15438

Paint needle packing

89771

Spindle, cpl., f. round / flat spray control SATAjet 2000  $\mbox{HVLP}$ 

91959

Air piston rod

93526

Material connection, stainless steel

130484

Insert, cpl

130492

Trigger kit

130534 Air distribution ring (packing unit 3 pieces)

133926

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

133991

Air piston head (packing unit 3 pieces)

139188

Material flow control with counter nut

139964


Air micrometer

140574

Control knob with screw

140582

Sealing element (packing unit 5 pieces) for fluid tip



# Tool kit 9050 Extraction tool Paint strainer Cleaning brush Allen wrench 2 mm width Allen wrench 4 mm width Universal spanner Page ir kit 130542 Repair kit 92759 Air piston service unit 183780 Sealing kit

109737

Universal spanner kit (pack of 3 pieces)

# SATAjet® 1000 H

# RP®









Technical data: RP Inlet pressure 2.5 bar 275 NI/min Air consumption at 2.0 bar bar Spray distance 17 cm - 21 cm



|    | 1,3   | 1,6    | 1,8    | 2,0    |  |  |  |  |  |  |  |
|----|---|--------|--------|--------|--|--|--|--|--|--|--|
| S  | Standard with 1.0 I aluminium siphon cup without swivel joint |        |        |        |  |  |  |  |  |  |  |
| 윤  | 161034  | 151266 | 151274 | 153353 |  |  |  |  |  |  |  |
| _  | Nozzle set  |        |        |        |  |  |  |  |  |  |  |
| A. | 161059  | 151613 | 151621 | 153379 |  |  |  |  |  |  |  |



# Spare parts

# SATAjet® 1000 H

2691

1.0 I aluminium suction cup, cpl.

2733 Lid fitting

6395

CCS Clips, green, blue, red, black packing unit 4pieces)

15438

Paint needle packing

1.0 I aluminium suction cup, without lid

45286

Anti-drip device (pack of 4 pieces)

Strainer (packing unit 2 pieces)

51680

Sealing ring (packing unit 4 pieces)

89771

Spindle, cpl., f. round / flat spray control SATAjet 2000 HVLP

91900

Material connection, stainless steel

91959

Air piston rod

130492 Trigger kit

130534

Air distribution ring (packing unit 3 pieces)

133926

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133942

133959

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

133991

Air piston head (packing unit 3 pieces)

139188


Material flow control with counter nut

139964 Air micrometer

140574

Control knob with screw

Sealing element (packing unit 5 pieces) for fluid tip



## Tool kit

9050

· Extraction tool

· Paint strainer

· Cleaning brush

· Allen wrench 2 mm width · Allen wrench 4 mm width

· Universal spanner

Universal spanner kit (pack of 3 pieces)

# Repair kit

130542 Repair kit

92759

Air piston service unit



Technical data:

Air consumption at 2.0 bar bar 290 NI/min 350 NI/min Spray distance



|   | 1,1 UV  | 1,4     | 1,6     | 1,7     | 1,8     | 1,9     | 2,0     | 2,1     |  |
|---|---------|---------|---------|---------|---------|---------|---------|---------|--|
| Spray gun with 0.6 I QCC reusable plastic gravity flow cup without swivel joint                         |         |         |         |         |         |         |         |         |  |
| 윤   | -       | 146969  | 145193  | -       | 145201  | -       | 145219  | -       |  |
| HVLP  | -       | 146373  | -       | 145722  | -       | 145730  | -       | 145748  |  |
| Spray gun with 0.75 I QCC reusable aluminium gravity flow cup without swivel joint                      |         |         |         |         |         |         |         |         |  |
| 쮼   | 182592  | 153023  | 146134  | -       | 146142  | -       | 147421  | -       |  |
| HVLP  | -       | 147447  | -       | 146175  | -       | 146183  | -       | 147454  |  |
| <b>Spray</b> gun with RPS multi-purpose cup 0.3 I / 0.6 I / 0.9 I (each 1x) <b>without</b> swivel joint |         |         |         |         |         |         |         |         |  |
| 2   | 203125* | 1012632 | 1012640 | -       | 1012658 | -       | 1012666 | -       |  |
| HVLP  | -       | 1012674 | -       | 1012682 | -       | 1012690 | -       | 1012707 |  |
| Nozzle set  |         |         |         |         |         |         |         |         |  |
| 윱   | 182600  | 146977  | 145250  | -       | 145268  | -       | 145276  | -       |  |
| HWLP  | 146381  | -       | -       | 145417  | -       | 145425  | -       | 145433  |  |

<sup>\* 3</sup> x 0,6 I UV ( )

# SATAjet® 100 B P

## Technical data:

| Inlet pressure                 | 1.5 bar - 2.0 bar |  |  |  |
|--------------------------------|-------------------|--|--|--|
| Air consumption at 2.0 bar bar | 245 NI/min        |  |  |  |
| Spray distance                 | 17 cm - 21 cm     |  |  |  |

 $\textbf{Spray gun} \ \text{with} \ \textbf{0.6 I} \ \text{QCC reusable plastic gravity flow cup} \ \textbf{without} \ \text{swivel joint}$ 

145185

 $\textbf{Spray gun} \ \text{with} \ \textbf{0.75 I} \ \text{QCC reusable aluminium gravity flow cup} \ \textbf{without} \ \text{swivel joint}$ 

146217

Nozzle set

145284



<sup>\*</sup> Polyester spray filler

## Spare parts

# SATAjet® 100 B

Anti-drip device (packing unit 4 pieces)

3988

Paint strainer, 300 µm (packing unit 10 pieces)

6395

CCS Clips, green, blue, red, black packing unit 4

15438

Paint needle packing

and non-drip device

27243

Reusable plastic cup, 0.6 I with QCC without fine

49395 Screw-on lid for 0.6 I PVC cup with drip-catching ring

Paint strainer, 300 µm (packing unit 100 pieces)

76026

Paint strainer, 300  $\mu m$  (packing unit 500 pieces)

78154

Closing cap

89771

Spindle, cpl., f. round / flat spray control SATAjet

91959

Air piston rod

130393

Sealing ring for air cap ring SATAjet 100 and 1000

130492 Trigger kit

133926

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

Air piston head (packing unit 3 pieces)

139188

Material flow control with counter nut

139964

Air micrometer


140574 Control knob with screw

Sealing element (packing unit 5 pieces) for fluid tip

143230

Air distribution ring (packing unit 3 pieces)

Swivel joint



Repair kit

130542

Repair kit

183780 Sealing kit

Air piston service unit

### Tool kit

9050

- · Allen wrench 4 mm width
- · Universal spanner

Universal spanner kit (pack of 3 pieces)

- · Extraction tool
- · Paint strainer
- · Cleaning brush
- · Allen wrench 2 mm width





# SATAminijet® 4400 B

## RP® /HVLP
















| Technical data:                | RP                | HVLP              |
|--------------------------------|-------------------|-------------------|
| Inlet pressure                 | 0.5 bar - 2.5 bar | 0.5 bar - 2.0 bar |
| Air consumption at 2.5 bar bar | 200 NI/min        | 120 NI/min        |
| Spray distance                 | 12 cm - 19 cm     | 12 cm - 15 cm     |



|      | 0,3   | 0,5    | 0,8    | 1,0    | 1,1    | 1,4    | 1,6    |  |  |
|------|---|--------|--------|--------|--------|--------|--------|--|--|
|      | Standard with 125 ccm QCC reusable PVC gravity flow cup |        |        |        |        |        |        |  |  |
| 윤    | -   | 202416 | -      | -      | -      | 198234 | 198242 |  |  |
| HVLP | 197970  | 197988 | 197996 | 198002 | 198010 | -      | -      |  |  |
|      | Nozzle set  |        |        |        |        |        |        |  |  |
| 쮼    | -   | 202408 | -      | -      | -      | 201319 | 201327 |  |  |
| HVLP | 201194  | 201202 | 201210 | 201228 | 201236 | -      | -      |  |  |

For the spot repair versions see the next page

| 77                               |   |
|----------------------------------|---|
| '                                |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
|                                  |   |
| 1.3 SR RP<br>(at <b>2.0 bar)</b> | - |
| Spray distance 15 cm             |   |

|      | 0,8 SR   | 1,0 SR                  | 1,2 SR | 1,3 SR  | 1,4 SR |  |  |  |  |  |
|------|--|-------------------------|--------|---------|--------|--|--|--|--|--|
|      | Spot Repair with 125 ccm QQC reusable plastic gravity flow cup |                         |        |         |        |  |  |  |  |  |
| ద    | 198200   | 198218                  | 198226 | -       | -      |  |  |  |  |  |
| HVLP | 198069   | 198077                  | 198085 | -       | -      |  |  |  |  |  |
|      | Spot-Repair with RPS multi-                                    | -purpose cup 0.3 l (2x) |        |         |        |  |  |  |  |  |
| 윤    | 202390   | 198358                  | 198366 | 1065136 | -      |  |  |  |  |  |
| HVLP | 198168   | 198176                  | 198184 | -       | 198192 |  |  |  |  |  |
|      | Nozzle set   |                         |        |         |        |  |  |  |  |  |
| 8    | 201285   | 201293                  | 201301 | 1065037 | -      |  |  |  |  |  |
| HVLP | 201244   | 201251                  | 201269 | -       | 201277 |  |  |  |  |  |

### design set

198382

SATA design set with SATAminijet 4400 B HVLP 1.0

# Spray fan comparison

### SATAminijet 4400 B HVLP

Standard nozzle / SR nozzle

1.0 **HVLP** 

(at 2.0 bar)

Spray distance 15 cm

### SATAminijet 4400 B RP


Standard nozzle / SR nozzle

1.4 **RP** 

(at 2.5 bar)

Spray distance 15 cm







1.0 SR HVLP

(at 2.0 bar)

Spray distance 15 cm






1.2 SR RP

(at 2.5 bar)

Spray distance 15 cm



### SR-nozzles especially for spot repair applications

- Lower risk of creating bright edges ("halos")
- Allows application of very thin layers of paint

All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATAminijet® 4400 B

3988

Paint strainer, 300  $\mu m$  (packing unit 10 pieces)

25 ml glass cup with plug-in cup

53033

25 ml glass cup with plug-in cup (packing unit 5 pieces)

58164

25 ml glass cup with blind lid (packing unit 5 pieces)

64022

Plastic lid (3 pieces)

76018

Paint strainer, 300  $\mu m$  (packing unit 100 pieces)

76026

Paint strainer, 300  $\mu m$  (packing unit 500 pieces)

Air connection piece 1/4" male thread

197418

CCS Clips, green, blue, red, black (packing unit 4 pieces)

197467

Air distribution ring (packing unit 3 pieces)

197541

Reusable plastic cup, 0.125 I with QCC without fine thread

197558

Anti-drip device (packing unit 4 pieces)

198408

Air piston rod

198473 Trigger kit

198523

198549

Air micrometer, complete

Spindle for round / flat spray control

198911 Reusable aluminium cup, 0.15 I with QCC without fine

thread

199075 Screw cap with drip catcher ring and anti-drip device

199406

Material flow control with counter nut

199414

Packing for paint needle and air piston rod

199430

Adjustment screw (packing unit 3 pieces) for air micro-

meter

199448

Air piston head (packing unit 3 pieces)

199455

Sealing element (packing unit 5 pieces) for fluid tip

Trigger sleeve kit

199471

Gasket (packing unit 3 pieces) for spindle

Pressure spring (each 3 pieces) for paint needle and

200162


Control knob with screw (each 2 pieces)

200220

Plug-in cup connection with QCC

25 ml glass cup with plug-in lid (packing unit 5 pieces) and QCC plug-in connection (packing unit 1 piece)

Sealing ring (packing unit 5 pieces)



### Tool kit

198572

Universal spanne

· Combi tool · Cleaning brush

· Paint strainer

· Extraction tool

Universal spanner kit (pack of 3 pieces)

### Repair kit

198614 Repair kit

199422

Air piston service unit

200246

Sealing kit

# SATAminijet® 1000 K

## RP® /HVLP











| Technical data:                | RP                      | HVLP                    |
|--------------------------------|-------------------------|-------------------------|
| Inlet pressure:                | 2.5 bar                 | 2.5 bar                 |
| Air consumption at 2.5 bar bar | 200 NI/min              | 120 NI/min              |
| Spray distance:                | 17 cm - 21 cm           | 10 cm - 15 cm           |
| Material connection:           | 1,                      | /4"                     |
|                                | male                    | thread                  |
| Spray distance                 | Operating range         | Operating range         |
|                                | (Field of application): | (Field of application): |
|                                | 10 cm - 21 cm           | 10 cm - 21 cm           |
|                                | Recommended:            | Recommended:            |
|                                | 17 cm - 21 cm           | 10 cm - 15 cm           |



|         | 0,3        | 0,5    | 0,8    | 1,0    | 1,2    | 1,4    |  |
|---------|------------|--------|--------|--------|--------|--------|--|
|         | Spray gun  |        |        |        |        |        |  |
| AP<br>P | 187450     | 187468 | 187476 | 187484 | 187492 | 197152 |  |
| HWLP    | 190280     | 190298 | 190306 | 190314 | 190322 | -      |  |
|         | Nozzle set |        |        |        |        |        |  |
| 8       | 187625     | 187633 | 187641 | 187658 | 187666 | 197160 |  |
| HVLP    | 190348     | 190355 | 190363 | 190371 | 190389 | -      |  |

### **Required Accessories**

187419

SATA paint tube G 1/4 female thread - 1/4" male thread



187690

SATA paint strainer 60 msh, 1/4" (male thread)



199018

SATA paint tube G 1/4" (female thread) - 3/8" (male thread)

Further accessories as well as material and air connections see pages 54 and 68|69.



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATAminijet® 1000 K

6395

CCS Clips, green, blue, red, black packing unit 4 pieces)

44644

Counter nut

44735

Countersunk screw M 2.5 x 5, VA

44826

Air piston head

44834

Air piston rod

64972

Adjustment screw for air micrometer

79905

Paint needle packing

124164

Control knob

125146

Material flow control screw

126276 Trigger kit

Packing kit air piston rod SATAminijet 3000 B HVLP, minijet 4 HVLP

133983

Air connection piece 1/4" male thread

187344


Material connection, stainless steel

187427 Spindle for round/flat control

187435 Air distribution ring (packing unit 3 pieces)

198523

Pressure spring (each 3 pieces) for paint needle and air piston



### Tool kit

- 125856
- · Extraction tool · Cleaning brush
- · Wrench
- · Universal spanner



### Repair kit

126284 Repair kit

50658 Sealing kit

# SATAjet® H







### Technical data:

| Inlet pressure:                | 4.0 bar       |
|--------------------------------|---------------|
| Air consumption at 4.0 bar bar | 380 NI/min    |
| Spray distance                 | 18 cm - 23 cm |



| 1,5                     | MSH                | 2,0   |  |
|-------------------------|--------------------|-------|--|
| Spray gun with 1.0 I al | uminium siphon cup |       |  |
| 23721                   | 23747              | 23739 |  |
| Nozzle set              |                    |       |  |
| 23663                   | 23697              | 23689 |  |

All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATAjet® H

1503

Countersunk screw M4 x 8 DIN 965, stainless steel, for micrometer und round/flat spray control

2600

Service unit for nozzle insert for SATAjet/B, H, K and NR 92, consisting of nozzle insert, distribution plate and sealing ring

2691

1.0 I aluminium suction cup, cpl.

2733 Lid fitting

3574

Pressure spring for

3657

Control knob

COILLOI KIIO

6445

Paint needle packing

6486 Trigger kit

6973

Air piston servicing unit

26120

1.0 I aluminium suction cup, without lid

45286

Anti-drip device (pack of 4 pieces)

50195

Strainer (packing unit 2 pieces)

51680

Sealing ring (packing unit 4 pieces)

51839

Pressure spring (packing unit 12 pieces) for air piston packing

53603

Air micrometer

54221

Spindle complete, for SATAjet/90, SATAjet, regulation valve and MC-B  $\,$ 

61416

Material flow control with counter nut

133926

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133959

Pressure spring (3 pieces) for paint needle and air piston

133967


Adjustment screw (packing unit 3 pieces) for air micrometer

133983

Air connection piece 1/4" male thread

133991

Air piston head (packing unit 3 pieces)



### Tool kit

9654

- · Paint strainer
- · Cleaning brush
- Socket wrench 7 mm width
   Internal hexagonal wrench 2/4 mm width
- · Universal spanner

### Repair kit

70623 Repair kit

50666 Sealing kit

# ERCHANDISE ITEMS

# SATA® spray master RP®





Technical data:

Inlet pressure:

2.0 bar

Air consumption:

230 NI/min



|    | SM*        | 1,7   | 2,0   |  |
|----|------------|-------|-------|--|
|    | Spray gun  |       |       |  |
| RP | 72900      | 73734 | 74120 |  |
|    | Nozzle set |       |       |  |
| 윤  | 77982      | 73791 | 78279 |  |

<sup>\*</sup> solid medium

All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATA® spray master RP®

422

Gasket for air piston

1503

Countersunk screw M4 x 8 DIN 965, stainless steel, for micrometer und round/flat spray control

Service unit for nozzle insert for SATAjet/B, H, K and NR 92, consisting of nozzle insert, distribution plate and sealing ring

3657

Control knob

3749

Stuffing box for air piston SATAjet, KL, HKD and MC-B

6445

Paint needle packing

6486

Trigger kit

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)

8268 Sealing ring

16162

Swivel joint

20412

0.7 I pressure pot, aluminium without lid

Safety pressure relief valve BVD

20461

21014

Plastic air hose for BVD and agitator cup

Aluminium lid. cpl.

29629 Air piston rod

53603

Air micrometer

53777

Air connection for aluminium lid

54049

Sealing ring (packing unit 4 pieces)

54221

Spindle complete, for SATAjet/90, SATAjet, regulation valve and MC-B

61416

Material flow control with counter nut

64766

65920

Control fittings, complete, for BVD pressurized cup connection kit (GR and LM)

Anti-drip device (packing unit 10 pieces)

83493

Connection for pressurised cup, cpl.

Air hose cpl. w. pressurized cup connection, for SATA Spray-Master

120816

Pressure release screw (packing unit 2 pieces)

Trigger sleeve kit


133934

Sealing (packing unit 3 pieces) for spindle

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer



### Tool kit

9654

- · Paint strainer
- Cleaning brush
- · Socket wrench 7 mm width
- · Internal hexagonal wrench 2/4 mm width
- · Universal spanner



### Repair kit

70623 Repair kit

9829 Sealing kit

Repair kit for control fitting

# MERCHANDISE ITEMS

# SATAjet® 20 B



### Technical data:

| Inlet pressure:                | 1.0 bar   |
|--------------------------------|-----------|
| Air consumption at 1.5 bar bar | 40 NI/min |
| Spray distance:                | variable  |



| 0,2 fineline         | 0,2                          | 0,35                     | 0,5           | 0,8   | 1,0   |  |  |
|----------------------|------------------------------|--------------------------|---------------|-------|-------|--|--|
| Spray gun with 65 ml | Spray gun with 65 ml PVC cup |                          |               |       |       |  |  |
| -                    | 65078                        | 65581                    | 65649         | 66316 | 69229 |  |  |
| 189035               |                              |                          |               |       |       |  |  |
| Spray gun with 65 ml | plastic cup, glass plug-o    | n cup and 3 glass jars w | ith blank lid |       |       |  |  |
| -                    | 86181                        | 86199                    | 86207         | 86215 | 86223 |  |  |
| Nozzle set           | Nozzle set                   |                          |               |       |       |  |  |
| -                    | 60459                        | 60640                    | 61200         | 61341 | 61523 |  |  |
| 189043               |                              |                          |               |       |       |  |  |

### SATAjet 20 B design set

90381

SATAjet 20 B design set 0.5 with accessories in case

Contains: various cup versions such as plastic cup, plug-in cup, glass cup, cleaning kit, SATA air micrometer with pressure gauge, spray gun stand, tool kit, nozzle set, PVC compressed air hose.



Completely assembled air hoses see page 138.

# Line thicknesses SATAjet 20 B

| 0.2 mm | <br>Nozzle set fineline 0.2 |
|--------|-----------------------------|
| 0.6 mm | Nozzle set 0.2              |
| 0.8 mm | <br>Nozzle set 0.35         |
| 1.1 mm | Nozzle set 0.5              |
| 1.5 mm | Nozzle set 0.8              |
| 1.9 mm | Nozzle set 1.0              |



## Spare parts

### SATAjet® 20 B

9860

SATA air micrometer 0-845, 1/4" (male thread) and G 1/4" (female thread)

9878

SATA mini filter 1/4" (male thread)

15669

65 ml PVC reusable cup, cpl.

15909

PVC screw-on lid 65 ccm PVC cup SATAjet 20 B, dekor 2000  $\,$ 

16295

25 ml glass cup with plug-in cup

32987

SATA PVC compressed air hose, transparent, 3 m long with G  $1/4^{\rm w}$  (female thread), mini quick coupling and nipple

35188

Pressure spring for air piston

35196

Air piston head

44834

Air piston rod

Service unit air piston rod SATAjet 20 B, dekor 2000, minijet 3  $\mbox{HVLP}$ 

53033

 $25\ \mathrm{ml}$  glass cup with plug-in cup (packing unit 5 pieces)

58164

25 ml glass cup with blind lid (packing unit 5 pieces)

62042

Spray gun handle SATAjet 20 B, dekor 2000

62083

Air pipe

62729

Closing screw SATAjet 20 B, dekor 2000

62802

Compression screw 1/8" (male thread)

62869

Material flow control screw

64758 O-ring

66928

Air connection 1/8" (male thread) - 1/4" (male thread)

68817

Pressure spring for paint needle

59344

Paint needle packing


79913

Trigger kit

Plug-in cup connection with QCC SATAjet 20 B, dekor 2000, minijet 3000 B HVLP, minijet 4 HVLP

125963

25 ml glass cup with plug-in lid (packing unit 5 pieces) and QCC plug-in connection (packing unit 1 piece)



# Tool kit 9373 • Cleaning brush • Universal spanner • Hexagonal screwdriver Repair kit 91165 Repair kit 69427 Sealing kit

# ERCHANDISE ITEMS

# SATAgraph™ 1/3

### Technical data:

| Inlet pressure:  | variable  |  |  |  |
|------------------|-----------|--|--|--|
| Air consumption: | 10 NI/min |  |  |  |
| Spray distance:  | variable  |  |  |  |



### SATAgraph 1 - The Starter Model (each with aluminium case)

134544

SATAgraph 1 0.25 with 2.5 ml gravity flow cup, in aluminium case, without hose

139568

SATAgraph 1 0.25 with 5 ml suction cup, in aluminium case, without hose

141408

SATAgraph 1 0.45 with 5 ml suction cup, in aluminium case, without hose



### Nozzle set

### SATAgraph 3 - Premium Airbrush for Professionals (each with aluminium case)

134551

SATAgraph 3 0.25 with 2.5 ml gravity flow cup, PVC air hose 3m with mini quick coupling and G 1/4" (female thread)

134569

SATAgraph 3 0.25 with 2.5 ml gravity flow cup, in aluminium case, without hose

134577

SATAgraph 3 0.25 with 5 ml siphon cup, PVC air hose 3 m with mini quick coupling and G 1/4" (female thread)

134585

SATAgraph 3 0.25 with 5 ml siphon cup, in aluminium case, without hose



### Nozzle set

| 0,15   | 0,25   | 0,45   | 0,65   |
|--------|--------|--------|--------|
| 134643 | 134650 | 134668 | 134676 |



All prices are recommended list prices. Errors, technical modifications and printing errors reserved

### **Spare Parts**

### SATAgraph 1

32615

Coupling nipple (packing unit 3 pieces)

134767

2.5 ml gravity flow cup, cpl.

134775

5 ml gravity flow cup, cpl.

134783

5 ml suction cup, cpl.

134809

Trigger

138909

O-ring (packing unit 5 pieces)

142638

O-Ring (packing unit 5 pieces)

### SATAgraph 3

32615

Coupling nipple (packing unit 3 pieces)

134767

2.5 ml gravity flow cup, cpl.

134775

5 ml gravity flow cup, cpl.

134783

5 ml suction cup, cpl.

134817 Needle cap

134833

Grip end piece

134957 Trigger

138909

O-ring (packing unit 5 pieces)

142638

O-Ring (packing unit 5 pieces)

### Hoses and nipples

32615

Coupling nipple (packing unit 3 pieces)

32987

SATA PVC compressed air hose, transparent, 3 m long with G  $1/4^{\circ}$  (female thread), mini quick coupling and nipple


Please always order the following article:


32615

Coupling nipple (packing unit 3 pieces)

134791

SATA Fibre air hose, 2.5 m long with G 1/4" (female thread), mini quick coupling





# SATAgraph™ 4

### Technical data:

| Inlet pressure:  | variable  |  |  |  |
|------------------|-----------|--|--|--|
| Air consumption: | 10 NI/min |  |  |  |
| Spray distance:  | variable  |  |  |  |



### SATAgraph 4\* - Universal airbrush gun (each with aluminium case)

227629

SATAgraph 4 nozzle 0.5 with 7 ml standard cup

227637

SATAgraph 4 nozzle 0.5 with 7 ml side cup

227645

SATAgraph 4 nozzle 0.5 with 6 ml suction cup

### Nozzle set

0,5

227363

- \* SATAgraph 4 is supplied without hoses and quick coupling nipple.

  These components have to be ordered separately (see spare parts)
- Air hose for design spray guns see page 138.





All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### **Spare Parts**

### SATAgraph™ 4

227108

Wrench for nozzle head

227116

O-Ring (packing unit 5 pieces)

227215

Trigger

227231

Handle end piece, complete

227249

Protection cap for paint needle

227256

227256

23 ml glass cup, cpl. 227264

6 ml metal suction cup, cpl.

227272

7 ml metal side cup, cpl.

227280

Plug for material supply from the side, red

227306

Lid for metal paint cup, side cup and gravity flow cup version

227314

30 ml glass cup, cpl. with neutral lid

227322

30 ml glass cup, cpl.

227330

23 ml glass cup, cpl. with Fast Blast

### Hoses and nipples

32615

Coupling nipple (packing unit 3 pieces)

32987

SATA PVC compressed air hose, transparent, 3 m long with G  $1/4^{\rm m}$  (female thread), mini quick coupling and nipple


Please always order the following article:

32615

Coupling nipple (packing unit 3 pieces)

134791

SATA Fibre air hose, 2.5 m long with G  $\,1/4^{\rm m}$  (female thread), mini quick coupling



Repair kit

91165 Repair kit

## Extensions SATAjet® 1000 B RP®

### **Extensions**

### 154211

Extension with standard nozzle (0°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 154229

Extension with standard nozzle (0°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 B RP



### 154237

Extension with standard nozzle (0°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 15/1252

Extension with diagonal spray nozzle (30°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 154260

Extension with diagonal spray nozzle (30°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 154278

Extension with diagonal spray nozzle (30°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 B RP



### 178533

Extension with diagonal spray nozzle (30°), swiveling, 40 cm with nozzle set 1.6 RP for SATAjet 1000 B RP, preferably with BVD pressurized cup

### 185520

Extension with diagonal spray nozzle (30°), swivelling, 20 cm with nozzle set 1.6 RP for SATAjet 1000 B RP, preferably with BVD pressurized cup

### 154294

Extension with angular head nozzle (90°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 154302

Extension with diagonal spray nozzle (90°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 B RP  $\,$ 



### 154310

Extension with angular head nozzle (90°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 B RP

### 196162

Extension with rotary nozzle (360°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 B RP, function exclusively with SATA BVD pressurized cup

### 196170

Extension with rotary nozzle (360°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 B RP, function exclusively with SATA BVD pressurized cup



### 19618

Extension with rotary nozzle (360°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 B RP, function exclusively with SATA BVD pressurized cup

Custom-made versions for extension upon request!



recommended list prices. Errors, technical modifications and printing errors reserved.

### **Extensions**

154435

Extension with standard nozzle (0°), 20 cm with nozzle set 1.5 RP for SATAjet 1000 K RP

154443

Extension with standard nozzle (0°), 30 cm with nozzle set 1.5 RP for SATAjet 1000 K RP



154450


Extension with standard nozzle (0°), 40 cm with nozzle set 1.5 RP for SATAjet 1000 K RP

154476

Extension with diagonal spray nozzle (30°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 K RP

154484

Extension with diagonal spray nozzle (30°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 K RP



154492

Extension with diagonal spray nozzle (30°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 K RP

154559

Extension with angular head nozzle (90°), 20 cm with nozzle set 1.5 RP for SATAjet 1000 K RP

154567

Extension with angular head nozzle (90°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 K RP  $\,$ 



154575


Extension with angular head nozzle (90°), 40 cm with nozzle set 1.5 RP for SATAjet 1000 K RP  $\,$ 

154518

Extension with rotary nozzle (360°), 20 cm with nozzle set 1.6 RP for SATAjet 1000 K RP

154526

Extension with rotary nozzle (360°), 30 cm with nozzle set 1.6 RP for SATAjet 1000 K RP



154534

Extension with rotary nozzle (360°), 40 cm with nozzle set 1.6 RP for SATAjet 1000 K RP

Custom-made versions for extension upon request!

# Material and air connection SATA-jet® 3000 K, 1000 K

### **Article**

6981

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)

13623

SATA quick coupling 1/4" (male thread)

38265

SATA paint strainer 60 msh, G 3/8" (female thread) and 3/8" (male thread)

91140

SATA material coupling 3/8" (male thread) with plugin nipple G 3/8" (female thread)

91157

SATA material coupling 3/8" (male thread) with plug-in nipple G 3/8" (female thread) and material strainer 60 msh

92031

SATA paint tube G 3/8" (female thread) - 3/8" (male thread)

147504

SATA hose pair 9 x 9 mm, 15 m, with covering fabric netting, G 3/8" and G 1/2" (material), G1/4" (air) (female thread)

147512

SATA hose pair 9 x 9 mm, 10 m, with covering fabric netting, G 3/8" and G 1/2" (material), G 1/4" (air) (female thread)

147520

SATA hose pair 9 x 9 mm, 6 m, with covering fabric netting, G 3/8" and G 1/2" (material), G 1/4" (air) (female thread)

### Spare sieves

12260

Sieve 60 msh (packing unit 4 pieces)


12278


Sieve, 100 msh (packing unit 4 pieces)

74856

Strainer kit: Sieve 200 msh (4 pcs.) strainer holder (2 pcs.), screw (1 pcs.)

Hose pairs see pages 138|139







recommended list prices. Errors, technical modifications and printing errors reserved.

55

### **Article**

6981

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)

13623

SATA quick coupling 1/4" (male thread)

147504

SATA hose pair 9 x 9 mm, 15 m, with covering fabric netting, G 3/8" and G 1/2" (material), G1/4" (air) (female thread)

147512

SATA hose pair 9 x 9 mm, 10 m, with covering fabric netting, G 3/8" and G 1/2" (material), G 1/4" (air) (female thread)

147520

SATA hose pair 9 x 9 mm, 6 m, with covering fabric netting, G 3/8" and G 1/2" (material), G 1/4" (air) (female thread)

187419

SATA paint tube G 1/4 female thread - 1/4" male thread

187690

SATA paint strainer 60 msh, 1/4" (male thread)

187708

SATA hose pair 6 x 6 mm, 3 m, G 1/4" (female thread) (material and air)

187716

SATA hose pair 6 x 6 mm, 6 m, G 1/4" and G 1/2" (material), G 1/4" (air) (female thread)

187724

SATA hose pair 6 x 6 mm, 10 m, G 1/4" and G 1/2" (material), G 1/4" (air) (female thread)

187732

SATA hose pair 6 x6 mm, 15 m, G 1/4" and G 1/2" (material), G 1/4" (air) (female thread)

199018

SATA paint tube G 1/4" (female thread) - 3/8" (male thread)

### Spare sieves

12260

Sieve 60 msh (packing unit 4 pieces)


12278

Sieve, 100 msh (packing unit 4 pieces)

74856

Strainer kit: Sieve 200 msh (4 pcs.) strainer holder ( 2 pcs.), screw (1 pcs.)  $\,$ 

Hose pairs see pages 138|139





### **Spray Gun Cases**

### 1079137

SATA case, umbra (47 x 37 x 18 cm), with print "SATAjet X 5500", incl. inserts for 5 spray guns



### 1086976

Foam inlay, black, for 5 spray guns, incl. cover insert

### 1080142

SATA case, umbra (30 x 23 x 13 cm), with print "SATAjet X 5500", incl. inserts for 2 spray guns



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### 1056268

Foam insert, black, for 2 spray guns, incl. cover insert



### 1098989

SATA case olive-green (52 x 29 x 19 cm) with trolley function, without print, incl. insert for 5 paint spray guns



### 167692

Foam insert, blue/black for 5 spray guns, without cover insert

### 212316

SATA case olive-green (33 x 23 x 15 cm), without print, incl. insert for 2 paint spray guns



### 212332

Foam insert, blue/black for 2 spray guns, incl. cover insert

### 153288

SATA case, black (63 x 50 x 30 cm) with trolley function, without print, incl. individual insert



### 1056565

SATA case, black (30 x 24 x 15 cm), with print "SATA", incl. inserts for 2 paint spray guns



### 174128

SATA case, silver (45 x 33 x 15 cm), without print, incl. inserts for 5 spray guns



### 169706

Foam insert, blue/black for 5 spray guns, incl. cover insert

### 133355

SATA case, silver (50 x 35 x 200) with trolley function, without print, incl. inserts for 4 spray guns



### 133363

Foam insert, pink for 4 spray guns, incl. cover insert





# Nozzle Sets and spare parts of discontinued gun models

|   | SATAjet 5000 B PHASER   Discontinuation end of 2026 |         |         |         |        |        |        |        |        |        |  |  |
|---|---|---------|---------|---------|--------|--------|--------|--------|--------|--------|--|--|
|   | 1,2   | 1,2 W   | 1,3     | 1,3 cc  |        |        |        |        |        |        |  |  |
| 8   | 1006841   | 1006859 | 1006867 | 1006916 |        |        |        |        |        |        |  |  |
|   | WSB   | 1,3     | 1,4     | 1,5     |        |        |        |        |        |        |  |  |
| HVLP  | 1006875   | 1006883 | 1006891 | 1006908 |        |        |        |        |        |        |  |  |
|   |   |         | ,       |         |        |        |        |        |        | ,      |  |  |
| SATAjet 4000 B STANDARD / DIGITAL   Discontinuation end of 2027 |   |         |         |         |        |        |        |        |        |        |  |  |
|   | 1,0   | 1,1     | 1,2     | 1,2 W   | 1,3    | 1,4    | 1,6    | 1,8    | 2,0    | 2,5    |  |  |
| 쮼   | 166991  | 167007  | 167015  | 167023  | 167049 | 167056 | 167072 | 167080 | 168625 | 168633 |  |  |
|   | 1,0   | 1,2     | WSB     | 1,3     | 1,4    | 1,5    | 1,7    | 1,9    | 2,2    |        |  |  |
| HVLP  | 166926  | 166934  | 166983  | 166942  | 166967 | 166975 | 168658 | 168666 | 168674 |        |  |  |
|   |   |         |         |         |        |        |        |        |        |        |  |  |
|   | SATAminijet 3000 B HVLP                             |         |         |         |        |        |        |        |        |        |  |  |
|   | 0,3   | 0,5     | 0,8     | 1,0     | 1,1    | 0,8 SR | 1,0 SR | 1,2 SR | 1,4 SR |        |  |  |
| HVLP HVLP   | 125583  | 125591  | 125609  | 125617  | 125625 |        |        |        |        |        |  |  |
| HWLP  |   |         |         |         |        | 125682 | 125690 | 125708 | 125716 |        |  |  |
|   |   |         |         |         |        |        |        |        |        |        |  |  |
|   | SATAjet B   |         |         |         |        |        |        |        |        |        |  |  |
|   | 1,0 E   | MSB     | 1,4 E   | 1,5 E   | 1,7 E  | 2,0 W  |        |        |        |        |  |  |
|   | 4143  | 4127    | 3848    | 4119    | 4101   | 4093   |        |        |        |        |  |  |
| ,   |   |         |         |         |        |        |        |        |        |        |  |  |
|   | SATAjet GR  |         |         |         |        |        |        |        |        |        |  |  |
|   | 1,3 W   | 1,5 W   | 1,7 W   | 2,0 W   | 2,5 W  | 3,0 W  |        |        |        |        |  |  |
|   | 31252   | 31898   | 31997   | 4093    | 13003  | 13011  |        |        |        |        |  |  |

Spare parts for discontinued spray gun models

### SATAjet® 5000 B **PHASER**

15438

Paint needle packing

86843

Air piston rod

96875

PVC insert for paint spray guns with QCC cup

131979

Spare flat sieve  $125\mu m$ , pastel blue (packing unit

100 pieces)

Spare plug-in sieve 200  $\mu m$ , pastel green (packing unit 100 pieces)

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl

133959

Pressure spring (3 pieces) for paint needle and air piston

133991

Air piston head (packing unit 3 pieces)

140582

Sealing element (packing unit 5 pieces) for fluid tip

211391

Locking screw (packing unit 3 pieces) for air micro-

211409

CCS-Clips, green, blue, red, black (packing unit 4 pieces)

211425

Air distribution ring (packing unit 3 pieces)

213025

Spindle, cpl., for round / flat spray control

211508

Sealing ring (packing unit 5 pieces)

1006643 Trigger kit

1006669

Kit consisting of coloured marking rings (blue, green,

black, packing unit each 1 piece)

1006734 Trigger fixing clip

1006742

Air micrometer

1006750

Control knob with screw (packing unit 2 pieces) 1006932

Air connection piece 1/4" male thread

Air cap ring, cpl. with color marking ring

# Tool kit



Combi tool

Cleaning brush

CCS clips

Paint strainer

Universal spanner kit (pack of 3 pieces)

1006643

1006669

1028663

131987

1006734

211425

140582

133942

211508

96875

### Repair kit

1006809

Repair kit

82552

Air piston service unit

136960 Sealing kit



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

RPS multi-purpose cup system.

article numbers and prices: see

1006750

Cup Systems

1006742

133991 (3 x) 133959 (3 x)

133934

1006768

1006932

<sup>|</sup>211391

211409

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts for discontinued spray gun models

### SATAjet® 4000 B

Anti-drip device (packing unit 4 pieces)

3988

Paint strainer, 300  $\mu m$  (packing unit 10 pieces)

15438

Paint needle packing

19745

Swivel joint

27243

Reusable plastic cup, 0.6 I with QCC without fine

thread 49395

Screw-on lid for 0.6 I PVC cup with drip-catching ring and non-drip device

76018

Paint strainer, 300 µm (packing unit 100 pieces)

76026

Paint strainer, 300 µm (packing unit 500 pieces)

86843

Air piston rod

133934

Sealing (packing unit 3 pieces) for spindle

133942

Seal retainer, cpl.

133959

Pressure spring (3 pieces) for paint needle and air piston

133967

Adjustment screw (packing unit 3 pieces) for air micrometer

133991

Air piston head (packing unit 3 pieces)

134098

Air connection piece 1/4" (male thread) 140582

Sealing element (packing unit 5 pieces) for fluid tip

165928

CCS Clips, green, blue, red, black (packing unit 4 pieces)

165944

Spindle for round/flat spray control >Quarter Turn<

165951

Air distribution ring (packing unit 3 pieces)

165977

Trigger kit

165985

Seal retainer with sleeve

165993 Battery kit

166009 Trigger sleeve kit

166017

Air micrometer

166025

Material flow control with counter nut

166033


Control knob with screw (each 2 pieces)

Air connection with sleeve

172429

Sealing ring (packing unit 5 pieces)

Seal retainer with sleeve and swivel joint



### Tool kit

165936

Universal spanner

· Cleaning brush

· CCS clips Paint strainer

Extraction tool

### Repair kit

166058 Repair kit

82552

Air piston service unit

136960 Sealing kit

### Spare parts for discontinued spray gun models

### SATAminijet® **3000 B HVLP**

CCS Clips, green, blue, red, black packing unit 4 pieces)

44644

Counter nut

44735

Countersunk screw M 2.5 x 5, VA

44826

Air piston head

44834

Air piston rod

53033

 $25\ \text{ml}$  glass cup with plug-in cup (packing unit 5

25 ml glass cup with blind lid (packing unit 5 pieces)

64022

Plastic lid (3 pieces)

Adjustment screw for air micrometer

79905

Paint needle packing

Screw-on lid 125 ccm PVC cup with anti-drip device

95489

Anti-drip device (4 pieces)

124164 Control knob

125146

Material flow control screw

198523

Air micrometer, complete

125351

Spindle SATAminijet 3000 B HVLP, minijet 4 HVLP

Reusable plastic cup, 0.125 I with QCC and fine thread

125948

0.15 I QCC reusable aluminium cup, cpl.

125955

Plug-in cup connection with QCC SATAjet 20 B, dekor 2000, minijet 3000 B HVLP, minijet 4 HVLP

25 ml glass cup with plug-in lid (packing unit 5 pieces) and QCC plug-in connection (packing unit 1 piece)

126276

Trigger kit

126292

Packing kit air piston rod SATAminijet 3000 B HVLP, minijet 4 HVLP


127399

Air distribution ring (packing unit 3 pieces)

133983

Air connection piece 1/4" male thread

Pressure spring (each 3 pieces) for paint needle and air piston



### Tool kit

125856

Cleaning brush

Wrench

· Universal spanner



### Repair kit

126284 Repair kit

50658 Sealing kit



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts for discontinued spray gun models

### SATAjet® B / SATAjet® GR

Gasket for air piston

1503

Countersunk screw M4 x 8 DIN 965, stainless steel.

for micrometer und round/flat spray control

Anti-drip device (packing unit 4 pieces)

2600

Service unit for nozzle insert for SATAjet/B, H, K and NR 92, consisting of nozzle insert, distribution plate and sealing ring

3566

Inlet nipple

3657

Control knob

3749

Stuffing box for air piston SATAjet, KL, HKD and MC-B

Paint strainer, 300 µm (packing unit 10 pieces)

6445

Paint needle packing

6486 Trigger kit

16162 Swivel joint

29629

Air piston rod

49379 0.6 I reusable plastic cup, cpl.

49395

Screw-on lid for 0.6 I PVC cup with drip-catching ring and non-drip device

53603

Air micrometer

Spindle complete, for SATAjet/90, SATAjet, regulation valve and MC-B

61416

Material flow control with counter nut

64766 Washer

76018

Paint strainer, 300 µm (packing unit 100 pieces)

76026

Paint strainer, 300  $\mu m$  (packing unit 500 pieces)

Trigger sleeve kit

133934

Sealing (packing unit 3 pieces) for spindle

133959 Pressure spring (3 pieces) for paint needle and air

piston 133967


Adjustment screw (packing unit 3 pieces) for air

micrometer 133983 Air connection piece 1/4" male thread

133991

Air piston head (packing unit 3 pieces)





### Tool kit 9654

Paint strainer

- · Universal spanner



### Repair kit

69666 Repair kit

# SATA adam 2, SATA adam 2 black

### Technical data:

Max. pressure: 10.0 bar

Max. operating temperature: 60 °C

Display accuracy: +/- 0.05 bar



### **Available versions**

211540

SATA adam 2 >bar< for SATAjet 5000 series



1031723

SATA adam 2 black >bar< for SATAjet 5000 series



160846

SATA adam 2 >bar< for SATA spray guns except for SATAminijet and SATAjet 5000 series



160879

SATA adam 2 mini >bar< for SATAminijet spray guns



195214

SATA adam 2 U (air micrometer with adam 2 display bar)



### **Spare parts & Accessories**

160689

SATA adam 2 display "bar"



1031682

SATA adam 2 black display "bar"



160739

Battery kit for SATA adam 2

160788

SATA adam 2 dock for SATA spray guns except for SATAminijet and SATAjet  $5000 \ \text{series}$ 



recommended list prices. Errors, technical modifications and printing errors reserved

SATA adam 2 dock (packing unit 2 pieces) for SATA spray guns except for SATAminijet and SATAjet 5000 series

160861

SATA adam 2 mini dock for SATAminijet spray guns



211565

SATA adam 2 dock for SATAjet 5000 series

211573

SATA adam 2 dock (packing unit 2 pieces) for SATAjet 5000 series

195230

SATA adam 2 U dock (air micrometer 1/4" male thread and G 1/4" female thread with SATA dock)



162164

Locking clip (packing unit 5 pieces) for SATA adam 2

162172

O-ring (packing unit 2 pieces) for SATA adam 2

162081

SATA dock protect (packing unit 5 pieces) for SATA adam 2



195925

SATA dock with 1/8" (male thread)



203117

Reducing piece 1/4" (male thread) and G 1/8" (female thread)

|   |  | SATAjet X 5500 PHASER<br>SATAjet X 5500<br>SATAjet 5000 B PHASER<br>SATAjet 5000 B | SATAjet 4000 B | SATAjet 3000 B | SATAjet 1000 B | SATAjet 100 B | SATAjet B, SATAjet GR | SATAminijet 4400 B<br>SATAminijet 3000 B<br>SATAminijet 4 | SATA dry jet | Competitor spray guns | Retrofitting micrometer<br>with pressure gauge<br>#27771 | Retrofitting atomisation air<br>control gauge #4002 | Filters and systems with G 1/8" female thread |
|---|--|--|----------------|----------------|----------------|---------------|-----------------------|---|--------------|-----------------------|--|---|---|
| ****                                    | 211540<br>adam 2<br>1031723<br>adam 2 black  | X  |                |                |                |               |                       |   |              |                       |  |   |   |
| 1                                       | <b>160846</b> adam 2                         |  | Χ              | X              | X              | X             | Χ                     |   |              |                       |  |   |   |
| *************************************** | <b>160879</b> adam 2 mini                    |  |                |                |                |               |                       | X   |              |                       |  |   |   |
| j.                                      | <b>195214</b> adam 2 U                       | X  | Χ              | X              | X              | X             | X                     | X   | X            | X                     |  |   |   |
| •                                       | 195925<br>SATA dock with<br>1/8" male thread |  |                |                |                |               |                       |   |              |                       | X  | Х   | Х   |

### Pressure gauges and micrometer

27771

SATA air micrometer with gauge, 1/4" (male thread) and G 1/4" (female thread)



4002

Spray pressure control unit





9860

SATA air micrometer 0-845, 1/4" (male thread) and G 1/4" (female thread)



# Spare parts for SATA spray guns with gravity flow cup





# Accessories for spray guns

### Air connection

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)



99895

Flexible quick coupling nipple G 1/4" (female thread)



### **Storage**

SATA gravity gun holder for gravity cup spray guns



SATA spray gun display holder



SATA universal spray gun and hose holder for all SATA spray guns



69328

SATA spray gun holder for SATA minijet 4400 B, minijet 3000 B, jet 20 B



134916

Triple spray gun holder for wall mounting



### NEW

1103522

SATA universal spray gun holder, foldable, magnetic



SATA universal gun holder, foldable



Spray gun holder with strainer holder



134932

Insert for spray gun holder with strainer holder for SATAminijet



Spray gun holder, complete



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

186833

Spray gun stand acrylic w 10 x h 7.5 x d 14 cm



Further quick couplings see page 139.



161596

SATA cert, with archive, spray pattern block, single sheet holder and distance marker



161646

Spray pattern blocks with 25 sheets (packing unit 2 pieces) for SATA cert

161661

Distance marker for SATA cert

### **Other Accessories**

3988

Paint strainer, 300  $\mu m$  (packing unit 10 pieces) for SATA spray guns except for SATAminijet 3000 B

76018

Paint strainer, 300 µm (packing unit 100 pieces)

76026

Paint strainer, 300 µm (packing unit 500 pieces)

9845

SATA viscosity cup 4.0 mm, flow time tolerance < 1 sec.



9852

SATA viscosity cup 4.0 mm, flow time tolerance < 1.5 sec.



59675

SATA dosenboy, to cut out can lids from cans up to 36 cm height



59659

Wheel for SATA DOSENBOY

59667

Blade for SATA dosenboy

16477

SATA compressed air-driven hand agitator



1040815

Air cap protector UV, black (packing unit 5 pieces) for SATAjet 3000, 4000, 5000 series

1040807

Air cap protector UV, black (packing unit 5 pieces) for SATAjet 100 and 1000 series



1044594

Air cap protector UV, black (packing unit 5 pieces) for SATAminijet  $4400\ B$ 

1054006

Air cap protector, black (packing unit 5 pieces) for SATAjet 3000, 4000, 5000 series

1054014

Air cap protector, black (packing unit 5 pieces) for SATAjet 100 and 1000 series

1054030

Air cap protector, black (packing unit 5 pieces) for SATAminijet 4400 B

1054022

Air cap protector, black (packing unit 5 pieces) for SATAminijet 1000/3000 B



# **Cleaning and Maintenance of Spray Guns**

### **Storage**

60095

SATAclean wet holding tray for 3 spray guns



### Cleaning accessories

162628

SATA care set spray gun care bag containing 1 large cleaning brush, 5 medium-sized cleaning brushes, 5 double-sided cleaning brushes, 12 nozzle cleaning needles, 1 tube high performance grease, silicone- and acid-free, 100 g



48173

SATA high performance grease, silicone- and acid-free, 100 ml for spray guns Please observe: The supplied product has a limited use-by date!



989/

SATA nozzle cleaning needles (pack of 36 pieces, packed to 12 pieces each)



SATA nozzle cleaning needles (pack of 12 pieces)

64030

SATA cleaning kit with 2 cleaning brushes, medium and 12 nozzle cleaning needles



6007

Cleaning brush (packing unit 10 pieces) for spray guns



9209

Cleaning brush, double-sided (pack of 10 pieces) for spray guns



158840

Cleaning brush, large (packing unit 5 pieces) for spray guns



29280

Cleaning brush (packing unit 10 pieces) for suction pipe of suction cup spray guns

Please also observe the SATA cleaning devices on page 132.



Il prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Disassembly of nozzle set



First remove paint needle.



Followed by the cap.



And finally, unscrew fluid tip with the ring spanner integrated in the universal spanner.

### Cleaning and drying



Clean the material passage



Clean the spray gun body



Dry with blow gun


When cleaning the spray gun manually, please ensure not to use brushes made of metal wires which could possibly damage the spray gun. Furthermore, please make sure that no cleaning fluid ends up in the air passages of the spray gun body.

### Cleaning of the nozzle set













When cleaning the nozzle components, please make sure that metal parts of brushes do not damage the nozzle set. Ideally, please use specially designed SATA cleaning brushes and SATA nozzle cleaning needles to ensure optimum cleaning and maintenance of the nozzle set.

Please watch our video at www.sata. com/TV concerning "Cleaning and Maintenance of Spray Guns". Or simply order the cleaning brochure (Art. No. 158162) or the cleaning poster (Art. No. 168070) free of charge!

www.sata.com/firstaid

### Assembly and maintenance



Assembly of the fluid tip



Tighten fluid tip by hand using the universal spanner.



Assembly of the air cap



Grease paint needle around the needle packing area



Insert paint needle



Grease and insert paint needle spring



Grease thread of material flow control screw



Install material flow control screw




Grease visible part of air piston rod



# **Cup Systems**

| Cup type/capacity |  | Fields of application   | Operating mode   |
|-------------------|--|---|--|
|                   | SATA RPS multi-pur-<br>pose cups<br>0,31/0,61/0,91<br>74-77                        | Multi-purpose gravity cup with paint sieve<br>for frequent colour changes. For mixing,<br>painting and storing.<br>No adapters required for all current SATA spray<br>guns                          | <ul> <li>Optionally available with QCC bayonet lock<br/>and male thread</li> <li>Adapters for older SATA spray gun models<br/>and spray guns from other manufacturers<br/>are available</li> </ul> |
|                   | SATA reusable cup<br>0.125   / 0.15   / 0.3   / 0.6<br>  /<br>0.75   / 1.0  <br>78 | Reusable plastic or aluminium gravity flow cups for SATA spray guns   | Optionally available with QCC bayonet lock<br>and male thread or with female thread for<br>older SATA spray gun models   |
|                   | SATA agitator cup 0.7   81   | Reusable aluminium gravity flow cup with integrated agitator for the application of materials with settling components, e.g. effect paints. Agitator with air regulation valve for speed adjustment | Optionally available with QCC bayonet lock<br>and male thread  |
| - 'S'             | SATA BVD adapter<br>0.7 I<br>82  | Pressurised reusable aluminium gravity flow cup for the application of high-viscosity materials   | Optionally available with QCC bayonet lock<br>and male thread or with female thread for<br>older SATA spray gun models   |



# SATA® RPS® Multi-Purpose Cup System

Suitable for all paint materials! Please observe the recommendations of the paint manufacturers to choose the correct sieves (flat sieve 125  $\mu m$  or plug-in sieve 200  $\mu m$ ).

Minimum order quantity for RPS cartons: 4 pieces!



# **Available versions**

# SATA RPS 0,3 I

# Packing unit 60 pieces

1010553

SATA RPS 0.3 I minijet, 125 µm flat sieve



# Packing unit 60 pieces

1010561

SATA RPS 0.3 I minijet, 200 µm plug-in sieve



Packing unit 40 pieces

1010389

SATA RPS 0.3 I standard, 125 µm flat sieve

Packing unit 100 pieces

1010420

SATA RPS 0.3 I standard, 125 µm flat sieve





Packing unit 40 pieces

1010397

SATA RPS 0.3 I standard, 200 µm plug-in sieve

Packing unit 100 pieces

1010404

SATA RPS 0.3 I standard, 200 µm plug-in sieve



PU 40 pieces



# SATA RPS 0.6 I

# Packing unit 60 pieces

SATA RPS 0.6 I 125  $\mu m$  flat sieve



# Packing unit 60 pieces

1010488

SATA RPS 0.6 I 200  $\mu m$  plug-in sieve



# SATA RPS 0.9 I

# Packing unit 40 pieces

1011973

SATA RPS 0.9 I, 125  $\mu m$  flat sieve



# Packing unit 40 pieces

SATA RPS 0.9 I, 200  $\mu m$  plug-in sieve



# SATA RPS 0.6 I UV

# Packing unit 60 pieces

1010496

SATA RPS UV 0.6 I 125 µm flat sieve



prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# Packing unit 60 pieces

SATA RPS UV 0.6 I 200 µm plug-in sieve





# Spare parts

# SATA® RPS®

1013226

Spare lid for SATA RPS 0.6 I / 0.9 I (packing unit 80 pieces)

131979

Spare flat sieve  $125\mu m$ , pastel blue (packing unit 100 pieces) for SATA RPS 0.6I / 0.9I

Spare plug-in sieve 200  $\mu m$ , pastel green (packing unit 100 pieces) for SATA RPS 0.3 I / 0.6 I / 0.9 I

Spare flat sieve 125  $\mu\text{m}$ , pastel blue (packing unit 60 pieces) for SATA RPS 0.3 I


1013218


Spare lid for SATA RPS 0.3 I Standard (packing unit 60 pieces)


1013234

Spare lid for SATA RPS 0.3 I minijet (packing unit 108 pieces)

# SATA RPS 0.3 I Standard







# SATA® RPS® Accessories

# Technical data:

| SATA RPS wall dispenser         | W x H x D: 80 x 100 x 18 cm       |
|---------------------------------|-----------------------------------|
| SATA RPS extension kit:         | W x H x D: 40 (120) x 100 x 18 cm |
| SATA RPS rotawall adapter kit:  | W: Ø 65 cm; H: 136 cm             |
| SATA RPS rotafloor adapter kit: | W: Ø 65 cm                        |
|                                 | H max.: 210 cm; H min.: 123 cm    |



# **Available versions**

195784

SATA RPS wall dispenser, standard version: 2x cup tubes / 2x lid tubes / 2x sieve tubes and 2x aluminium slats



195776

SATA RPS extension kit, add-on kit: 1x cup tube / 1x lid tube / 1x sieve tube for flat sieves, with aluminium slat



196543

SATA RPS rotawall adapter kit: carousel ground spindle and wall holder (top and bottom)



Tubes are not included in the scope of

196550

SATA RPS rotafloor adapter kit: carousel, base spindle, steel pipe

+ 197723 (floor plate)



# **Accessories for SATA RPS**

144840

SATA RPS depot to store RPS boxes



127852

Spray bottle 1.0 I



127860

Pump-spray cleaning bottle, not suitable for thinner



165399

SATA RPS mix lid, flat lid (packing unit 50 pieces) allows stacking of RPS 0.6 l and 0.9 l cups



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.



# **Gravity flow cup for spray guns**

|          |          | Gun type   |   |                              |  |  |
|----------|----------|--|---|------------------------------|--|--|
| Capacity | Art. No. | QCC/ w/o connection thread, suitable for: SATAjet X 5500 PHASER, SATAjet X 5500, SATAjet 5000 B, jet 4000 B, jet 3000 B, jet 2000, jet 1000 B, jet 100 B, jet RP, SATAminijet 4400 B | QCC/ with connection thread,<br>suitable for: SATAjet 2000, jet RP,<br>KLC, LM 2000 B, jet 90 | SATAjet B, jet GR, jet NR 95 | SATAminijet 3000 B,<br>minijet 1 - 4, jet 20 B |  |
|          |          | PVC reusable cup   |   |                              |  |  |
| 0,125 I  | 197541   |  |   |                              |  |  |
| 0,125 I  | 125443   |  |   |                              | <b></b>  |  |
| 0,3      | 48587    |  |   | T .                          |  |  |
| 0,3      | 120675   | 7  |   |                              |  |  |
| 0,3      | 128470   |  |   |                              | 7  |  |
| 0,6      | 49379    |  |   | <b>\$</b>                    |  |  |
| 0,6      | 27243    | 7  | 1004960   |                              |  |  |
|          |          | Multi-Purpose Cup  |   |                              |  |  |
| 0,3      | 1010553  |  |   |                              | each 60 x                                      |  |
| 0,3      | 1010561  |  |   |                              | each 60 x                                      |  |
| 0,3      | 1010389  | each 40 x  |   | ⊕ 🐧 125211                   |  |  |
| 0,3      | 1010397  | each 40 x  |   | △                            |  |  |
| 0,3      | 1010420  | each 100 x   |   | ⊕ 🐧 125211                   |  |  |
| 0,3      | 1010404  | each 100 x   |   | △                            |  |  |
| 0,61     | 1010438  | each 60 x  |   | ⊕ 🐧 125211                   | ⊕ ₩ 135798                                     |  |
| 0,61     | 1010488  | each 60 x  |   | △ ্ ⊕ 🥼 125211               | △  |  |
| 0,9      | 1011973  | each 40 x  |   | ⊕ 🐧 125211                   | ⊕ ₩ 135798                                     |  |
| 0,9      | 1011981  | each 40 x  |   | ▲ 🖟 🐧 125211                 | △ . 🗐 🏵      135798                            |  |

|          | Gun type |   |   |    |                              |  |  |  |  |  |
|----------|----------|---|---|----|------------------------------|--|--|--|--|--|
| Capacity | Art. No. | QCC/ w/o connection thread, suitable for: SATAjet X 5500, SATAjet 5000 B, jet 4000 B, jet 3000 B, jet 2000, jet 1000 B, jet 100 B, jet RP, SATAminijet 4400 B | QCC/ with connection thr<br>ble for: SATAjet 2000, jet if<br>2000 B, jet 90 |    | SATAjet B, jet GR, jet NR 95 | SATAminijet 3000 B,<br>minijet 1 - 4, jet 20 B |  |  |  |  |
|          |          | PVC reusable cup  |   |    |                              |  |  |  |  |  |
| 0,15 l   | 198911   |   |   |    |                              |  |  |  |  |  |
| 0,15     | 125948   |   |   |    |                              | <b>I</b>                                       |  |  |  |  |
| 0,75     | 6601     |   |   |    | Ú                            |  |  |  |  |  |
| 0,75     | 137729   | Ú   | 101343  | 32 |                              |  |  |  |  |  |
| 1,0      | 46631    |   |   |    | Ū                            |  |  |  |  |  |
| 1,0      | 96685    | <b>Ū</b>  | 101343  | 32 |                              |  |  |  |  |  |
|          | 71555    | Plastic lid (packing unit 3 pieces) for 0.75 I and 1.0 I reusable aluminium cup   |   |    |                              |  |  |  |  |  |

# **RPS® Adapters for SATA Spray Guns**

| Adapter   | Manufact       | turer                         |   |                    |                                  |                        |                      |                         |            |                                     |              |  |
|---|----------------|-------------------------------|---|--------------------|----------------------------------|------------------------|----------------------|-------------------------|------------|-------------------------------------|--------------|--|
| Adapters with QCC   |                |                               |   |                    |                                  | SATA                   |                      |                         |            |                                     |              |  |
| for SATA spray guns<br>without QCC for a quick<br>change of SATA RPS<br>0.9 I and 0.6 I and 0.3<br>I "Standard" | SATAjet B / GR | SATAjet H / SATAjet<br>1000 H | SATAminijet 2, 3, 4,<br>SATAminijet 3000,<br>SATAjet 20 B | SATAminijet 1000 H | SATAjet 2000 HVLP<br>without QCC | SATAjet RP without QCC | SATA LM 2000 HVLP/RP | SATA KLC HVLP/RP, KLC P | SATAjet 90 | SATAjet B NR 92 HVLP,<br>NR 95 HVLP | SATA LM B 92 |  |
| 125211 (No. 1)<br>M 16 x 1.5<br>female thread   | X              |                               |   |                    |                                  |                        |                      |                         |            | Х                                   |              |  |
| 125237 <b>(No. 2)</b><br>M 15 x 1.5<br>male thread  |                |                               |   |                    | Х                                | X                      | Х                    | Х                       | Х          |                                     |              |  |
| 133595 (No. 7)<br>12 x 1.5<br>male thread   |                |                               |   |                    |                                  |                        |                      |                         |            |                                     | X            |  |
| 135798 (No. 10)<br>M 10 x 1<br>male thread  |                |                               | X   |                    |                                  |                        |                      |                         |            |                                     |              |  |
| 188318 (No. 17)<br>G 1/4<br>female thread   |                |                               |   | X                  |                                  |                        |                      |                         |            |                                     |              |  |

# RPS® Adapters for NON SATA GUNS

| Adapter  | Ma                                    | nufa | ctu                             | rer                             |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
|--|---------------------------------------|------|---------------------------------|---------------------------------|---|---|----------------|--------|-----------------|---------------|------------------|---------|--------|------------|--------------|--------------------|--------------|--|-----------------------------------|---------|----------|----------|-------------------------------|--|
|  |                                       |      | Devilbiss                       |                                 |   | į   | IWAIA          |        | -               | Walcom        | Walther<br>Pilot | Kremlin | Graco  | Dürr       | ā            | Sharpe             |              | Sagola                                       |                                   | Eminent | Asturo   | Airgunsa | Dux                           |  |
| Adapters<br>with QCC for<br>competitor spray<br>guns for a quick<br>change of SATA | PRI, GTI, GFP, GFV, GFHV<br>510, DV 1 | SRi  | Starting Line HVLP<br>Spray Gun | Starting Line Mini Spray<br>Gun | W 400, WR 400, LPA 94,<br>VXL Primer Gun, LPH 400 | W 300, LPH 300, LS 400<br>Supernova, WS 400 | W 100, LPH 100 | LPH 80 | FX GEO, FX HVLP | Genesi Carbon | ≡F               | M 21 G  | 3M PPS | Ecogun 910 | Finex FX 300 | Platinum, Titanium | 475 Mini-Gun | 403 G, 433 G, 434 G,<br>444 G, 450 G, 4100 G | 4400 G Extreme, 4500<br>G Extreme | E13     | OM Green | АZ40 НТЕ | Gravity flow cup spray<br>gun |  |
| 125211 (No. 1)<br>M 16 x 1.5<br>female thread                                      |                                       |      |                                 |                                 | Х   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 125237 (No. 2)<br>M 15 x 1.5<br>male thread  |                                       |      |                                 |                                 |   |   |                |        |                 | X             |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 125252 (No. 3)<br>3/8"<br>male thread  | X                                     |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 125278 (No. 4)<br>1/4"<br>male thread  |                                       |      |                                 |                                 |   | X   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   | X       |          | X        |                               |  |
| 125294 (No. 5)<br>M 12 x 1<br>male thread  |                                       |      |                                 |                                 |   |   |                |        | X               |               |                  |         |        |            |              |                    |              |  |                                   |         | X        |          |                               |  |
| 126326 (No. 6)<br>3/8"<br>male thread  |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         | X      |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 133595 ( <b>No. 7</b> )<br>12 x 1.5<br>male thread                                 |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    |              | X  |                                   |         |          |          | X                             |  |
| 133827 (No. 8)<br>G 3/8"<br>female thread  |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        | X          | X            |                    |              |  |                                   |         |          |          |                               |  |
| 135111 (No. 9)<br>NPSF 3/8" - 18<br>male thread                                    |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              | X                  |              |  |                                   |         |          |          |                               |  |
| 135798 (No. 10)<br>M 10 x 1<br>male thread   |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    | Χ            |  |                                   |         |          |          |                               |  |
| 150136 (No. 13)<br>M 15 x 1.5<br>male thread                                       |                                       |      | X                               |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 150151 (No. 14)<br>M 11 x 1<br>male thread   |                                       |      |                                 | X                               |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 164608 (No. 15)<br>7/16" - 14 UNC<br>male thread                                   |                                       | X    |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 188664 (No. 18)<br>M 18 x 1.5<br>Female thread                                     |                                       |      |                                 |                                 |   |   |                |        |                 |               |                  |         |        |            |              |                    |              |  | X                                 |         |          |          |                               |  |
| 193276 (No. 19)<br>1/8"<br>male thread   |                                       |      |                                 |                                 |   |   |                | X      |                 |               |                  |         |        |            |              |                    |              |  |                                   |         |          |          |                               |  |
| 215079 (No. 20)<br>1/4"<br>male thread   |                                       |      |                                 |                                 |   |   |                |        |                 |               | X                | X       |        |            |              |                    |              |  |                                   |         |          |          |                               |  |



# **SATA®** Agitator Cup

# Agitator cup

SATA agitator-cup for SATAjet B and GR/B-92 (supplementary equipment)

29926

SATA agitator cup, conversion kit for SATAjet 5000 B, 4000 B, jet 3000 B, jet 2000, jet RP, jet 1000 B, LM 2000 B



# Spare parts

# SATA® Agitator cup

Countersunk screw M4 x 8 DIN 965, stainless steel,

for micrometer und round/flat spray control

Anti-drip device (packing unit 4 pieces)

2188 Spindle

SATA agitator-cup for SATAjet B and GR/B-92 (sup-

plementary equipment)

20461

Plastic air hose for BVD and agitator cup

21055

Agitating vane, cpl.

21063

Driving wing, cpl. with screw

21071

Gasket agitating vane, agitator cup

29926

SATA agitator cup, conversion kit

Countersunk screw M 2.5 x 5, VA

44743

44792

Spindle complete for SATAminijet

Regulation valve compl. for cup agitator 53785

Angle screw socket, LCN-1/8-PL-4, f. SATA NAD

and  $\ensuremath{\mathsf{BVD}}$ 


Coupling with G 1/8" (female thread)

54049

Sealing ring (packing unit 4 pieces)

Control knob

Pressure gauge 0-10 bar, 40 mm for regulation valve coloured stereotype plate



# SATA® BVD™

# SATA BVD conversion kit

SATA BVD conversion kit with QCC without fine thread for SATAjet  $5000 \, \text{B}$ ,  $4000 \, \text{B}$ , jet  $3000 \, \text{B}$ , jet 2000, jet 1000 B, jet 100 B, jet RP



57505

SATA BVD extension-set for SATAjet B and GR/B-92

Repair kit for control fitting spray master and BVD

# Spare parts

# SATA® BVD™

8268

Sealing ring

20438

Safety pressure relief valve BVD

20461

Plastic air hose for BVD and agitator cup

21014

Aluminium lid, cpl. 21048

Pressurised cup with lid

25577

Pressurised cup with lid

53777\*

Air connection for aluminium lid

54049

Sealing ring (packing unit 4 pieces)

65920

Control fittings, complete, for BVD pressurized cup connection kit (GR and LM)

Anti-drip device (packing unit 10 pieces)

83493


Air hose cpl. w. pressurized cup connection, for SATA Spray-Master

120816

Pressure release screw (packing unit 2 pieces)

133983

Air connection piece 1/4" male thread





<sup>\*</sup> please also order 8268





# SATA<sup>®</sup> Loyalty Program

# coins & more

With the SATA Loyalty Program, SATA rewards loyal customers of certain products (currently all RPS cup systems) with loyalty coins, which can then be converted into high-quality rewards.

Allowed to participate are buyers of premium products or employees of buying companies based in a country where the program is offered, with the agreement of the company, in accordance with the conditions set out in the conditions of participation. Points are collected by scanning a QR code applied to certain eligible products.

On the outside of each RPS carton there is a booklet in which the coin value can be scanned from the QR code. Download the SATA Loyalty App, fill in the user information, scan and collect the SATA Coins. You can then exchange the coins for attractive rewards.

- 1. Download App & register
- 2. Scan QR code & collect coins
- 3. Convert into rewards

# Collect coins with every cup!

Purchasing a SATA RPS box of **40 cups** (SATA RPS 0.3 I, SATA RPS 0.9I) means **40 coins**, purchasing a SATA RPS box of **60 cups** (SATA RPS 0.3 I minijet, SATA RPS 0.6 I) means **60 coins** and purchasing a box of **100 cups** (SATA RPS 0.3 I XL) means **100 coins**.

Further information: www.sata.com/loyalty

# **Breathing Protection**





All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

SATA air vision 5000

Fields of application/function

Ergonomically shaped (pressure fed) respirator hood independent from ambient air.

Respirator type





Safety compressed air hose crush and kink resistant, 6 m



13870 Gun air hose

 $9\ \text{mm}$  inner diameter, 1.2 m to connect a spray gun to the belt unit





Compressed air-supplied respirator hood to combine with triple-stage compressed air filters, e.g. SATA filter 584 with integrated activated charcoal filter stage.





# SATA® air vision™ 5000

# **Technical data:**

Required operating pressure without 2.5 bar – 3.0 bar spray gun:

Required operating pressure with spray gun (in connection with a 1.2

1.2

4.0 bar - 6.0 bar

m spray gun air hose):

| Max. pressure:                     | 10.0 bar   |
|------------------------------------|------------|
| Required minimum air volume flow:  | 150 NI/min |
| Maximum air volume flow (at 6 bar, | 740 NI/min |
| air distributor fully opened):     |            |



# **Available versions**

213819

SATA air vision 5000 set (Int.)

Version without activated charcoal adsorber



# 1000249

SATA air vision 5000 respirator hood (Int.)



# 1000124

SATA air vision 5000 carbon set (Int.) Version **with** activated charcoal adsorber



# 1000190

SATA air regulator (Int.) for SATA air vision 5000



# 1000108

SATA air regulator set (Int.)



# 1030668

SATA air regulator belt plus



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### 1000215

SATA air regulator belt (Int.) for SATA air vision 5000





# **Available versions**

1000059

SATA air carbon regulator set (Int.) for SATA air vision 5000



1000132

SATA air warmer carbon (Int.) for SATA air carbon regulator



1000166

SATA air carbon regulator (Int.) for SATA air vision 5000



1000299

SATA air humidifier (Int.) for SATA air vision 5000



1007005

SATA air warmer, incl. adapter plate and hip pad for SATA air vision 5000



1006982

SATA air cooler incl. adapter plate and hip pad for SATA air vision 5000



# **Accessories**

13870

SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple



49080

Safety compressed air supply hose CE 10 mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN EN 139/270

176792

Safety compressed air supply hose CE 10m, ø 10 mm DIN EN 139/270 for SATA respirators



180853

Safety compressed air supply hose CE 40m,  $\emptyset$  10mm, DIN EN 139/270 for SATA respirators

218206

 $\ensuremath{\mathsf{SATA}}$  Activated charcoal filter, cpl. for  $\ensuremath{\mathsf{SATA}}$  air carbon regulator



# 5000 13623 53942

Spare parts

SATA air vision

SATA quick coupling 1/4" (male thread)

Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14

81158

Humidifier module cpl.

206151

SATA filter timer for sinter filter

208439

Belt with buckle

208447

Hip pad (packing unit 1 piece)

208462

Adapter plate

210468

Visor foil, 6 perforations (packing unit 20 pieces)

Visor foil, 6 perforations (packing unit 1000 pieces)

211904

CCS disc (packing unit 4 pieces)

Hygiene insert (packing unit 20 pieces)

213728

Comfort band (packing unit 10 pieces)

213736

Visor bolt (packing unit 6 pieces)

213835

Hook-and-loop tape long (packing unit 1 piece) and short (packing unit 2 pieces), adhesive on one side

213751

Hood holder for SATA air regulator

215590

Visor foil, 6 perforations (packing unit 100 pieces)

Safety quick coupling for SATA air regulator and SATA air carbon regulator

226456

Plug-in diffusor

1000215

SATA air regulator belt (Int.)

Humidifier kit consisting of humidifier module, lid seal and SATA filter timer

Hood cloth, dark grey

1014232

Hip pad (packing unit 1 piece)

1014240

Air hose cpl. for SATA air warmer / air cooler

1018143 Filter fastener

1036947

Adapter plate

1039917

Comfort head band (packing unit 100 pieces)

1066415

1073197

Pad for head band (adjustment wheel)

1076521

Cylinder screw

1076589

Air hose cpl. for SATA air humidifier

1076612 Containe

1076620 Lid

1076638

Safety band for bayonet lock

1076662

Pressure relief valve, cpl

1076688

Threaded elbow joint, swiveling

Safety and quick coupling with free passage


1114256

Head fixation 2.0

Activated charcoal filter, incl. filter caps, packaging unit 2 pcs.


Spare parts for:

# SATA air vision 5000 Art. No. 1000249



Spare parts for:

SATA air regulator belt plus






recommended list prices. Errors, technical modifications and printing errors reserved

Spare parts for:


SATA air carbon regulator Art. No. 1000174

Spare parts for:

# SATA air regulator Art. No. 1000190



SATA air humidifier Art. No. 1000033



# **Technical data:** Required operating pressure:

4.0 bar

170 NI/min Required minimum air volume

SATA® vision™ 2000

flow:



# **Available versions**

69500

SATA respirator kit vision 2000, with activated charcoal adsorber

Version with activated charcoal belt unit



52712

Hood for full face respirator vision 2000, with head/chest cloth over hood, without belt unit

Belt unit with activated charcoal adsorber and air regulation valve for SATA vision 2000 and respirator hood CE industry with UV protection



173880

SATA respirator kit in systainer: SATA vision 2000 and belt unit with activated charcoal adsorber and air regulation valve, SATA air warmer, SATA air hose 1.2 m

SATA hood Vision 2000 with industrial belt unit, T-piece and hose coupling Version without activated charcoal belt unit



52712

Hood for full face respirator vision 2000, with head/chest cloth over hood, without belt unit

Belt unit with T-piece and air regulation valve for SATA vision 2000, respirator hood CE industry with UV protection, air star C

58941

Belt unit with air regulation valve for SATA vision 2000, respirator hood CE industry with UV protection, air star C

67595

SATA respirator hood CE, head cloth w. chest cover

Accessories for SATA vision 2000, SATA air star C and SATA air star F see page 96.



recommended list prices. Errors, technical modifications and printing errors reserved.

# Spare parts

# SATA® vision 2000

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)

10330

Sweat ribbon, microfibre-velour (packing unit 10 pieces)

13623

SATA quick coupling 1/4" (male thread)

13854

Silence 13904

Activated charcoal cartridge

13920

Belt with buckle

21840

Set of plug-in nipples, complete, for Vision 2000

21865

Bottom part (packing unit 2 pieces)

22947

0-ring

25064

Pressure gauge 0 - 6 bar, 40 mm, green area 1.3 - 2.6 bar

25106

Spindle, complete, for adsorber (CF) of half mask + full face respirator

27797

Adsorber glass

35659

Visor foil, 6 perforations (packing unit 5 pieces)

35675

Visor foil, 6 perforations (packing unit 25 pieces)

Visor foil, 6 perforations (packing unit 1000 pieces)

Breathing air hose with acoustic warning device and foam sleeve, without noise reducer/coupling

49726 Protective cage f. respirator filter unit

53934

Safety quick coupling for SATA full face respirator

Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14

53975

Hose clamp 10.5 GER

56184

Foam sleeve for CE respirator

60541

Head / chest scarf, grey, over hood

69658 Hood inlay, black (20 pieces)

Foam stripes, one side self-adhesive 8 x 25 x 345 mm, for respirators

Hood with velcro tape, loose, for Vision 2000 respirator

Head strap, cpl., for Vision 2000 respirator

89268


Screwing (2 pieces)

Carrier frame with side parts, plug-in nipples and bottom part, for Vision 2000 respirator

Breathing air hose, cpl. with acoustic warning device, foam sleeve and noise reducer/coupling

149872


Belt cushion



Spare parts for:

# Belt unit Art. No. 54015

13920 53942 53934 25064 13623 53934 22947 13904 25106 149872 149872 27797 49726 Spare parts for: Belt unit Art. No. 58941



Belt unit Art. No. 122341

# SATA® air star C

# Technical data:

Required minimum operating 4.0 bar pressure:

Required minimum air volume 150 NI/min

Maximum air volume flow: 305 NI/min



# **Available versions**

# 137554

SATA respirator kit: SATA air star C and belt unit with activated charcoal filter and air regulation valve, disposable hood

Version with activated charcoal belt unit



### 137588

SATA air star C half mask with breathing hose, without filter



# 55798

Belt unit with activated charcoal adsorber and air regulation valve for SATA air star C



# 137570

SATA air star C half mask and belt unit with T-piece, special version Version without activated charcoal belt unit



# 122341

Belt unit with T-piece and air regulation valve for SATA vision 2000, respirator hood CE industry with UV protection, air star C



# 58941

Belt unit with air regulation valve for SATA vision 2000, respirator hood CE industry with UV protection, air



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

Accessories for SATA vision 2000, SATA air star C and SATA air star F see page 96.



# Spare parts

# SATA® air star C

3194

Adsorber glass

6981

SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)

13623

SATA quick coupling 1/4" (male thread)

13904

Activated charcoal cartridge

13920 Belt with buckle

22947

0-ring

25015

Pressure gauge 0 – 6 bar, 40 mm, green area 1 – 3

25106

Spindle, complete, for adsorber (CE) of half mask + full face respirator

49726

Protective cage f. respirator filter unit

53942

Nipple G  $1/4\ f.$  GS respirator, UBE + blow-off gun, size 14

53934

Safety quick coupling for SATA full face respirator

75176

Safety quick closure coupling NW 5, type 21, for adsorber of half mask respirator, version GS

120469

Breathing air hose, cpl.

120477 Air distributor (packing unit 2 pieces)

134254


Head strap with fixing unit and yoke for SATA air star  $\ensuremath{\mathrm{C}}$ 


134270 Inhalation and exhalation diaphragms (packing unit 5 pieces or 10 pieces, resp.) Please observe: The supplied product has a limited use-by date!


137612

Connection (packing unit 2 pieces)

149872 Belt cushion








Spare parts for:

Belt unit Art. No. 58941



# **Accessories for SATA vision** 2000/SATA air star C

# Accessories and air hoses

13904

Activated charcoal cartridge for SATA activated charcoal adsorber



15412

Suspender belt for SATA belt units SATA air star C und SATA air vision 5000vision 2000



13870

SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple



49080

Safety compressed air supply hose CE 10 mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN EN 139/270



Safety compressed air supply hose CE 10m, ø 10 mm DIN EN 139/270 for SATA respirators



Safety compressed air supply hose CE 40m, ø 10mm, DIN EN 139/270 for SATA respirators



# Breathing air humidifier and breathing air warmer

SATA top air breathing air humidifier



61242

Air warmer w. micrometer for SATA respirators



# Cleaning cloths

SATA half mask cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited useby date!



SATA half mask cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited useby date!



SATA wet & dry cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited useby date!



83881

SATA wet & dry cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited use-



# Head covers for SATA vision 2000

Head / chest scarf, grey, over hood for SATA vision 2000



56762

Grey head cloth w. chest cover for respirators



recommended list prices. Errors, technical modifications and printing errors reserved.



# SATA® top air 24505 top-air

Spare parts

Safety quick closure coupling, free passage, for SATA

24612 Nipple

24919

0-ring

24950

Safety valve, complete, for SATA top-air

Plug-in nipple for SATA top-air

53975

Hose clamp 10.5 GER

63214 Closing screw for SATA top-air

70789

0-ring 5 x 2 mm, ethylene-propylene, for control piston SATA LP90

72611 Valve, complete, for SATA top-air

81158

Humidifier module cpl.

82917 Breathing air hose, cpl.

97311

PVC hose 4 x 2 mm x 110 mm

163535

Holder

163543

Container with acme thread


176420

O-ring 68 x 2.0 NBR for SATA top air (until July 2013)

199729

O-Ring for SATA top air

(as of July 2013)



# Spare parts

# SATA® air warmer

Closing screw DIN 906 G 1/8-ST., nickel-plated

Countersunk screw M4 x 8 DIN 965, stainless steel, for micrometer und round/flat spray control

29413

Nipple

53934


Safety quick coupling for SATA full face respirator

65557

Control knob

### Spare parts for:

# SATA air warmer Art. No. 61242



# SATA® air star® F Filtering mask for short usage periods during small



# Available versions

134353

paint jobs.

SATA air star F, filter A2:P3 R D, 2 pre-filter holders and 10 pre-filters



# 134288

SATA air star F (Int.), filter A2:P3 D, 2 pre-filter holders and 10 pre-filters, with hygiene box



# **Accessories**

91553

Storage box for SATA air star F



# 134965

SATA half mask cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited useby date!



135020

SATA half mask cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited useby date!



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# Spare parts

# SATA® air star® F

### 134239

Pre-filter (packing unit 50 pieces) Please observe: The supplied product has a limited use-by date!

### 134247

Pre-filter holder, red (packing unit 2 pieces) and pre-filter (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!

### 134254

Head strap with fixing unit and yoke for SATA air star C

### 134262

Pre-filter (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!

### 134270

Inhalation and exhalation diaphragms (packing unit 5 pieces or 10 pieces, resp.) Please observe: The supplied product has a limited use-by date!

### 134296


Special filter A2:P3 R D (1 pair) Please observe: The supplied product has a limited use-by date!

### 134312


Special filter A2:P3 D (3 pairs) Please observe: The supplied product has a limited use-by date!

# 134304

Special filter A2:P3 R D (6 pairs) Please observe: The supplied product has a limited use-by date!



# Filter Technology



- Sintered filter to separate particles > 5
- Cleaning and exchange interval: 6 months

- Fine filter cartridge to separate particles > 0.01 µm
- Separation efficiency: 99.998 %
- Exchange interval: 6 months

## Third filter stage:

- Sintered activated charcoal cartridge with higher separation efficiency of oil vapours
- Suitable for the use of compressed air-supplied breathing masks
- Exchange interval: 6 months



# Filter type



SATA filter 100 prep SATA filter 101 prep SATA filter 103 prep

102 - 103

# Fields of application/function

Economy filter units, e.g. for the installation in prep decks or work areas with ambient temperature < 50  $^{\circ}$ C

- · modular structure of up to 3 filter stages incl. activated charcoal filter
- · highest requirements for high-grade compressed air
- · Air flow: approx. 800 NI/min at 6 bar



SATA filter 414 / 424 / 434 / 444 / 464 / 474 / 484

104 - 107

Filter units for the use in paint booths

- Ambient temperature: up to max. 120 °C, up to max. 60 °C when using activated charcoal (third stage)
- · modular structure of up to 3 filter stages incl. activated charcoal filter
- meeting highest requirements for high-grade compressed air (100 % technically clean air)
- · Air flow: approx. 3.600 NI/min at 6 bar





NEW

SATA filter 524 / 544 / 564 / 584

109 – 111







Filter units for the use in paint booths

- Ambient temperature: up to max. 120 °C, up to max. 60 °C when using activated charcoal (third stage)
- · modular structure of up to 3 filter stages incl. activated charcoal filter
- meeting highest requirements for high-grade compressed air (100 % technically clean air)
- · Air flow: approx. 3.600 NI/min at 6 bar

# SATA® filter 100 prep™/101 prep<sup>™</sup>/103 prep<sup>™</sup>

# **Technical data:**

| G 1/2" female thread |
|----------------------|
| 1/4" male thread     |
| 10.0 bar             |
| 10.0 bar             |
| 800 NI/min           |
| 50 °C                |
|                      |



# **Available versions**

# 148247

SATA filter 100 prep double-stage sinter filter/fine filter with pressure regulator outlet (1 x 1/4" male thread)



# 157412

SATA filter 101 prep single-stage activated charcoal filter to retrofit filter 100 prep to filter 103 prep



# 157420

SATA filter 103 prep triple-stage sinter filter/fine filter/activated charcoal filter with pressure regulator and 1 outlet tap (1/4" male thread)



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# Spare parts SATA® filter 103

prep<sup>TM</sup>

Automatic condensate drain valve

19158

Pressure gauge 0 - 10 bar, 50 mm

22137

Cyclone separator

22160

Sintered filter

24521

Condensate retainer with O-ring

148239

Pressure regulation valve

148270

Fine filter cartridge

157362


Activated charcoal cartridge

148189

Filter housing, drilled and coated

148197

Filter sleeve, processed and coated



# SATA® filter 414<sup>TM</sup>/424<sup>TM</sup>/434<sup>TM</sup>/464<sup>TM</sup>

# Technical data:

| Air inlet:                              | G 1/2" female thread |
|---|----------------------|
| Air outlet:                             | 1/4" male thread     |
| Max. inlet operating pressure:          | 15.0 bar             |
| Max. outlet operating pressure:         | 10.0 bar             |
| Air flow at 6.0 bar:                    | 3600 NI/min          |
| Max. ambient temperature:               | 120 °C               |
| Max. ambient temperature with activated | 60 °C                |
| charcoal:                               |                      |



# Pressure regulator/water separator

92288

SATA pressure reducer 420 with gauge 0-10 bar, air inlet and outlet G 1/2" (female thread)



92213

SATA filter 414 single-stage sinter filter without pressure regulator, with outlet module (2 x 1/4" male thread)



92254

SATA filter 414 L single-stage sinter filter without pressure regulator, for pipeline installation (G 1/2" female thread)



92221

SATA filter 424 single-stage sinter filter, pressure regulator, outlet module (2 x 1/4" male thread)



92262

SATA filter 424 L single-stage sinter filter, pressure regulator, for pipeline installation (G 1/2" female thread)



# Fine filter

92239

SATA filter 434 single-stage fine filter without pressure regulator, with outlet module (2 x 1/4" male thread)



92270

SATA filter 434 L single-stage fine filter without pressure regulator for pipeline installation (G 1/2" female thread)



# Activated charcoal filter to retrofit SATA filter 444

141473

SATA filter 464 add-on kit single-stage activated charcoal filter without pressure regulator to retrofit SATA filter 444 to SATA filter 484



recommended list prices. Errors, technical modifications and printing errors reserved

92247

SATA filter 464 single-stage activated charcoal filter without pressure regulator, with outlet module (2 x 1/4" male thread)





# Spare parts

# SATA® filter 424™

2923

Pressure spring

2949

Diaphragm 15511

Automatic condensate drain valve

22046

Pressure gauge 0 - 10 bar, 50 mm

22137

Cyclone separator

22160

Sintered filter

23804

Pressure valve

24471

Plastic nut with 2 O-rings for SATA filter series 300 and 400  $\,$ 

24489

Threaded rod with pressure valve head

24521

Condensate retainer with O-ring

24554

Filter sleeve with automatic discharge valve

80457

Spindle for SATA filter series 400

83113

Fixing nut

95851

Countersunk screw M 5 x 16

96883

Pressure adjustment screw

158808

Manifold 2x 1/4" (male thread)

# Spare parts

# SATA® filter 464™

24562

Adapter, cpl. with O-ring

73890


Threaded rod

85373

Activated charcoal cartridge

158808

Manifold 2x 1/4" (male thread)



# **SATA®** filter $444^{\text{TM}}/474^{\text{TM}}/484^{\text{TM}}$

### Technical data:

| Air inlet:                              | G 1/2" female thread |
|---|----------------------|
| Air outlet:                             | 1/4" male thread     |
| Max. inlet operating pressure:          | 15.0 bar             |
| Max. outlet operating pressure:         | 10.0 bar             |
| Air flow at 6.0 bar:                    | 3600 NI/min          |
| Max. ambient temperature:               | 120 °C               |
| Max. ambient temperature with activated | 60 °C                |
| charcoal:                               |                      |



# Combi filter

### 92296

SATA filter 444 double-stage sinter filter/fine filter with pressure regulator and outlet module (2 x 1/4" male thread)



# 92833

SATA filter 444 with carrying support double-stage sinter filter/fine filter, pressure regulator, outlet module (2 x 1/4" male thread)



# 92304

SATA filter 444 L double-stage sinter filter/fine filter with pressure regulator, for pipeline installation (G 1/2" female thread)



SATA filter 474 double-stage fine filter/activated charcoal without pressure regulator with outlet module (2 x 1/4" male thread)



# 92320

SATA filter 484 triple-stage sinter filter/fine filter/activated charcoal with pressure regulator and outlet module (2 x 1/4" male thread)



# 129619

SATA filter 484 with floor carrying support triple-stage sinter filter/fine filter/activated charcoal/floor carrying support with pressure regulator and outlet module (2 x 1/4" male thread)



recommended list prices. Errors, technical modifications and printing errors reserved.

# 173195

SATA filter 484 mobil in a case, sintered filter/fine filter/activated charcoal with pressure regulator, air inlet G 1/2 ext., air outlet (2x quick coupling)





# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# Spare parts SATA® filter 444™ /474<sup>TM</sup>/484<sup>TM</sup> 2923 Pressure spring

2949 Diaphragm

15511

Automatic condensate drain valve

22046

Pressure gauge 0 - 10 bar, 50 mm

22137

Cyclone separator

22160 Sintered filter

23804

Pressure valve

24471

Plastic nut with 2 O-rings for SATA filter series 300 and 400

24489

Threaded rod with pressure valve head

24521

Condensate retainer with O-ring

Filter sleeve with automatic discharge valve

24562

Adapter, cpl. with O-ring

73890

Threaded rod

78360 Gasket

80457

Spindle for SATA filter series 400

81810

Fine filter cartridge

83113 Fixing nut

84871 Filter sleeve

85373

Activated charcoal cartridge

95851


Countersunk screw M 5 x 16

96883

Pressure adjustment screw 158808

Manifold 2x 1/4" (male thread)

Spare parts for:





SPRAY GIINS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ACCESSORIES

MERCHANDISE ITEMS

# SATA® filter 524<sup>TM</sup>/544<sup>TM</sup>/564<sup>TM</sup>/584<sup>TM</sup>

### Technical data:

| Air inlet:                              | G 1/2" female thread |
|---|----------------------|
| Air outlet:                             | 1/4" male thread     |
| Max. inlet operating pressure:          | 15,0 bar             |
| Max. outlet operating pressure:         | 15,0 bar             |
| Air flow at 6.0 bar:                    | approx. 3.800 NI/min |
| Max. ambient temperature:               | 120 °C               |
| Max. ambient temperature with activated | 60°C                 |
| charcoal:                               |                      |



### Combi filter

### 1101667

SATA pressure reducer with gauge 0-10 bar (0-145 psi), air outlet G 1/2" (female thread)



### 1101659

SATA filter 524 single-stage sinter filter, pressure regulator, outlet module (2 x 1/4" male thread)



### 1101641

SATA filter 524 L single-stage sinter filter, pressure regulator, for pipeline installation (G 1/2" female thread)



### 1101005

SATA filter 564 add-on kit activated charcoal filter to retrofit SATA filter 544 to SATA filter 584



### 1100990

SATA filter 544 double-stage sinter filter/fine filter with pressure regulator and outlet module (2 x 1/4" male thread)



### 1099953

SATA filter 584 triple-stage sinter filter/fine filter/activated charcoal with pressure regulator and outlet module (2 x 1/4" male thread) (Int.)



### 1101625

SATA filter 584 with carrying support triple-stage sinter filter/fine filter/activated charcoal, pressure regulator, outlet module (2 x 1/4" male thread)



### 1101675

SATA filter 584 mobil, triple-stage sintered filter/fine filter/activated charcoal with pressure regulator, air outlet (2x quick coupling) and SATA air hose, 13 mm with trolley



### Spare parts

### SATA® filter 524™

15511

22160

Sintered filter

24521

Condensate retainer with O-ring

1097486

Pressure reducer with pressure adjustment screw and countersunk screw

Diaphragm incl. pressure spring and spindle

1101097

Pressure steering unit

1101104

Pressure gauge 0 - 15 bar (0-145 psi)

1101112

Cover unit with ball valves 2 pcs.

1101162

Filter sleeve with automatic discharge valve

1114298

Cyclone separator

### Spare parts

### SATA® filter 564™

1098004


Activated charcoal cartridge

1098054

Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge

1101154 Filter housing Spare parts for:

SATA filter 524 Art. No. 1101659





1101104


Spare parts for:

SATA filter 564 Art.No. 1101005









Repair kit

Service unit

1101518 Sealing kit



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATA® filter 544™/ 584™

15511

Automatic condensate drain valve

22160

Sintered filter

24521

Condensate retainer with 0-ring

1097486

Pressure reducer with pressure adjustment screw and countersunk screw

1097999

Fine filter cartridge

1098004

Activated charcoal cartridge

1098054

Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge

1101089

Diaphragm incl. pressure spring and spindle

1101097

Pressure steering unit

1101104

Pressure gauge 0 - 15 bar (0-145 psi) 1101112

Cover unit with ball valves 2 pcs.

1101154


Filter housing

1101162

Filter sleeve with automatic discharge valve

1114298

Cyclone separator



# Repair kit 1102087 Service unit 1101518 Sealing kit

## Accessories for SATA® filter series

# Filter cartridges Sintered filter for all SATA filter series 1097999 Fine filter cartridge for SATA filter series 500 81810 Fine filter cartridge for SATA filter series 200, 300 and 400 148270 Fine filter cartridge for SATA filter series 100 prep 1098004 Activated charcoal cartridge for SATA filter series 500 85373 Activated charcoal cartridge for SATA filter series 200, 300 and 400 157362 Activated charcoal cartridge for SATA filter series 100 prep 1098054 Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge 138933 Service kit for filter series 400: with fine filter cartridge and activated charcoal cartridge 214270 SATA six pack with #81810 (packing unit 2 pieces) and #85373 (packing unit 4 pieces) for SATA filter 484 206151



recommended list prices. Errors, technical modifications and printing errors reserved.

SATA filter timer for sinter filter

### Filter accessories

1114305

Adapter to retrofit SATA filter 484 to filter 584

The price was not yet fixed at the printing date



13599

SATA quick coupling G 1/4" (female thread)



1107269

SATA high-flow coupling, red, packaging unit 2 pcs. for SATA filter series 500



1101146

Manifold SATA filter 500



158824

Manifold for extension with 2 ball valves for SATA filter series 400



10934

Ball tap (Teflon) 1/2" male thread for air inlet SATA filter series 100, 300, 400 and cleaning devices



9878

SATA mini filter 1/4" (male thread)



### Air quality control

156299

SATA air tester, atomisation air quick tester



7096

SATA air check set compressed air quality control device for optimum spray air



7666

Diaphragm (packing unit 10 pieces) for SATA air check set



Service tachometer for the spray booth, A3, German / English for SATA filter series 500



133587

SATA Service Tacho for the paint spray booth, German/English, DIN A3



1101500

SATA filter cover (packing unit 4 pieces) for SATA filter series 500



215053

SATA filter cover (packing unit 4 pieces) for all SATA filter series



## **Accessories**

### Type of device

## SATA material pressure tank 116 - 121

### Fields of application/function

- · Time saving due to continuous working without interruptions
- Also suitable for high viscosity, paste-like or thixotropic materials
- Various equipment and special versions



### **SATA** vario top spray 122-125

- · High performance diaphragm pump technology with enhanced pump capacity for high speed application
- · Individual versions for pumping, feeding or painting
- Ultra-fine atomisation of primer materials and topcoats in conjunction with the reliable, top quality SATA spray guns (e.g. SATAjet 3000 K and 1000 K)





132 - 133







· Rapid cleaning system for intermediate cleaning of spray guns for quick colour changes when using multi-purpose cups, e.g. SATA RPS · Suitable for waterborne and solvent-based paint systems



II prices are recommended list prices. Errors, technical modifications and printing errors reserved

# Technical data: Air inlet and outlet: Material outlet:

1/4" male thread

rial outlet: 1/4" male thread

 $\label{eq:max.material} \text{Max. material pressure inside the container:} \quad 2.5 \text{ bar}$ 

SATA® mini set™ 2

Weight: 2.4 kg

Air flow at 6.0 bar: 3600 NI/min

Container and lid made of aluminium / suction tube made of copper

Max. ambient temperature with activated 60 °C

charcoal:



### **Available versions**

120840

SATA mini set 2 pressure pot 2 ltr. single pressure reducer



56408

SATA Mini Set 2 with SATAjet 3000 K RP 1.1, paint pipe, material filter 60 msh, hose pair 1.5 m



83444

SATA Mini Set 2 with SATAjet 3000 K HVLP 1.2, paint pipe, material filter 60 msh, hose pair 1.5 m  $\,$ 



### Accessories for SATA mini set 2

5868

Shoulder strap for SATA mini set and SATA mini set 2

19869

SATA hose pair 9 x 9 mm, 1.5 m, G 3/8" and G 1/4" (material), G 1/4" (air) (female thread) for SATA mini set 2

### SATA release agent application system

187740

Separating agent spray system, consisting of pressure tank 2 I, DPR (double pressure reducer), SATAminijet 1000 K RP 0.3, hose pair 3 m, complete



87708

SATA hose pair 6 x 6 mm, 3 m, G 1/4" (female thread) (material and air) for SATA mini set 2



187450

SATAminijet 1000 K RP nozzle 0.3 material connection 1/4" (male thread)



187419

SATA paint tube G 1/4 female thread - 1/4" male thread



recommended list prices. Errors, technical modifications and printing errors reserved

187690

SATA paint strainer 60 msh, 1/4" (male thread)



57232

 $2.0\ \mbox{l}$  pressure pot, cpl. with handle and double pressure reducer



### Spare parts

### SATA® mini set™ 2

17384

Pressure regulator with gauge 0-4 bar, safety valve

2.5 bar

20677

Set of wear-and-tear parts for pressure regulation

valve

23085

Safety and drain valve 2.5 bar for MINI-SET 2 litres,

G 1/4

50195

Strainer (packing unit 2 pieces)

62075

Pressure gauge 0 - 4 bar, 50 mm, red marking at

2.5 bar

88484 One-Way valve

120733

Closing screw (packing unit 2 pieces)

120717

2.0 I pressure pot, w/o lid

120725

Suction pipe

120758 Handle, cpl.

120808

Sealing ring (packing unit 4 pieces)

120816

Pressure release screw (packing unit 2 pieces)

122481

2,0 I pressure pot, cpl. with handle, w/o controls and instruments

149617


Sleeve nut for handle SATA mini set 2

153775

Screw-on lid for mini set 2

158204

Connection nipple



# SATA® paint set™ 10

### Technical data:

| Air inlet and outlet:                            | 1/4" male thread          |  |  |
|--|---------------------------|--|--|
| Material outlet:                                 | 1/2" male thread          |  |  |
| Max. material pressure inside the container:     | 3 bar                     |  |  |
| Total weight/Lid weight:                         | 8 kg/starting from 3.9 kg |  |  |
| Interior height / width: 268mm/ø 217mm           |                           |  |  |
| Container made of stainless steel and lid coated |                           |  |  |



### **SETS**

### Consisting of:













nozzle 1.1

| 「A® paint set™ 10 | Single pressure reducer | Double pressure reducer | Pot insert | Hand agitator | gear drive | RP no. |
|-------------------|-------------------------|-------------------------|------------|---------------|------------|--------|
| 14662             | Χ                       |                         |            |               |            |        |

| 201079 | X |   | X |   |   |   |  |
|--------|---|---|---|---|---|---|--|
| 199257 | X |   |   | X |   |   |  |
| 14654  | X |   | X | X |   |   |  |
| 14647  |   | X |   |   |   |   |  |
| 201087 |   | X | X |   |   |   |  |
| 199265 |   | X |   | X |   |   |  |
| 199273 |   | X |   |   | X |   |  |
| 14639  |   | X | X | X |   |   |  |
| 16782  |   | X |   |   |   | X |  |

### **Accessories**

Optional (no retrofit): 2. spray gun connection (air and material) for SATA paint set 10 - stainless steel version with Teflon ball valve



Insert pot, stainless steel for SATA pressure tank FDG 10



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

Surcharge for suction pipe, tap and angle made of stainless steel for SATA paint set 10



# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### SATA® paint set 10™

### 17376

Brass pipe securing nut DIN 431 G 1/4 nickel-plated for ascending pipe SATA Mini-Set 2 I

Pressure gauge 0 - 4 bar, 50 mm, red marking at

### 3 bar

18945

Safety and drain valve 3 bar, G 1/4 for SATA Paint Set 10 I

### 18952

Ball tap (Teflon) 3/8" (male thread) x G 1/2" (female thread) material outlet

### 19000

Handle, cpl.

### 19018

Double pressure reducer, cpl. with pressure gauge and safety valve 3.0 bar

### 19026

Single pressure regulator, cpl.

### 19034 Eye bolt

19042

Retaining washer 13 for SATA Paint Set 10 I, galvanized, 92-5817

### 19158

Pressure gauge 0 - 10 bar, 50 mm

Air release valve, cpl. 3/8" (male thread)

### 22129

Ball tap (Teflon), cpl.,  $3/8" \times 1/4"$  (male thread)

Lid, black with RILSAN coating, with brackets and T-piece

### 24315

Securing handle M 12 for SATA pressure pot 10 l

### 25890

Sealing ring, copper 13x18x1

### 27573

Safety ring 12 x 1 DIN 471, galvanized

Ball tap (Teflon) 1/4" (male thread) x G 1/4" (female thread)

### 72561

### 72769

Sealing ring


### 79863

Hexagon nut G 3/8" (female thread), stainless steel

### 88484

One-Way valve

Set of wear-and-tear parts for pressure regulation valve



# **SATA®** Paint Pressure Tanks 24 | / 48 |

| Technical data:  | SATA FDG 24                | SATA FDG 48                |  |  |  |
|--|----------------------------|----------------------------|--|--|--|
| Air inlet and outlet:                                    | 1/4" male thread           | 1/4" male thread           |  |  |  |
| Material outlet:   | 1/2" male thread           | 1/2" male thread           |  |  |  |
| Max. material pressure inside the container:             | 6 bar                      | 4 bar                      |  |  |  |
| Total weight/Lid weight:                                 | 24 kg/starting from 6.9 kg | 31 kg/starting from 8.6 kg |  |  |  |
| Interior height / width: 369 mm/ø 297 mm 486 mm/ø 362 mm |                            |                            |  |  |  |
| Container made of stainless steel and lid coated         |                            |                            |  |  |  |

Fluid group 2\*



| Receptacle | Consisting o |
|------------|--------------|
|            |              |

| SATA® Paint Pressure |
|----------------------|

| SATA® Paint Pressure<br>Tanks 24 I / 48 I |  |
|---|--|
|   |  |

|                         |                         |            | 4             |   |                       |
|-------------------------|-------------------------|------------|---------------|---|-----------------------|
| Single pressure reducer | Double pressure reducer | Pot insert | Hand agitator | Compressed air agitator with gear drive | Motor driven agitator |

| SATA FDG 24N |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|
| Χ            |   |   |   |   |   |   |
| Χ            |   |   | X   |   |   |   |
| Х            |   |   |   | X |   |   |
| Χ            |   |   |   |   | X |   |
|              | X   |   |   |   |   |   |
|              | X   |   | X   |   |   |   |
|              | X   |   |   | X |   |   |
|              | X   |   |   |   | X |   |
| SATA FDG 24U |   |   |   |   |   |   |
| X            |   |   |   |   |   |   |
|              | X   |   |   |   |   |   |
| SATA FDG 48N |   |   |   |   |   |   |
| X            |   |   |   |   |   |   |
| X            |   |   | Χ   |   |   |   |
| X            |   |   |   | X |   |   |
| Х            |   |   |   |   | X |   |
|              | X   |   |   |   |   |   |
|              | X   |   | X   |   |   |   |
|              | X   |   |   | X |   |   |
|              | X X X X X X SATA FDG 24U X SATA FDG 48N X X X | X  X  X  X  X  X  X  X  X  X  SATA FDG 24U  X  X  SATA FDG 48N  X  X  X  X  X  X  X  X  X  X  X  X  X | X  X  X  X  X  X  X  X  X  X  SATA FDG 24U  X  X  SATA FDG 48N  X  X  X  X  X  X  X  X  X  X  X  X  X | X | X | X |

 $<sup>\</sup>ensuremath{^{*}}$  Processing of coating materials of fluid group 1 is not permitted.



### **Accessories**

181990

Optional (no retrofit): 2. spray gun connection (air and material), stainless steel version for SATA FDG 24 N



177923

Optional (no retrofit): 2. spray gun connection (air and material), stainless steel version for SATA FDG

48 N

31302

Insert pot, stainless steel for SATA pressure tank FDG 24

Insert pot, stainless steel for SATA pressure tank FDG 48

14332

Trolley, cpl. for SATA FDG 48



46037

Trolley, cpl. for SATA FDG 24 and SGE

### Spare parts

### SATA® FDG 24 N

Hand agitator, cpl., stainless steel

9472

Sealing ring, EPDM profile string green

12294

Material outlet, stainless steel, 1/2" male thread

19158

Pressure gauge 0 - 10 bar, 50 mm

Air release valve, cpl. 3/8" (male thread)

19174

Lid for filler neck

19182

Gasket for filler neck

19216

Single pressure regulator, cpl. with pressure gauge and safety valve, max. pressure 6.0 bar

Double pressure reducer, cpl. with pressure gauge and

safety valve 6.0 bar

Stuffing box (packing unit 3 piece) for manual

agitation

19380

Safety valve PN6, 3/8" male thread

22269 0-ring

31302

Insert pot, stainless steel

### Spare parts

### SATA® FDG 48 N

Hand agitator, cpl., stainless steel

12294

Material outlet, stainless steel, 1/2" male thread

12880

Double pressure reducer, cpl. with pressure gauge and safety valve 4.0 bar

Single pressure regulator, cpl. with pressure gauge and safety valve, max. pressure 4.0 bar

Pressure gauge 0 - 6 bar, 50 mm, red marking at 4 bar

19158

Pressure gauge 0 - 10 bar, 50 mm

19166

Air release valve, cpl. 3/8" (male thread)

19174

Lid for filler neck

19182

Gasket for filler neck

Stuffing box (packing unit 3 piece) for manual agitation

19349

Safety pressure relief valve G 3/8, set to 4 bar for

22269


0-ring

47639

Insert pot, stainless steel

173989

Sealing ring



# SATA® vario top spray™

### Technical data:

| Pump ratio:                                   | 1:1        |                  |
|---|------------|------------------|
| Material pressure:                            | 8.0 bar    |                  |
| Material flow volume (at 220 double strokes): | 32 l/min.  |                  |
| Air inlet pressure min.:                      | 1.0 bar    |                  |
| Air inlet pressure max.:                      | 8.0 bar    |                  |
| Version and weight without add-on components: | Aluminium: | Stainless steel: |
|   | 6 kg       | 12 kg            |



### Available versions

### 81661

SATA vario top spray S, double diaphragm pump 1:1, with stand, material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses



### 61507

SATA vario top spray W, double diaphragm pump 1:1 wall mounted version, with material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses



### 61515

SATA vario top spray F, double diaphragm pump 1:1 on trolley, with material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses



### 63974

SATA vario top spray F, double diaphragm pump 1:1, mobile, with material fine pressure regulator, suction tube + 2. gun connection, without spray gun and hoses

### 138941

SATA vario top spray FFB, double diaphragm pump 1:1, on trolley, with gravity flow container, material fine pressure regulator, without suction tube, 1 spray gun connection, without spray gun and hoses

### 62745

SATA vario top spray FFB, double diaphragm pump 1:1, on trolley, with gravity flow container, material fine pressure regulator, suction tube, 1 spray gun connection, without spray gun and hoses

### Versions – pump and material passages made of stainless steel

### 81406

SATA vario top spray S, double diaphragm pump 1:1, stainless steel version, stand, material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses

### 72678

SATA vario top spray W, double diaphragm pump 1:1, stainless steel version, for wall mounting, with material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses

### 7269

SATA vario top spray F double diaphragm pump 1:1, stainless steel version, on trolley, with material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses

### 138958

SATA vario top spray FFB, double diaphragm pump 1:1, stainless steel version, on trolley, with gravity flow container, fine material pressure regulator, without suction tube and 1 spray gun connection, without spray gun and hoses

### 95109

SATA vario top spray FFB, double diaphragm pump 1:1, stainless steel version, on trolley, with gravity flow container, material fine pressure regulator, suction tube and 1 spray gun connection, without spray gun and hoses

Hoses and hose pairs see page 140 and 141.

### Spare parts

### SATA® vario top

### spray

17483 Trolley, cpl.

19158

Pressure gauge 0 - 10 bar, 50 mm

19851

Sieve hose (packing unit 10 pieces)

23986

Air connection for second spray gun, cpl.

24240

Single pressure regulator, cpl. with pressure gauge  $0-10\ \text{bar}$ 

74187

Suction globe, cpl. version for waterborne materials

81604

Wing-shaped handle for stand, SATA pumps and dry-jet

ury joc

82107 Double pressure reducer, cpl. with pressure gauge 0 - 10 bar

149716

Gravity flow cup 6 I with lid

149732

Container stud

149740 Gasket for gravity container

149948

Flat sieve 20 mesh (packing unit 2 pieces)

156026


Pressure gauge 0 - 6 bar, 50 mm, G 1/4 29918

Circlip for suction globe Spray-Mix, Vario-Top-Spray and Multi-Top

Spare parts

### SATA® vario top spray


| Part | Standard version  | Stainless steel version   |
|------|---|---|
| 1    | 61192 Double diaphragm pump 1:1, coated version, material connection M $25\mathrm{x}1.5$ , male thread, air inlet $1/4$ " (male thread), grounding cable        | $88641$ Double diaphragm pump 1:1, stainless steel, material connection M $25x$ 1.5 male thread, air inlet $1/4^{*}$ (male thread), without grounding cable |
| 2    | 24422<br>Material fine pressure regulator, cpl.   | 25338<br>Material fine pressure regulator, cpl., stainless steel  |
| 3    | 72918  Material connection for second spray gun, cpl. for material fine pressure regulator  | 57570  Material connection for second spray gun, stainless steel, cpl. for material fine pressure regulator   |
| 4    | 62232<br>Suction hose, cpl.   | 45047<br>Suction hose, cpl., connections stainless steel  |
| 5    | 73866<br>Suction pipe, cpl. with suction globe and sieve insert   | 74203<br>Suction pipe, cpl. stainless steel   |
| 6    | 79921<br>Suction pipe, cpl. with suction globe and sieve insert   | 80879<br>Suction pipe, cpl. stainless steel   |
| 7    | 74245 Sieve unit, mesh size 1.0, f. SATA VARIO top-spray, f. water borne paints 74237 Sieve unit, mesh size 0.5, f. SATA VARIO top-spray, f. water borne paints |   |
| 8    | 41384 Threaded nipple 1/2" (male thread), galvanised  | 82941  Double nipple 1/2" male thread, stainless steel  |
| 9    | 41368<br>Angle G 1/2" (female thread), galvanised   | 56564<br>Angle 90°, stainless steel   |
| 10   | 82909<br>Conversion set for gravity container SATA Top-Spray  | 74211<br>Conversion kit for gravity flow container SATA VARIO top-spray, f. wate<br>borne paints  |
| 11   | 37986<br>Add-on kit gravity container PVC 6 I, cpl. with 3-way ball valve and<br>holder   | 37226<br>Add-on kit gravity container PVC 6 I version for waterborne paint, cpl<br>with 3-way ball valve and holder   |




| Spare parts SATA® vario top                           |     |
|---|-----|
| spray pumps   | Kit |
| 45195<br>Sealing kit                                  | 1   |
| 60012<br>Repair kit diaphragm (packing unit 2 pieces) | 2   |
| 60038<br>Repair kit control                           | 3   |
| 60228<br>Repair kit valves                            | 4   |
| 60301<br>Repair kit for carrier rod                   | 5   |
| 60657<br>Repair kit carrier                           | 6   |

We generally recommend using aforementioned seal and repair kits as well as exchanging all essential seals and components

| Single components of the   |                   |
|--|-------------------|
| seal and repair kits   | In a set          |
| 16709<br>Gasket  | 4                 |
| 46763<br>О-ring  | 13                |
| 46821<br>O-ring  | 13                |
| 47092<br>O-ring  | 1                 |
| 47209<br>Shape seal for double diaphragm pump Top-Spray  | 13                |
| 47514<br>Sealing ring  | <b>1 3 5</b>      |
| 48454<br>Flat seal D 72 xT 1 for double diaphragm pump<br>Top-Spray                                      | 16                |
| 49585<br>O-Ring 10 x 2 mm, made from Perbunan 70 shore for<br>silencer SATA breathing mask (No. 80-4130) | 1                 |
| 51466<br>Driving pin for double diaphragm pump Top-Spray   | 6                 |
| 62257<br>Ball  | 4                 |
| 62265<br>Diaphragm complete D123 for SATA Top-Spray double<br>diaphragm pump                             | 2                 |
| 62273<br>Ball-bearing for Vario-Top-Spray double diaphragm<br>pump                                       | 4                 |
| 62281<br>Valve seat D12 short for Vario-Top- Spray double<br>diaphragm pump                              | 4                 |
| 62299 Profile packing 17,2 x 28,2 x 5,4 for double diaphragm pump Vario-Top- Spray                       | 1 2<br>3 4<br>5 6 |
| 62307<br>O-ring  | 14                |
| 62943<br>O-ring  | 16                |
| 63479<br>Flat valve 24 x 19 mm, for SATA Top- Spray double   | 3                 |







All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### Spare parts

### **Material Fine Pres**sure Regulator

7989

Ball tap (Teflon) G 3/8" (female thread)

21998

Pressure plate

22376

Compression screw

78766

Sleeve nut for ball valve

78774

Insert part for material fine pressure regulator SATA vario top spray

78824

Pressure spring for material fine pressure regulator

Tappet for material fine pressure reducer Vario-Top-Spray

80283

Diaphragm

80291

Plunger kit, cpl.

156026

Pressure gauge 0 - 6 bar, 50 mm, G 1/4

149740

149948

Gasket for gravity container


Flat sieve 20 mesh (packing unit 2 pieces) 156026

Pressure gauge 0 - 6 bar, 50 mm, G 1/4 29918


Circlip for suction globe Spray-Mix, Vario-Top-Spray and Multi-Top

Spare parts for:

### **Standard version**



Spare parts for:



# Grit Blasting Equipment / Blow Guns

### Grit blasting equipment

17335

SATA grit blasting gun super version spraying pipe c/w carbide insert



39172

SATA sand blasting-set: sand blast. gun c/w carbide pipe, mask and gloves



38166

SATA grit blasting set SGE with trolley, with grit blasting gun with carbide pipe, mask, container, w/o grit material



### Blow guns

15156

SATA blow gun with standard nozzle (blow gun)



26070

Standard nozzle for SATA blow gun 15156 (blow gun)

15180

SATA blow gun with low noise metal nozzle and quick coupling nipple (blow gun)



77586

Special low noise nozzle for SATA blow gun 15180 (blow gun)

15214

SATA blow gun with multi nozzle and quick coupling nipple (blow gun)



26047

 $\label{eq:multi-nozzle M 14x1 for SATA blow gun 15214 (blow gun)} Metal-multi-nozzle M 14x1 for SATA blow gun 15214 (blow gun)$ 

133306

SATA turbo blow with quick coupling nipple (blow gun)



prices are recommended list prices. Errors, technical modifications and printing errors reserved.



### Spare parts

### **Grit Blasting**

12831

Hexagon nut M 14 x 1.5, galvanised

17699

SATA HMO head protection hood

21154

Blast pipe w. carbide insert f. SATA grit blasting gun

21220

Hose olive with 1/4" (male thread)

21444

0.6 I plastic suction cup without lid

21451

Lid for 0.6 I PVC suction cup

27631

Ball tap (Teflon) 1/4" (male thread) x G 1/4" (female thread)

27722

SGE Air hose 9 mm ID, length 10 m  $\,$ 

27730

SGE paint hose 6 mm ID, length 5 m with ascension pipe

27755

Ascending pipe, only, for SGE set

Lid. cpl.

38141

SATA SGE gun with carbide spray pipe

64394


Plastic disc (5 pieces) 64402

Glass visor screen (5 pieces)


SGE container f. grit blasting material, empty

Spare parts for:

Art. No. 17335



Spare parts for:







SATA HRS pressurised cup gun with 1.0 l cup (max. 10 bar), without material flow control, flexible nylon and hook wand (16113 and 16139) as well as fix door wand (16071)

SATA HRS complete with nylon wand 16105 and hook wand 24372

12658

SATA HRS pressurised cup gun with 1.0 I cup (max. 10 bar), material flow control, without wands

11072

SATA HRS pressurised cup gun with 1.0 l cup (max. 10 bar), without material flow control, without wands

SATA HRS-E with 1.5 I pressurized cup (max. 10 bar), with material flow control, without wands

SATA HRS-E pressurised cup spray gun with 1.5 l cup (max. 10 bar), for cavity preservation and underbody protection from disposable containers, with material flow control, round spray nozzle 25486, hook wand 16139 and nylon wand 11874

SATA HRS E pressurised cup spray gun with 1.5 I cup (max. 10 bar) for cavity preservation and underbody protection from disposable containers, with material flow control, hook wand 16139 and nylon wand 16113 as well as round spray nozzle

Door wand, steel 1100 mm long, Ø 8 mm, with rotary nozzle 360° and spraying forward

196832

Door wand, steel 150 mm work length, Ø 8 mm, with rotary nozzle 360° rotary fan and spraying forward, with flexible guideway hose 1000 mm

Nylon wand, flexible, 1500 mm long, Ø 6 mm, with rotary nozzle 360°

16113

Nylon wand, flexible, 1300 mm long, Ø 8 mm, with rotary nozzle 360° rotary fan and spraying forward

Nylon wand, flexible 3000 mm long, Ø 8 mm, with rotary nozzle 360° and spraying forward

11866

Venturi hook wand Ø 5 mm, with flexible guide hose, Venturi spray tube for cavity and surface application

Venturi hook wand Ø 5 mm, hook nozzle cpl. in 300 mm length, with flexible guide hose, Venturi spray tube, for cavity and surface

11874

Nylon wand, flexible, 1500 mm long ,  $\emptyset$  6 mm, with rotary nozzle 360°, diagonally spraying forward and backward



Nylon wand, semi rigid 1500 mm long, Ø 6 mm, with rotary spray nozzle 360° and spraying diagonal forward and backward

 $\textit{Venturi hook wand, } \emptyset \textit{ 7 mm, with flexible guiding hose, Venturi spray tube for cavity and surface application } \\$ 



Hook wand Ø 5mm, with flexible guide hose, hook flat nozzle, for cavity and surface application



25486

Round spray nozzle for HRS, conn. I

Round spray nozzle for surface application with flexible guide hose for underbody protection

8359

Free passage type quick coupling for HKD1, LM/KK, HRS, connection I

SATA quick coupling nipple 1/4" (male thread) for wands



130

### Barrel pump unit for cavity preservation

14555

SATA HKU 60 I barrel pump unit cpl., consisting of piston pump 1:3, with hose pair 10 m, SATAjet 1000 KK spray gun, nylon, door and hook wand



34389

SATA HKU 200 I barrel pump unit, cpl., consisting of piston pump 1:3 with hose pair 10 m, SATAjet 1000 KK spray gun, nylon, door and hook wand

153700

SATAjet 1000 KK RP nozzle 1.5 with paint tube, 1/4" (male thread) with coupling (Art.-No. 8359)



Technical data, accessories and spare parts upon request.

### **Underbody protection**

12740

SATA UBE gun type I, for underbody coating with one-way cans

### Barrel pump unit for underbody protection

SATA spray mix underbody protection system 1:22, hose pair 10 m, SATAjet 3000 K spray mix gun nozzle 3350, for 60/200 ltr. barrel



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# Spare Parts SATA® HRS™

182

Counter nut

208

Material flow control nut

3426

Safety washer 4 mm DIN 6799 stainless steel for trigger

8300

Suction pipe

0210

Sealing ring

8359

Free passage type quick coupling for HKD1, LM/KK,

10322

Guide sleeve complete, for HRS with material flow control

11437

Closing screw

11445

Pressure spring for air piston

11460 Air piston

11494

Cam rod HRS, complete with O-ring

11502

Paint needle 1.5

11510

Mixing cap HRS, completely machined

11544

Pressure spring for paint needle

12591 Bracket bolt

15438

Paint needle packing

38034 Paint needle, cpl., for HRS, with needle stroke and

minimum passage control

41806

 $1.0\ \text{I}$  aluminium pressure pot, max. pressure 10

bar/150 psi, cpl. with threaded ring

53082


0-ring


68890 Inflow valve

133983

Air connection piece 1/4" male thread

157305 Trigger





# **SATA Cleaning Systems**

|  |  | Final Cleaning                              |  |   |  |
|--|--|---|--|---|--|
|  | The state of the s |   |  |   |  |
| Available versions   | SATA clean RCS   | SATA clean RCS compact                      | SATA clean RCS micro                         | SATA multi clean 2                          |  |
| Art. No.   | 145581   | 192518                                      | 202564                                       | 38257                                       |  |
|  |  |   |  |   |  |
|  |  | Technical Data                              |  | Technical Data                              |  |
| Dimensions (W x H x D) in mm   | 310 x 705 x 225  | 310 x 465 x 225                             | 185 x 465 x 205                              | 660x1000x380                                |  |
| Net weight   | 10 kg  | 7 kg  | 4 kg   | 30 kg                                       |  |
| Inlet pressure   | 6,0 bar - 8,0 bar  | 4,0 bar                                     | 4,0 bar                                      | 5,0 bar - 6,0 bar                           |  |
| Air consumption  |  | 135 NI per cleaning incl. drying process    | 270 NI per cleaning process                  |   |  |
| Air connection   | 1/2" male or G 1/4" female thread  | 1/4" ma                                     | G 1/4" female thread                         |   |  |
| Container for cleaning agent   | 2x RPS cups; alternatively: retrofit kit for external pick-up and recirculation of cleaning agent from two bulk containers (Art. No. 189472)   | 2 containers (not in                        | 2 containers of each 15 litres               |   |  |
| Required time per cleaning process                                       |  | approx. 25 sec                              | max. 3 min                                   |   |  |
| Rinsing agent volume per cleaning  |  | approx. 140 ml                              | max. 200 ml                                  |   |  |
| Type of cleaning agent   |  | Water, solvent-based or combination cleaner |  | Water, solvent-based or combination cleaner |  |
| External pick-up and recirculation of cleaning agent for bulk containers |  | •   | •  | •   |  |
| Manual cleaning  | •  | •   | •  |   |  |
| Automatic cleaning with time control                                     | -  | -   | -  | •   |  |
| Integrated drying  |  |   |  | -   |  |
| Blow-off device  |  | •   | •  | •   |  |
| Number of cleaning/drying chambers                                       | 2  | 2   | 1  | 1   |  |
| Installation location  | Spray booth  | also in the mixing room/ar                  | Mixing room/Area in front of the spray booth |   |  |
| The spray gun can remain connected to the air line during the cleaning   |  | -   | -  | -   |  |
| Connection for exhaust air   | •  | •   | •  | •   |  |
| to the air line during the cleaning                                      | Standard   Optional   - non-existing   | •   | •  | •   |  |





| Recommended connection accessories (depending on the   | installa     | tion meth | od) |  |
|--|--------------|-----------|-----|--|
| 10934<br>Ball tap (Teflon) 1/2" male thread for air inlet  | Х            |           |     | with   |
| 146514<br>SATA air hose, blue, 13 mm, 0.5 m, G 1/2" (female thread), one connection included       | Х            |           |     |  |
| 13870<br>SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple                       | Х            | X         | X   |  |
| 53090<br>SATA air hose, blue, 9mm, 10 m with quick coupling, red and nipple                        | Х            | X         | X   |  |
| 13581<br>SATA quick coupling G 3/8" (female thread)  | Х            |           |     |  |
| 13623<br>SATA quick coupling 1/4" (male thread)  | Х            |           |     |  |
| 192633<br>Add-on kit: Suction hose for solvent vapours   | Х            | Х         | X   |  |
| Other accessories/spare parts  |              |           |     |  |
| 9886<br>SATA gravity gun holder for gravity cup spray guns   | Х            | Х         |     | -  |
| 192195<br>SATA universal spray gun and hose holder   | Х            | Х         |     | -2   |
| 6981<br>SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)                  |              | X         | X   |  |
| 53942<br>Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14                                | Х            |           |     | Contract of the Contract of th |
| 189472<br>Conversion kit external cleaning agent - suction and recirculation                       | Х            | X         | X   | 612 P)   |
| 146985<br>Repair kit   | Х            | X         | X   |  |
| 146993<br>Splash guard with fixing rivet (each 5 pieces)   | Х            | X         | X   | A. C. C.   |
| 147082<br>Grounding cable, 3 m, 4 mm²  | Х            | X         | X   |  |
| 153965<br>Hose, transparent, 8 x 1, 95 mm, for spray guns with adapter (packing unit 2 pieces)     | Х            | X         | X   |  |
| Accessories and spare parts SATA multi clean 2   |              |           |     |  |
| 21188  |              |           |     |  |
| Pressure reducer with gauge 0 – 10 bar   |              |           |     |  |
| 26815<br>Flexible aluminium tube, 5 m long, complete with two tube fittings, for suction unit SATA | multi-clean. | -2        |     |  |
| 40840  | ard olouli-  | _         |     |  |
| Cup lid cleaning unit for gun washing equipment SATA multi-clean                                   |              |           |     |  |
| 48330  |              |           |     |  |
| Blow cycle knob with valve, cpl.   |              |           |     |  |
| 10907  |              |           |     |  |

49072

38042 Filter mat

Spring clasp (packing unit 3 pieces)

Cleaning agent container without lid







# SATA® trueSun™

### Technical data:

Battery operating time: 70 min.

Weight: approx. 470 g

Charging time: 50 Min



### **Available versions**

1006411

SATA trueSun, incl. battery charger and battery, EU



### 1013094

Storage Case SATA trueSun, incl. foam inlay



### 1013151

Foam inlay with pinched inlay for storage case SATA trueSun  $\,$ 

### Spare parts

### SATA® trueSun™

1012096

Shock protection

1010082 Battery

1012137

Protective glass If protective foil is on the glass,

please remove before using!

1007154

Battery charger EU





All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

# SATA® dry jet 2™

### Technical data:

| Air consumption:     | 270 NI/min |
|----------------------|------------|
| Inlet pressure:      | 2.5 bar    |
| Max. inlet pressure: | 10.0 bar   |



### **Available versions**

217489

SATA dry jet 2 blow gun



### SATA dry jet stand (adjustable height: 30 - 190 cm)

223008

SATA dry jet 2 stand with height-adjustable bracket, 2 blow guns



### 84145

Height extension approx. 120 cm, stainless steel for SATA dry jet stand

Extension for SATA dry jet 97 stand with third blow gun

### Spare parts

### SATA® dry jet 2™

Stand for SATA dry jet without blow guns

Stand, complete, for Vario-Top-Spray and dry-jet, can be disassembled

Height extension approx. 120 cm, stainless steel

Extension for SATA dry jet 97 stand with third blow

Conversion kit for SATA dry jet, adjustable version


123786

Cross piece, cpl. for dry-jet 2

Spare flat sieve 200  $\mu m\text{,}$  pastel green (packing unit

10 pieces) 222232

Flat fan nozzle



# SATA® hoses

| Breathing  | air hoses, cpl. assembled*   |
|------------|--|
| 49080      | Safety compressed air supply hose CE 10 mm, f. SATA respirators CE version, 6 m long, cpl. according to DIN EN 139/270   |
| 176792     | Safety compressed air supply hose CE 10m, ø 10 mm DIN EN 139/270 for SATA respirators  |
| 180851     | Safety compressed air supply hose CE 40m, ø 10mm, DIN EN 139/270 for SATA respirators  |
| Air hoses, | cpl. assembled*  |
| 37655      | SATA air hose, blue, 9 mm, 6 m with quick coupling, red and nipple   |
| 195420     | SATA air hose, blue, 9 mm, 7.5 m with quick coupling, red and nipple   |
| 53090      | SATA air hose, blue, 9mm, 10 m with quick coupling, red and nipple   |
| 189068     | SATA air hose, blue, 9 mm, 15 m with quick coupling, red and nipple  |
| 9902       | SATA air hose, blue, 9 mm, 10 m long, G 1/4" (female thread)   |
| 51300      | SATA air hose, blue, $13 \text{ mm}$ , $10 \text{ m}$ long, $G 1/2$ " (female thread) for SATA vario top spray and FDG with $2 \cdot S$ . spray gun outlet                             |
| 4754       | SATA air hose, blue, 6 mm, 10 m long with quick coupling and nipple  |
| 13870      | SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple  |
| Air hoses, | cpl. assembled*  |
| 54353      | SATA PVC air hose, transparent, 2 m long with mini quick coupling, nipple with G $1/4$ " (female thread) and quick coupling nipple for SATAminijet 4400 B, minijet 3000 B and jet 20 B |
| 32987      | SATA PVC compressed air hose, transparent, 3 m long with G $1/4$ " (female thread), mini quick coupling and nipple for SATAjet 20 B  |
| 134791     | SATA Fibre air hose, 2.5 m long with G $1/4$ " (female thread), mini quick coupling for SATAgraph $1/2/3$ (jet 20 B)   |
| Hose pair  | s for SATA paint pressure tanks and SATA vario top spray*  |
| 147520     | SATA hose pair 9 x 9 mm, 6 m, with covering fabric netting, G $3/8$ " and G $1/2$ " (material), G $1/4$ " (air) (female thread) for SATA FDG and vario top spray                       |
| 147512     | SATA hose pair 9 x 9 mm, 10 m, with covering fabric netting, G $3/8$ " and G $1/2$ " (material), G $1/4$ " (air) (female thread) for SATA FDG and vario top spray                      |
| 147504     | SATA hose pair 9 x 9 mm, 15 m, with covering fabric netting, G $3/8$ " and G $1/2$ " (material), G $1/4$ " (air) (female thread) for SATA FDG and vario top spray                      |
| 19869      | SATA hose pair 9 x 9 mm, 1.5 m, G 3/8" and G 1/4" (material), G 1/4" (air) (female thread) for SATA mini set 2   |
| 77834      | SATA hose pair 9x9mm, 6m, with covering fabric netting, G3/8" and G1/2" (mat., stainless steel), G1/4" (air) (female) SATA FDG + vario top spray                                       |
| 77842      | SATA hose pair $9x9mm$ , $10m$ , with covering fabric netting, $3/8$ " and $1/2$ " (mat., stainless steel), $1/4$ " (air) (female)SATA FDG+vario top spray                             |
| 77859      | SATA hose pair $9x9mm$ , $15m$ , with covering fabric netting, $G$ $3/8$ " and $G$ $1/2$ " (material, stainless steel), $G$ $1/4$ " (air) SATA FDG and vario top spray                 |
| 160994     | Protective Sleeve for hose pair individual 6m  |
| 161000     | Protective Sleeve for hose pair individual 10m   |
| 161018     | Protective Sleeve for hose pair individual 15m   |
| 7047       | Hose clips (10 pieces) for air hose and material hoses, 9 mm   |



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

| Hose pairs | s for SATA material pressure tanks and SATAminijet 1000 K  |
|------------|--|
| 187708     | SATA hose pair 6 x 6 mm, 3 m, G 1/4" (female thread) (material and air) for SATA mini set 2  |
| 187716     | SATA hose pair $6 \times 6$ mm, $6 \times 6$ m, $6 \times 1/4$ and $6 \times 1/2$ (material), $6 \times 1/4$ (air) (female thread) for SATA FDG / SATA vario top spray |
| 187724     | SATA hose pair $6 \times 6$ mm, $10$ m, $G 1/4$ " and $G 1/2$ " (material), $G 1/4$ " (air) (female thread) for SATA FDG / SATA vario top spray                        |
| 187732     | SATA hose pair 6 x6 mm, 15 m, G $1/4$ " and G $1/2$ " (material), G $1/4$ " (air) (female thread) for SATA FDG / SATA vario top spray                                  |
| Hose pairs | s and dual hoses for SATA spray mix units*   |
| 19984      | SATA spray mix hose pair, 6 x 4 mm, 5 m, G 1/4" (female thread) (material and air)   |
| 19992      | SATA spray mix hose pair, 6 x 4 mm, 10 m, G 1/4" (female thread) (material and air)  |
| 20008      | SATA spray mix hose pair, 6 x 4 mm, 15 m, G 1/4" (female thread) (material and air)  |
| 1006099    | SATA spray mix hose pair, $6 \times 4$ mm, $15$ m long, material connection M16x1.5 (female thread), air connection G $1/4$ " (female thread)                          |
| 1006081    | SATA spray mix hose pair, $6 \times 4$ mm, $10$ m long, material connection M16x1.5 (female thread), air connection G $1/4$ " (female thread)                          |
| 1006106    | SATA spray mix hose pair, $6 \times 4$ mm, $5$ m long, material connection M16x1.5 (female thread), air connection G $1/4$ " (female thread)                           |
| 97022      | SATA spray mix hose pair with covering fabric netting, $6 \times 6$ mm, $7.5$ m, $6 \times 1/4$ " (female thread) (material and air)                                   |
| 97030      | SATA spray mix hose pair with covering fabric netting, 6 x 6 mm, 15 m, G 1/4" (female thread) (material and air)   |
| Air hoses, | unassembled*   |
| 50252      | SATA air hose, blue, 9 mm, 6 m   |
| 50591      | SATA air hose, blue, 9 mm, 10 m  |
| 50641      | SATA air hose, blue, 9 mm, 15 m  |
| Air hoses, | unassembled*   |
| 49155      | SATA material hose, green 9 mm, 6 m  |
| 49999      | SATA material hose, green, 9 mm, 10 m  |
| 50161      | SATA material hose, green, 9 mm, 15 m  |
| Individual | components for the quick coupling system   |
| 6981       | SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)  |
| 7237       | SATA quick coupling, red with hose olive 9mm and quick coupling nipple G 1/4" (female thread) (each 2 pieces)  |
| 13615      | SATA quick coupling 1/2" (male thread)   |
| 13649      | SATA quick coupling with hose olive 6 mm   |
| 13631      | SATA quick coupling, red, with hose olive 9 mm   |
| 13623      | SATA quick coupling 1/4" (male thread)   |
| 13599      | SATA quick coupling G 1/4" (female thread)   |
| 13607      | SATA quick coupling G 3/8" (male thread)   |
| 13581      | SATA quick coupling G 3/8" (female thread)   |
| 13565      | Connection piece 103/6 f. SATA quick coupling 103/6 f. 6 mm inside dia.  |
| 13557      | Hose olive 9 mm for air quick coupling   |
| 13524      | Nipple 1/8" (male thread) for SATA quick coupling  |
| 53942      | Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14   |
| 13508      | Nipple 3/8" (male thread) for SATA quick coupling  |
| 13516      | Nipple G 3/8" (female thread) for SATA quick coupling  |

# **SATA®** Painting Overalls

### **SATA** suit race

184267

SATA suit race, size S (42/44), 98% Polyester, 2% Carbon

184275

SATA suit race, size M (46/48), 98% Polyester, 2% Carbon

184283

SATA suit race, size L (50/52), 98% Polyester, 2% Carbon

SATA suit race, size XL (54/56), 98% Polyester, 2% Carbon

184309

SATA suit race, size XXL (58/60), 98% Polyester, 2% Carbon

### SATA suit space

SATA suit space, size S (42/44)

212043

SATA suit space, size M (46/48)

212050

SATA suit space, size L (50/52)

212068

SATA suit space, size XL (54/56)

212076

SATA suit space, size XXL (58/60)









All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

### SATA suit grey

221416

SATA suit grey, size M (48/50)

143255

SATA suit grey, size L (50/52)

5470

SATA suit grey, size XL (54/56)

221440

SATA suit grey, size XXL (58/60)



221432

SATA suit white, size M (46/48)

129460

SATA suit white, size L (50/52)

129445

SATA suit white, size XL (54/56)

221424

SATA suit white, size XXL (58/60)











### **Merchandise Items**

### Merchandise Items

### 235481

### **Jersey Drawstring Bag**

- · Material: Polyester Jersey, Color: Anthracite
- · Dimensions (W x H): 36.5 x 45.5 cm
- · Large drawstring bag made of soft jersey material; main compartment with side zipper pocket; drawstring; carrying loop.

### 235416

### Foldable car boot bag

- · Material: Easy-care polyester (water resistant), Colour: Black
- Dimensions (W x H x D): 30 x 32 x 27 cm, storage volume approx. 40 l, can be folded to 5 cm with a rubber band
- Robust dividing and exterior walls as well as reinforced bottom, padded handles (can be used as shopping basket)
- · Net bags for smaller objects
- With this practical car folding box, everything is stowed away properly and in its place. Perfect for car cleaning products, groceries, sports gear, tools, beverages and much more.

### 235440

### Cosmetics bag "travelcosmetic" by Reisenthel

- · Material: high-quality polyester material, water-resistant, colour: red
- · Dimensions: (W x H x D): 26 x 28 x 13.5 cm
- · Volume: 4 I
- · Robust and comfortable thanks to integrated metal brackets
- 3 loops on the inner wall, 1 zippered inner pocket
- · Hand strap

### 235507

### **Backpack SPLASH**

- · Material: Tarp, Colour: Black
- · Dimensions (W x H x D): 32.5 x 70 x 21.5
- Large, spacious main compartment with welded stitching and roll closure that reliably protects against dust and water; comfortable backpack carrying system

### 235465

### Car smartphone holding bracket with magnet

- Material: metal, colour: black/silver
- · Dimensions: Ø 3.8 cm

Smartphone holding bracket to fix smartphones in place. Compatible with all current ventilation grilles. Secure hold due to strong magnet.

### 235390

### 2-in-1 key ring cable with charging and data transfer function

- · Material: ABS/PTE/metal, Colour: White/silver
- · Dimensions (W x H x D): 13.3 x 1.1 x 1.5 cm
- · Practical key ring with USB cable and 2-in-1 connection.
- By turning the connector 180° it can be used universally for Android and iOS. With loading and data transfer function.















### Merchandiese items

### 235432

### Textile Powerbank 5,000 mAh

- · Material: ABS/Textile
- · Dimensions (W x H x D): 12.9 x 7 x 1.1 cm, weight: 132 g
- · Capacity: 5.000mAh/25 Wh
- · Input: DC 5V/1A, Output: DC 5V/1A
- · Micro-USB cable included
- · Lithium-polymer battery

### 235473

### **GripCleaner 4-in-1 Mousepad**

- · Material: 100% P-9000® Microfibre
- · Dimensions (W x H): 23 x 20 x, Edge: Round-Cut
- · Four functions: Mousepad, display cloth, lens-cleaning cloth and display protector.
- · Thousands of anti-slip dots on the back of the microfiber cloth ensure maximum grip during use.

### 234849

### Zippo SATA lighter "PHASER"

- · Material: Chrome brushed
- · PHASER logos on the front side

### 99168

### **SATA Jumbo Mug**

- · Material: Porcelain, colour: red
- · Volume: 0.40 I, size: Ø approx. 9 cm
- · Smooth, shiny surface with white logo outside
- Transport packaging only for purchase of 6 pieces single pieces are delivered without packaging

### 235499

### SATA RPS Coffee cup

- · Material: Porcelain, Colour: White
- · Volume: 0.34 I, size: Ø ca. 10.5 cm
- · Smooth, shiny outside surface
- · Transport packaging only for purchase of 6 pieces single pieces are delivered without packaging

### 233197

### Miniature SATAjet 5000 B PHASER spray gun

- · Spray gun SATAjet 5000 B PHASER key ring
- · Material: Nickel-plated
- · Dimensions (W x H): 4.3 x 5 cm

### 1063734

### Miniature SATAjet X 5500 spray gun

- Spray gun SATAjet X 5500 key ring
- · Material: Nickel-plated
- · Dimensions (W x H): 4.3 x 5 cm

















prices are recommended list prices. Errors, technical modifications and printing errors reserved

### Merchandise items

### 184259

### **Baseball Cap in Elegant SATA Design**

- · Stylish, high-quality 6-panel cap with sandwich edging
- · Curved shield and adjustable metal closure in matt silver
- · Material: Heavy, brushed cotton
- · Colour: Black with red 3D contrast stripe on the side
- Exclusively woven SATA logo on the front side, white text "SIMPLYTHE BEST" on the red sandwich trim and stitched "www.sata.com" on the back

### T-Shirt with precious SATA design

- · High wearing comfort
- · Refined with SATA logo on the left chest side
- · Colour: Black
- · Material: 100 % cotton
- · Can be washed up to 40° C, complies with Öko-Tex Standard 100

184366 Size S

184374

Size M

184382

Size L

184390

Size XL

184408

Size XXL

### Polo Shirt with precious SATA design

- · High wearing comfort
- Refined with SATA logo on the left chest side
- · Colour: Black
- · Material: 100 % cotton
- · Can be washed up to 40° C
- · Complies with Öko-Tex Standard 100

184317

Size S

184325

Size M 184333

Size L

184341

Size XL 184358

Size XXL







tration cimilar

| Notes |  |          |
|-------|--|----------|
| Notes |  | L        |
| Notes |  |          |
|       |  |          |
|       |  |          |
|       |  | L        |
|       |  | _        |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | _        |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | <u> </u> |
|       |  |          |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | L        |
|       |  | _        |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  |          |
|       |  | _        |
|       |  | _        |
|       |  |          |
|       |  |          |
|       |  |          |

