

SAFETY DATA SHEET**1. Identification of the product and of the company/undertaking****Product identifier**

Disposable Pad Saver for mounting screen abrasives on pneumatic or electric sander backing pads to reduce wear on the backing pad.

Product:	Description	Product:	Description
8299712111	115x230 mm 10H 1 pcs	8299522011	70x400 mm 14H 5 pcs
8299512011	115x230 mm 10H 5 pcs	8299102011	75x100 mm 33H 5 pcs
8295412111	125 mm 33H 1 pcs	8294712111	77 mm 6H 1 pcs
8295511011	125 mm 33H 5 pcs	8294710111	77 mm 6H 5 pcs
8295512111	125 mm 44H 1 pcs	8299512111	81x133 54H 1 pcs
8295510111	125 mm 44H 5 pcs	8299502011	81x133 mm 54H 5 pcs
8295611111	150 mm 57H 5 pcs	8293012111	90x90 mm 12H 1 pcs
8295612111	150 mm 67H 1 pcs	8299402011	93x180 mm 76H 5 pcs
8295610111	150 mm 67H 5 pcs	8295520111	125 mm 5 pcs
8296812111	200 mm 89H 1 pcs	8295620111	150 mm 5 pcs
8296810111	200 mm 89H 3 pcs	8294720111	77 mm 5 pcs
8296712111	225 mm 19H 1 pcs	8296401211	200x7 mm 89 H1 pcs
8299702011	70x198 mm 56H 5 pcs	8295911111	152 mm 7H 5 pcs

Details of the supplier:

Company: KWH Mirka Ltd

Address: Pensalavägen 210
FI-66850 Jeppo, Finland

Phone: +358 20 760 2111 Fax: +358 20 760 2290

E-mail: sales@mirka.com


Emergency telephone number:

+358 20 760 2111

Opening hours: Monday – Friday at 08.00 a.m. – 04.00 p.m. (UTC/GMT +2.00/+3.00)

2. Physical appearance:

Hook face with a loop backing in shapes that match various backing pads.



3. Size

Various, see sales literature.

4. Composition

PA 6 and PA 6.6 facing 4,4 diphenylmethane diisocyanate (MDI) based hot melt adhesive.
Polyester thread loop back

5. Hazards

Products are classified as non-hazardous.

6. First aid measures

Inhalation - No hazard in normal use.
Skin contact - No hazard in normal use.
Eye contact - Wash with water to remove any particles.
Ingestion - Wash mouth and seek medical attention.

7. Safety information

The wearing of a dust mask and safety glasses is recommended when using abrasives.

8. Handling and storage


Store flat with the face of the pad laying on a flat surface. Minimize sun and heat exposure. Avoid any sources of ignition.

9. Stability

Materials are inert and insoluble in water.

10. Environmental considerations

Landfill disposal recommended. No regulatory requirements noted.





11. Sales Literature.

Style	Actual Size		Weight gm (± 0.2)	Nom. Thickness	
	mm (± 0.2)	in (± .008)		mm (± 0.15)	in (± .006)
77 mm (3 in.) Screen Abrasive Pad Saver	72.19	2.84	2.5	3	.125
125 mm (5 in.) Screen Abrasive Pad Saver	123.19	4.85	7.0	3	.125
125 mm (5 in.) Delta Pad Saver	123.20	4.85	7.5	3	.125
125 mm (5 in.) Festo, Bosch, AEG, and Dewalt Pad Saver	125.00	4.92	7.3	3	.125
125 mm (5 in.) Pad Saver 33H	123.00	4.84	7.9	3	.125
125 mm (5 in.) Pad Saver 44H	124.50	4.90	7.5	3	.125
150 mm (6 in.) Screen Abrasive Pad Saver	145.80	5.74	10.2	3	.125
150 mm (6 in.) Screen Abrasive Pad Saver 57H	148.50	5.85	10.9	3	.125
152 mm (6 in.) Pad Saver 7H	146x98	5.75 x 3.86	7.1	3	.125
200 mm (8 in.) Screen Abrasive Pad Saver 89H	198.00	7.80	19.5	3	.125
225 mm (? In.) Pad Saver 19H	211.00	8.31	23.1	3	.125
77 mm (3 in.) Vacuum Block Disc	72.19	2.84	2.8	3	.125
125 mm (5 in.) Vacuum Block Disc	123.19	4.85	8.2	3	.125
150 mm (6 in.) Vacuum Block Disc	145.80	5.74	11.5	3	.125
75 mm x 100 mm (3 in. x 4 in.) Screen Abrasive Pad Saver	73.15 x 99.50	2.88 x 3.92	4.4	3	.125
81 mm x 133 mm (3 in. x 5 in.) Screen Abrasive Pad Saver	79.00 x 131.00	3.11 x 5.16	6.0	3	.125
93 mm x 180 mm (3 2/3 in. x 7 in.) Screen Abrasive Pad Saver	89.92 x 174.75	3.54 x 6.88	9.6	3	.125
115 mm x 230 mm (4.53 in. x 9.06 in.) Screen Abrasive Pad Saver	115.00 x 230.00	4.53 x 9.06	17.0	3	.125
70 mm x 400 mm (2.76 in. x 15.75 in.) Screen Abrasive Pad Saver	70.00 x 400.00	2.76 x 15.75	17.8	3	.125
70 mm x 198 mm (2.76 in. x 7.8 in.) Screen Abrasive Pad Saver	70.20 x 198.50	2.76 x 7.81	9.53	3	.125
90mm x 90mm Triangle Pad Saver 12H	87.35 x 92.00	3.44 x 3.62	3.3	3	.125
200 mm (8 in.) Multi Interface 89H	198.70	7.82	27.7	10	.394

