

according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Carsystem Plastic Cleaner
	Product code	:	145.985
1.2	Relevant identified uses of th	ie s	substance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Cleaning agent, Solvent
1.3	Details of the supplier of the	e sa	afety data sheet
	Company	:	Vosschemie GmbH Esinger Steinweg 50 25436 Uetersen Germany
			info@vosschemie.de
	Telephone Telefax	-	04122 717 0 04122 717158
	Responsible Department	:	Laboratory
			04122 717 0 sds@vosschemie.de
1.4	Emergency telephone numb	er	

Telephone	: Giftinformationszentrum (GIZ)-Nord,
	Göttingen, Deutschland
	0551 19240



according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1

Specific target organ toxicity - single exposure, Category 3, Central nervous system

Specific target organ toxicity - single exposure, Category 3, Respiratory system

Long-term (chronic) aquatic hazard, Category 3

H222: Extremely flammable aerosol.H229: Pressurised container: May burst if heated. H336: May cause drowsiness or dizziness.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

:

Hazard	pictograms
nuzunu	piologiumo

			>	
Signal word	:	Danger		
Hazard statements	:	H222 H229 H335 H336 H412	Pressu May ca May ca	nely flammable aerosol. Irised container: May burst if heated. ause respiratory irritation. ause drowsiness or dizziness. Il to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH06	crackir Buildur	Repeated exposure may cause skin dryness or ng. o of explosive mixtures possible without suffi- entilation.
Precautionary statements	:	P101 P102	label a	cal advice is needed, have product container or t hand. out of reach of children.
		Preven	tion:	
		P210		away from heat, hot surfaces, sparks, open and other ignition sources. No smoking.
		P211 P251 P260	Do not Do not	spray on an open flame or other ignition source. pierce or burn, even after use. breathe spray.
		Storage	e:	
		P410 +	P412	Protect from sunlight. Do not expose to tem-



according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version 1.0	GB/EN	Revision Date: 11.10.2019	Date of last issue: - Date of first issue: 11.10.2019	

peratures exceeding 50 °C/ 122 °F.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Hazardous components which must be listed on the label:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics Hydrocarbons, C9, Aromatics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Mixture
		aerosol

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Hydrocarbons, C9-C11, n-	64742-48-9	Flam. Liq. 3; H226	>= 50 - < 70
alkanes, isoalkanes, cyclics, < 2%	919-857-5	STOT SE 3; H336	
aromatics	01-2119463258-33	Asp. Tox. 1; H304	
Hydrocarbons, C9, Aromatics	64742-95-6	Flam. Liq. 3; H226	>= 20 - < 25
	918-668-5	STOT SE 3; H336	
	01-2119455851-35	STOT SE 3; H335	
		Asp. Tox. 1; H304	
		Aquatic Chronic 2;	
		H411	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 First aider needs to protect himself. Remove from exposure, lie down. If unconscious, place in recovery position and seek medical advice. Take off contaminated clothing and shoes immediately.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.

Version 1.0	GB/EN	Revision D 11.10.2019	
In cas	se of skin cont	act :	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
In cas	se of eye conta	act :	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
lf swa	llowed	:	Swallowing is not regarded as a possible method for expo- sure. Immediately give large quantities of water to drink. Call a physician immediately.
4.2 Most i	mportant syn	nptoms and e	effects, both acute and delayed
Risks		:	May cause respiratory irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.
4 3 Indica	tion of any in	nmediate mer	edical attention and special treatment needed
Treat	•		Treat symptomatically.
SECTION	1 5: Firefight	ing measur	res
0201101	l el l n eligit	ing measure	
5.1 Exting	uishing med	ia	
Suital	ole extinguishi	ng media :	Carbon dioxide (CO2) Dry powder Water spray jet Alcohol-resistant foam
Unsui media	itable extinguis a	shing :	High volume water jet
5.2 Specia	al hazards ari	sing from the	e substance or mixture
-	fic hazards du	-	Vapours may form explosive mixtures with air. Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
Hazaı ucts	rdous combus	tion prod- :	Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice	e for firefight	ers	
Speci	al protective e efighters		Use personal protective equipment. Wear suitable respiratory protection equipment.
Furthe	er information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use water spray to cool unopened containers.



according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version 1.0	GB/EN	Revision Date: 11.10.2019	Date of last issue: - Date of first issue: 11.10.2019
		In the e	event of fire and/or explosion do not breathe fumes.
SECTION	N 6: Acciden	tal release measur	es
6.1 Perso	nal precautio	ns, protective equipr	nent and emergency procedures
Perso	onal precaution	Evacua Remov Ensure Avoid i	ersonal protective equipment. ate personnel to safe areas. e all sources of ignition. adequate ventilation. nhalation of vapour or mist. contact with skin, eyes and clothing.
		autions	
6.2 Enviro	onmental pre	autions	

Keep in suitable, closed containers for disposal	Methods for cleaning up	:	Ventilate the area. Keep in suitable, closed containers for disposal.
--	-------------------------	---	--

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Local/Total ventilation	:	Ensure adequate ventilation.
Advice on safe handling	:	Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C / 122 °F. Also after use, do not open with force or burn. Provide sufficient air exchange and/or exhaust in work rooms.
Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition. Keep away from direct sunlight.
Hygiene measures	:	Do not inhale aerosol.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition.
--



Carsystem Plastic Cleaner

Versio 1.0	on GB/EN	Revision 11.10.20		e: Date of last issue: - Date of first issue: 11.10.2019
-	Further information or age conditions	on stor-	: S	Storage must be in accordance with the BetrSichV (Germany).
ļ	Advice on common s	storage	: K	eep away from food and drink.
•	pecific end use(s) Specific use(s)		: N	lo data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	of exposure)					
butane (< 0,1% 1,3-butadiene (203-450-8))	106-97-8	STEL	750 ppm 1,810 mg/m3	GB EH40			
Further information		Capable of causing cancer and/or heritable genetic damage., Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene					
	TWA 600 ppm GB EH40 1,450 mg/m3						
Further information	Capable of causing cancer and/or heritable genetic damage., Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Hydrocarbons, C9- C11, n-alkanes, isoal- kanes, cyclics, < 2% aromatics	Workers	Inhalation	Long-term systemic effects	1500 mg/m3
	Workers	Skin contact	Long-term systemic effects	300 mg/m3
	Consumers	Inhalation	Long-term systemic effects	900 mg/m3
	Consumers	Skin contact	Long-term systemic effects	300 mg/m3
	Consumers	Oral	Long-term systemic effects	300 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye protection	:	Tightly fitting safety goggles Safety glasses with side-shields conforming to EN166
Hand protection Material	:	butyl-rubber
Break through time	:	> 480 min

VOSSCHEMIE

according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Versio 1.0	n GB/EN	Revision 11.10.20			Date of last issue: - Date of first issue: 11.10.2019
	Glove thickness		:	>= 0.4 mm	
	Directive		:	DIN EN 374	
	Protective index		:	Class 6	
	Remarks		:	its material I from one pro The exact b tective glove	of an appropriate glove does not only depend on but also on other quality features and is different oducer to the other. reak through time can be obtained from the pro- e producer and this has to be observed. skin protection
SI	kin and body protec	ction	:		r suitable protective clothing, e.g. made of cotton stant synthetic fibres. d clothing
R	espiratory protectio	n	:	quired. When worke	respiratory protective equipment normally re- ers are facing concentrations above the exposure ust use appropriate certified respirators.
Fi	lter type		:	Filter type A	-P
Pr	rotective measures		:	When using Avoid conta	h adequate ventilation. do not eat, drink or smoke. ct with skin, eyes and clothing. the vapours or spray mist.
E	nvironmental expo	osure con	ntro	ols	
So W	oil ⁄ater		:		il penetration. into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	clear
Odour	:	characteristic
рН	:	not determined
Melting point/freezing point	:	not determined
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable

VOSSCHEMIE

according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Ver 1.0	sion GB/EN	Revision D 11.10.2019		Date of last issue: - Date of first issue: 11.10.2019
	Upper explosion limit flammability limit	:/Upper :	7.5 %(V)	
	Lower explosion limit flammability limit	:/Lower :	0.7 %(V)	
	Vapour pressure	:	not determ	ined
	Density	:	0.76 g/cm3	3 (20 °C)
	Solubility(ies) Water solubility	:	immiscible	
	Partition coefficient: i octanol/water	ז- :	not determ	ined
	Ignition temperature	:	365 °C	
	Viscosity Viscosity, dynami	c :	not determ	ined
	Viscosity, kinema	tic :	not determ	ined
	Explosive properties	:		ive y form flammable/explosive vapour-air mixture.
9.2	Other information Self-ignition	:	not auto-fla	ammable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if used as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid :

: Keep away from heat and sources of ignition. Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid	:	No data available
--------------------	---	-------------------

10.6 Hazardous decomposition products

Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.



according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

Hydroc	arbo	ons, C9-C11	, n-alkanes	, isoall	kanes	, cyclics,	< 2% aromatics:

Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 9,300 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
Hydrocarbons C9 Aromatics		

Hydrocarbons, C9, Aromatics:

Acute oral toxicity	:	LD50 Oral (Rat, female): ca. 3,492 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 6.193 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 3,160 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:

Hydrocarbons, C9, Aromati	cs:	
Result	:	Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



according to Regulation (EC) No. 1907/2006

ersion)	GB/EN	Revision Date: 11.10.2019	Date of last issue: - Date of first issue: 11.10.2019					
	cell mutage assified base	nicity d on available informatio	n.					
<u>Comp</u>	onents:							
•	cell mutagen		d based on benzene content < 0.1% (Regulation (EC 08, Annex VI, Part 3, Note P)					
	nogenicity assified base	d on available informatio	n.					
<u>Comp</u>	onents:							
-	ocarbons, C9 logenicity - A		d based on benzene content < 0.1% (Regulation (EC 08, Annex VI, Part 3, Note P)					
-	ductive toxi	city d on available informatio	n.					
May c	- single exp ause respirat ause drowsin							
Comp	onents:							
Hydro	carbons, C9	-C11, n-alkanes, isoalk	anes, cyclics, < 2% aromatics:					
Asses	sment	: May cau	se drowsiness or dizziness.					
	ocarbons, C9 sment	, Aromatics: : May cau dizziness	se respiratory irritation., May cause drowsiness or s.					
	- repeated e	xposure d on available informatio	n.					
Aspira	Aspiration toxicity Not classified based on available information.							
<u>Comp</u>	Components:							
•	-	-C11, n-alkanes, isoalk lowed and enters airway	anes, cyclics, < 2% aromatics: /s.					
-		, Aromatics: lowed and enters airway	/S.					



according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:								
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics:								
-	LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203							
Toxicity to daphnia and other : aquatic invertebrates	EL50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202							
Toxicity to algae :	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201							
Toxicity to fish (Chronic tox- : icity)	NOELR: 0.131 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)							
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOELR: 0.23 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)							
Ecotoxicology Assessment								
Acute aquatic toxicity :	This product has no known ecotoxicological effects.							
Chronic aquatic toxicity :	This product has no known ecotoxicological effects.							
Hydrocarbons, C9, Aromatics:								
Toxicity to fish	LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203							
Toxicity to daphnia and other : aquatic invertebrates	EL50 (Daphnia magna (Water flea)): 3.2 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202							
Toxicity to algae :	NOELR (Pseudokirchneriella subcapitata (green algae)): 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201							
Toxicity to fish (Chronic tox- : icity)	NOELR: 1.228 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)							

VOSSCHEMIE

according to Regulation (EC) No. 1907/2006

Version 1.0	GB/EN	Revision Da 11.10.2019	te: Date of last issue: - Date of first issue: 11.10.2019						
aqu	icity to daphnia a atic invertebrate xicity)		NOELR: 2.144 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)						
12.2 Per	sistence and de	egradability							
<u>Cor</u>	Components:								
		C11, n-alkane	es, isoalkanes, cyclics, < 2% aromatics:						
Biod	degradability	:	Result: Readily biodegradable.						
-	l rocarbons, C9, degradability	Aromatics: :	Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 28 d Method: OECD Test Guideline 301F						
	accumulative p data available	otential							
	bility in soil data available								
12.5 Res	sults of PBT and	d vPvB asses	sment						
	<u>duct:</u> essment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher						
12.6 Oth	er adverse effe	cts							
	<u>duct:</u> itional ecologica ion	l infor- :	No data available						
SECTIC	N 13: Dispos	al considera	tions						
13.1 Wa	ste treatment m	ethods							
Pro			According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Dispose of in conjunction with appropriate waste disposal authorities and in accordance with disposal regulations.						
Con	taminated packa	aging :	Dispose of in accordance with local regulations.						
Was	ste Code	:	The following Waste Codes are only suggestions: 08 01 11, waste paint and varnish containing organic solvents or other hazardous substances 150104, metallic packaging						
			12 / 16						

VOSSCHEMIE

according to Regulation (EC) No. 1907/2006

Versio 1.0	on	GB/EN	Revision Da 11.10.2019		Date of last issue: - Date of first issue: 11.10.2019					
				15 01 10, pack by hazardous	aging containing residues of or contaminated substances					
SEC	SECTION 14: Transport information									
14.1 (UN nu	mber								
A	ADN		:	UN 1950						
A	ADR		:	UN 1950						
F	RID		:	UN 1950						
I	IMDG		:	UN 1950						
I	ΙΑΤΑ		:	UN 1950						
14.2	UN pro	oper shippin	g name							
	ADN		:	AEROSOLS						
A	ADR		:	AEROSOLS						
F	RID		:	AEROSOLS						
I	IMDG		:	AEROSOLS						
I	ΑΤΑ		:	Aerosols, flam	mable					
14.3	Trans	port hazard o	:lass(es)							
	ADN		:	2						
	ADR		:	2						
F	RID		:	2						
I	IMDG		:	2.1						
I	ΙΑΤΑ		:	2.1						
14.4 I	Packir	ng group								
	ADN									
F	Packin	g group ication Code	:	Not assigned b 5F 2.1	by regulation					
F C L	Classif Labels	g group ication Code restriction co	: : : :	Not assigned b 5F 2.1 (D)	by regulation					
F C H	Classif	g group ication Code I Identificatior	: : Number : :	Not assigned b 5F 23 2.1	by regulation					
	IMDG Packin	g group	:	Not assigned b	by regulation					

VOSSCHEMIE

according to Regulation (EC) No. 1907/2006

Carsystem Plastic Cleaner

Vers 1.0	sion	GB/EN	Revisio 11.10.2			Date of last issue: - Date of first issue: 11.10.2019
	Labels EmS C			:	2.1 F-D, S-U	
	Packin aircraf Packin	g instruction		:		d by regulation - Flammable gases
	Packin ger air Packin	g instruction g group		:		d by regulation - Flammable gases
14.5	5 Enviro	onmental haz	zards			
	ADN Enviro	nmentally haz	zardous	:	no	
	ADR Enviro	nmentally haz	zardous	:	no	
	RID Enviro	nmentally haz	zardous	:	no	
	IMDG Marine	pollutant		:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislat	ion	specific for the substance or mix-
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
	Regulation (EC) No 850/2004 on persistent organic pol- lutants	:	Not applicable
	REACH - Restrictions on the manufacture, placing on	:	Not applicable

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3a FLAMMABLE AEROSOLS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapour.
H304 :	May be fatal if swallowed and enters airways.
H335 :	May cause respiratory irritation.
H336 :	May cause drowsiness or dizziness.
H411 :	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

od)
d) (t

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not

Carsystem Plastic Cleaner

Version		Revision Date:	Date of last issue: -
1.0	GB/EN	11.10.2019	Date of first issue: 11.10.2019

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Calculation method
STOT SE 3	H336	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.