

MIRKA



MIRKA SANDING TOOLS AND ACCESSORIES

November 2025

Contents

Dust Extraction	6
Electric Sanders	
Mirka® DEROS II	22
Mirka® DEROS RS	27
Mirka® DEOS II	30
Mirka® LEROS	35
Mirka® LEROS-S	38
Cordless Sanders	
Mirka® AOS-B & AROS-B	41
Mirka® FBS-B	43
Mirka® ANGOS	45
Pneumatic Sanders	
Mirka® PROS	48
Mirka® ROS	50
Mirka® ROS 2	53
Mirka® AOS	54
Mirka® OS	55
Mirka® PBS	59
Polishers	
Mirka® Cordless Polishers	61
Mirka® POLAROS	64
Mirka® PS1437	66
Pneumatic Polishers	67
Hand Sanding	
Mirka® DecoSander	70
Handy®	72
Rondy®	73
Long File Boards	74
Hand blocks	75
Backing Pad Matrix	78





Reduce your environmental impact and increase occupational health and safety

Environmental Impact

Long-Lasting Quality.

Our high-quality products emphasise durability. They are designed to last longer, reducing the need for frequent replacements and electronic waste.

Comprehensive Support.

Beyond products, Mirka provides a global service network for tool maintenance and an extended warranty when purchased.

Save Energy.

By switching to an electric power tool with an efficient brushless motor, there is potential to save as much as 90% of energy on a yearly basis compared to using pneumatic tools.

Recyclability.

Mirka power tools are designed to be recycled at the end of their lifetime.

Health and Safety

Dust-free Technology.

Our complete dust-free solutions combining the net abrasive technology with brushless sanding and efficient dust extraction creates a safer and cleaner workspace.

Ergonomic and Modern.

Our tools blend ergonomic design and light weight, ensuring comfort, reducing strain, and increasing efficiency.

Low noise level.

Using electric power tools with brushless electric motors makes the work markedly quieter and reducing the risk of occupational hearing damage.

Vibration Tracking.

Mirka's Tool Vibration Indicator measures the momentary vibration level reducing the risk for hand-arm vibration syndrome.



MIRKA

Mirka[®] 2 + 1 Warranty Now with Stolen Tool Support

Mirka offer a 2-year warranty as standard, with an additional year given subject to the tool being registered within 30 days of purchase on the Mirka website. Not only do you receive an extra years warranty free of charge, if unfortunately you should need to use the Mirka Repair Service, the registration to the website will make it an easier and faster process.

Mirka UK have now introduced the Mirka Stolen Tool Support Scheme*, to give a helping hand when your Mirka tool is stolen. The new Stolen Tool Support Scheme is only applicable to Mirka tools which have been registered for the extra year of warranty, so make sure your tools are registered within 30 days of purchase!

www.mirka.co.uk



MIRKA

2 + 1

YEAR WARRANTY
Register your tool on
www.mirka.co.uk

*Terms and conditions apply. Learn more at www.mirka.co.uk



Mirka® Dust Extractors



Dust Control

Health and safety issues are becoming more and more important. Sanding tools and abrasives are made increasingly efficient, with focus on dust-free applications. This development places higher requirements on the dust extractors. To meet these demands, Mirka have a varied range of dust extractors and accessories.



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® DEXOS DUST EXTRACTOR



M-Class Dust Extractor

Mirka® DEXOS is a completely new dust extractor with a compact and ergonomic, user-friendly design. Designed from the ground up to be part of Mirka's next generation of power tools, the Mirka® DEXOS features numerous clever touches to make sanding easier and efficient for the operator.


Features:

- Brushless motor (Increased efficiency – less energy – longer lifetime)
- Dust Class M (retains 99.9% of dust) / Automatic Filter Cleaning
- Cable, hose & sleeve storage inside top lid
- Simplified change of dust bag + easy to replace filters
- User-friendly foot operated brake pedal
- Autostart functionality on 2 sockets



For a *dust-free sanding process*, simply connect a powerful Mirka sander to the dust extractor with the supplied hose and begin sanding with Mirka's effective abrasives, including the groundbreaking Mirka Abranet® net abrasive.

Mirka® DEXOS M AFC DUST EXTRACTOR



1. Bluetooth pairing
2. Multifunction button
3. Auto-Filter Cleaning
4. Autostart from socket 2
5. Hose size setting (+diam.)

6. Power-level indicator
7. Power level adjustment
8. On / Standby (Autostart)
9. Start button

With a powerful and long-life *brushless electric motor*, the Mirka® DEXOS is quiet yet impressive. Power level is easily selected from the backlit control panel in the front of the dust extractor, together with *hose diameter adjustment*, *auto-start* functionality on two sockets and *Bluetooth* pairing. A configurable *multifunction* can be customised via myMirka app.

Handling the new Mirka® DEXOS could not be easier. The easily manoeuvrable and easily cleaned, Mirka® DEXOS contains space for storing the included 4m hose and cables during transport and it is compatible with the Mirka Case, Toolbox, and existing Mirka hoses. The dust extractor includes *two power outlets* for tools and it is suitable for both wet and dry use. The dust bag can be changed or removed without the need to unclip storage boxes fastened on top of the dust extractor. When transporting the DEXOS, it can be secured in place with a *brake pedal*.



Technical Details

MODEL	DEXOS 1217 M AFC	DEXOS 1230 M AFC
Product code (+ hose 4 m)	MIX12171221UK	MIX12301221UK
Mains Voltage	220 – 240 VAC	220 – 240 VAC
Power / Total mains load	1200 W / 3600 W	1200 W / 3600 W
Max. airflow (l/s)	* 42 l/s	* 42 l/s
Max. Vacuum (kPa)	25 kPa	25 kPa
Sound pressure level LPA	77.7 dB(A)	77.7 dB(A)
Weight	13 kg (28.7 lbs)	14 kg (30.9 lbs)
Container capacity	17 l	30 l

Mirka® DEXOS Dust Extractor

Product Code	Description	Pcs/Pack
MIX12171221UK	Mirka® DEXOS Dust Extractor 1217 M • 230v • M class • AFC with 4m hose for electric sanders	1
MIX12301221UK	Mirka® DEXOS Dust Extractor 1230 M • 230v • M class • AFC with 4m hose for electric sanders	1



The Mirka® DEXOS features **Automatic Filter Cleaning** and a **push-to-clean function** can be triggered. An **airflow sensor** indicates when the flow rate is below optimal. In addition, a wearable **remote-control** bracelet can toggle functions and relay information, about hot motor/PCB alarm and shut down cause, to the operator.

Technical features Mirka® DEXOS

A brushless motor offers several advantages over traditional brushed motors

Since a brushless motor doesn't have brushes to wear out, it typically has a longer lifespan, requires less maintenance, and is more reliable in the long term. Without brushes causing friction and wear, less energy is wasted as heat and mechanical losses. The higher power-to-weight ratio means smaller and lighter motors for the same power output. Brushless motors also offer more precise control over speed and torque, generating less electromagnetic interference (EMI), making them highly suitable for electronic devices and sensitive equipment.


AFC, Automatic Filter Cleaning ¹⁾

Is a feature designed to automatically clean the filters of the dust extractor, ensuring optimal performance and maintaining suction power. This helps to prevent clogging and prolongs the life of the filters, making the dust extractor more efficient and easier to maintain. Additional functionality of the AFC can be customised through myMirka app.



Opening top with lift handle

You can fit a Mirka Case and Toolbox on the top, features an ergonomic lift handle for moving the dust extractor around and transporting it.



Control panel

Easy-to-use control panel for using the various features of the DEXOS Dust Extractor

Power outlet (socket 2)

The Primary outlet (socket 1) is placed inside the dust extractors top lid storage space, next to the hose inlet.

Both power outlet sockets on the DEXOS dust extractor has got Autostart functionality.



FRONT



Hose Outlet

Outlet for the on-tool dust extraction hose

Our hose boasts a conical design, featuring two clearly defined diameters. The narrower end, measuring 27 mm, seamlessly connects to the tool, while the wider end, at 32 mm, interfaces with the dust extractor. When using the Mirka hose included with the DEXOS, the hose diameter should be set to 32 mm.

Inlet air filter

Handle



BACK

Power cord strap

Strap for the electrical cable

Top lid clamp

Power switch

Access the dust bag

Simply open the container without removing any attached storage boxes

Handle



Handle

Wheels with brake

The sturdy rear wheels with rubber tires can be locked in place with a foot brake

Power-level adjustment ¹⁾

Enables users to regulate the suction power or airflow rate of the dust extractor. This feature can be useful for adjusting the extraction power based on the type of material being worked on, the size of the work area, or the degree of dust and debris generated during the operation.

Autostart function (for 2 sockets) ¹⁾

Autostart functionality refers to a feature where the dust extractor automatically starts when the power tool it's connected to is turned on. The workflow is streamlined, ensuring that the dust extraction system activates simultaneously with the power tool, thereby capturing dust and debris as soon as the tool is in use.

Dust Class M ¹⁾

For professional users within construction, woodworking and collision repair, that sand for instance hard wood, plaster, filler, latex and oil paints, etc. that cause medium risk dust. The occupational exposure limit (OEL) for this kind of dust is > 0.1 mg/m³. Retains 99.9% of the dust.

1) Features Bluetooth connectivity for monitoring and additional configuration options using the myMirka app



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® 1230 DUST EXTRACTORS



Safety Through Dust Control

Today, health and safety issues are becoming increasingly important. Sanding tools and abrasives are made progressively more efficient, with focus on dust-free applications. This development places higher requirements on the dust extractors. To meet these demands, we have 3 models of our Mirka® 1230 dust extractors:

- Mirka® Dust Extractor 1230 L PC (Push & Clean) 230v
- Mirka® Dust Extractor 1230 M AFC (Auto Filter Cleaning) 230v
- Mirka® Dust Extractor 1230 M PC 110v (Push & Clean)



The 1230 dust extractor range is equipped with a high-performance 1200 W motor and a 1-stage turbine that creates 250 mbar suction with an airflow of 4500 l/min. The new 1230 dust extractors include the auto-start function. As the dust extractor only runs when the power tool is in use, thanks to the auto start function, there is less noise and at the same time the dust extractor gains a longer lifetime. Bigger wheels significantly improve manoeuvrability on uneven floor surfaces. Another advantage is that the filter is easy to reach through a separate opening in the back without removing the upper part.

The 1230 dust extractor range is convenient to use as it allows a case fastening system which is available as an accessory. There is extra space on top that provides storage during use. You are able to attach one or several plastic cases on top of the dust extractor.

Technical Details

MODEL	1230 L / M (230v)	1230 M (110v)
Code	8999160111 8999260111	8999130111
Voltage	220 - 240 v	110 - 120 v
Mains Frequency	50/60Hz	50/60Hz
Power Consumption	1200w	1000w
Volume flow (air)	4500 l/min	4500 l/min
Vacuum	250 hPa	230 hPa
Noise Level	59 dBa	59 dBa
Tank volume	30 l	30 l
Dimensions LxWxH	565x385x565mm	565x385x565mm
Weight	14.5kg	14.5kg

AFC, Automatic Filter Cleaning

Mirka Dust Extractor 1230 L PC and 1230 M PC are models that require manual filter-cleaning, while the two other models (AFC) are equipped with an automatic filter-cleaning system. The efficient filter cleans itself every 15 seconds, which clearly improves the performance of the dust extractor.

Advantages of automatic filter cleaning

- Less maintenance
- Constant performance
- Possibility to work without dust bags





Technical features

Cable storage Simple and effective. The durable strap keeps the cable in place during transportation.

Cable High quality and long reach.

Hose storage Keeps the hose and dust extractor placed together.

Anti-static properties

Flat top Space for storage during use.

Easily accessible flat filter
The filter is easy to reach through a separate opening in the back without removing the upper part.

Air intake filter Longer life time of motor. A (PET) filter is available as an accessory for even better protection.

Big wheels Significantly improves manoeuvrability on uneven floor surfaces.

AutoStart function As the dust extractor only runs when the power tool is in use, the dust extractor gains a longer lifetime and makes less noise.

Note! When used together with pneumatic tools an additional accessory is needed

High-performance A 1200 W motor and a 1-stage turbine that creates 250 mbar suction with an airflow of 4500 l/min. These features make the dust extractor well suited for Mirka applications.

DUST EXTRACTORS

Mirka® Dust Extraction Machine

Product Code	Description	Pcs/Pack
KIT1703ALMUL	Mirka® Dust Extractor 1230L • 230v • L Class • PC with 4m hose for electric Sanders	1
KIT1704ALMUL	Mirka® Dust Extractor 1230M • 230v • M Class • AFC with 4m hose for electric Sanders	1
KIT1705ALMUL	Mirka® Dust Extractor 1230M • 110v • M Class • PC with 4m hose for electric Sanders	1
8999160111	Mirka® Dust Extractor 1230L • 230v • L Class • PC	1
8999260111	Mirka® Dust Extractor 1230M • 230v • M Class • AFC	1
8999130111	Mirka® Dust Extractor 1230M • 110v • M Class • PC	1

Mirka 1230 Dust Extractors have an Antistatic feature.

110v Machines.



Mirka® Dust Extractor 1230 L PC 230v



Mirka® Dust Extractor 1230 M AFC 230v



Mirka® Dust Extractor 1230 M PC 110v

Mirka (UK) Ltd Dust Extractor Disclaimer

It is the responsibility of the purchasing customer to ensure that any dust extractor is suitable for the type of dust being collected. Mirka (UK) Ltd does not and will not recommend a dust extractor to customers. All brochures, catalogues, descriptions and other promotional materials are to be treated as illustrative only and are not intended to amount to advice or recommendation on which a customer should rely. Mirka (UK) Ltd recommends a full risk assessment is carried out by an independent third party professional or specialist to ensure any dust extractor is fit for the purpose intended by a customer before they make a purchase. If the dual vacuum kit is used on an M class dust extractor, the dust extractor cannot be used in applications where M class is required. In no event will Mirka (UK) Ltd be liable for any loss or damage as a result of a customer using a Mirka dust extractor. This disclaimer supplements Mirka (UK) Ltd's Terms of Sale.



DUST EXTRACTORS

Mirka® Dust Extraction Kits

Product Code	Description	Pcs/Pack
BMFC00156	Mirka® Dust Extractor 1230L Pneumatic Kit Includes Mirka® Dust Extractor 1230L, 5.5m hose with integrated pneumatics and pneumatic box	1
BMFC00157	Mirka® Dust Extractor 1230M AFC Pneumatic Kit Includes Mirka® Dust Extractor 1230M AFC, 5.5m hose with integrated pneumatics and pneumatic box	1



Mirka® Trolleys

Product Code	Description	Pcs/Pack
9190310111	Mirka trolley for extractors	1
9190129001	Mirka solution trolley	1
9190148011	Mirka work station Mirka case fastening accessory is required to attach the work station to 1230 extractors.	1
9190148022	Workstation for DEXOS 1230	1



Mirka extractor trolley



Mirka solution trolley



Mirka work station



Mirka work station for DEXOS 1230

Please note that products are not included with trolleys.

Accessories for Mirka® Trolleys

Product Code	Description	Pcs/Pack
9190147001	Hand towel rack for solution trolley	1
9190149001	Shelf for solution trolley	1
9190149011	Shelf for workstation	1
9190110501	Hook for 77mm machines	1
9190110601	Hook for OS and DEOS machines	1
9190110602	Hook for LEROS machine	1
9190110701	Universal hook	1
9190160011	Hose Arm for Solution Trolley	1

Items in blue are only available from stock in Finland and are subject to a lead time of 5 – 7 days.

MODULAR TROLLEY

BUILD YOUR OPTIMAL WORKFLOW

Organise your workshop floor with the addition of the new modular trolley. Available with three set-ups, the trolley provides workers with a place to store all their machines and consumables and the option to modify it based on the job they are performing.



Product Code	KITMODTROLL1	KITMODTROLL2	KIT2461ALMUK
Base module for Modular Trolley	X	X	X
Midsection Plain for Modular Trolley	X	X	X
Shelf module	X		
Drawer module		X	X
Spray gun holder for Modular Trolley			X
Aerosol holder for Modular Trolley			X
Waste bag holder for Modular Trolley			X
Tool Wall for Modular Trolley			X
Hook, Round holes short, Yellow			X
Hook, Square holes long, Yellow			X
Shelf for tool wall, abrasives, Modular Trolley			X
Shelf for tool wall, Mirlon Total, Modular Trolley			X

Parts For Trolley

Product Code	Description	Pcs/Pack
919400011	Base module for Modular Trolley Bottom plate for Modular Trolley, Top with Drawer and Rubber Mat for Modular Trolley, Hose arm for Modular Trolley, Tool hook for hose arm, Cable hook for Modular Trolley, Push Handle for Modular Trolley	1
9194012411	Midsection Plain for Modular Trolley	1
9194021711	Drawer module for Modular Trolley	1
9194021511	Shelf module for Modular Trolley	1
9194011411	Spray gun holder for Modular Trolley	1
9194011311	Aerosol holder for Modular Trolley	1
9194010611	Waste bag holder for Modular Trolley	1
9194010111	Tool Wall for Modular Trolley	1



MODULAR TROLLEY

Parts For Trolley Continued

Product Code	Description	Pcs/Pack
9194010411	Hook, Round holes short, Yellow	3
9194010311	Hook, Square holes long, Yellow	3
9194010211	Shelf for tool wall, abrasives, Modular Trolley	1
9194010511	Shelf for tool wall, Mirlon Total, Modular Trolley	1

Abrasive storage trays

For vertical placement of full packs. Angled holders improve position for access. Magnetic attachment makes fitting and repositioning easy.



Deeper drawer

A deeper drawer that suits large Polarshine bottles, for example.



Large tool drawer

Keep your tools safe and secure in this tool drawer.



Lockable swivelling castors

Excellent mobility even over grates. All four swivelling castors can be locked for secure positioning and preventing the cart from rolling away.



Personal drawer

Smaller drawer for personal items. Allows quick access.



New hose arm with holders

The new practical hose holder picks up hoses from the floor, making work safer. The hose arm is developed to fit two 27mm dust hoses and one 20mm hose.



Waste bag and cable holder

Waste bag holder for easy and direct waste disposal. Behind the waste bag is a cable holder.



Machine holders

Secure and safe storage and resting position for 2-3 sanders, so that the workplace is logically organised.




Two abrasive/tool drawers

The perfect space for Abrasive packages or smaller tools.



Mirlon Total tray

A Mirlon Total holder for making pads easily available.



Hooks for gadgets

Place tapes or other equipment on the hooks.



Spraygun & aerosol can holders

Holders for the spraygun and two aerosol cans.



DUST EXTRACTION ACCESSORIES

Mirka® Dust Extraction Machine Accessories

Product Code	Description	Pcs/Pack		Air	Elec.
MIX9990011	Remote control for Mirka® DEXOS	1			
MIX1230001	Y-branch for Mirka® DEXOS	1			
8992510211	Dual Operator Kit for DE 1230	1			
8992510311	Dual Vacuum Kit for DE 1230 (without air couplings)	1			
MIX1214071	Filter for DEXOS	1			
8999600411	Filter for DE 915/1025	1			
8999100411	Filter for DE 1230	1			
MIX1215171	Dust Bag Fleece for DEXOS 1217	5			
MIX1216171	Dust Bag Fleece for DEXOS® 1230	5			
8999000211	Dustbag Fleece for DE 1025	5			
8999100211	Dustbag Fleece for DE 1230	5			
8999700211	Dustbag Fleece for DE 915	5			
8999101011UK	Pneumatic Box for DE 1230 230v	1			
MIX1212131	Cooling Air Filter kit for DEXOS	1			
8999110111	Motor Cooling Filter for DE 1230	1			
8999110211	Motor Cooling Filter PET for DE 1230	1			
8999110411	Case Fastening Accessory for DE 1230	1			
8992514511	Coaxial Hose • 5.5m	1			
8992514711	Hose 27mm x 10m • with integrated pneumatics	1			
MIN6519411	Hose 27mm x 4m + connector	1			
MIN6519311	Hose 27mm x 6m + connector	1			



If the dual vacuum kit is used on an M class dust extractor, the dust extractor cannot be used in applications where M class is required

DUST EXTRACTION ACCESSORIES

Mirka® Dust Extraction Machine Accessories Continued


Product Code	Description	Pcs/Pack		Air	Elec.
MIN6519211	Hose 27mm x 10m + connector	1			●
8999799111	Vacuum Clean up kit	1		●	●
8999790111	Vacuum Clean up kit without hose	1			●
8993022011	Hose Swivel Connector Ø 20mm / 20mm. Enables connecting two Ø 20mm hoses.	1		●	●
8999804111	Hose Ø 27mm x 0.5m + Connector.	1		●	●
8992515611	Hose Adapter 32/54mm	1		●	●
MIE6511111	Quick connector, Soft, 25.4mm	1			●
8992515811	Mirka Connector for air + electric hoses	1		●	
8992515911	Connector for air + electric hoses with threads	1		●	
8999899111	Carry Bag for Mirka Hose	1		●	●
8999299111	Handle for Dust Extractor 1230	1		●	●
MIE6515911	Mirka sleeve for hose and cable • 3.8m	1			●
MIE6515921	Mirka sleeve for hose and cable • 5.8m	1			●
MIE6515931	Mirka sleeve for hose and cable • 9.8m	1			●
MIE6515511UK	Mirka Sleeve + Cable 230v + Hose 4m UK	1			●
MIE6515611UK	Mirka Sleeve + Cable 230v + Hose 10m UK	1			●
8999100711	HEPA filter for 1230 range	1		●	●
8999100811	HEPA filter cover for 1230 range	1		●	●
9190150011	LEROS Holder for DE1230	1			●

HEPA filter does not turn your dust extractor into a H-Class machine.


HOSES AND ADAPTORS

Mirka® Hoses and Adaptors


Mirka® CEROS | DEROS | DEOS | LEROS





Mirka® PROS | ROS | OS CV



Decosander®



Hand Sanding Blocks














4m hose for electric sanders
(MIN6519411)



10m hose with integrated pneumatics
(8992514711)

HOSES AND ADAPTORS

Adapter	Description
 8999804111*	1 Hose Ø 27 mm x 0.5 m + Connector. This conductive adapter enables a quick change in-between Mirka power tools. Fix the adapter on each tool and connect/disconnect to/from any Mirka hose assembly with a Mirka branded adapter, both pneumatic: 8992514511, 8992514711.
 8992515811*	2 a Mirka Connector for Air + Electric Hoses. Comes with hose 8992514511 and 8992514711.
 8992515911*	2 b Connector for Air + Electric Hoses with threads. This adapter is close to the dust extractor, where the pneumatic tube/electrical cable comes out. Comes with hose 8992514511 and 8992514711.
 8992515611*	3 Hose adapter Ø 32 mm / 54 mm for Mirka® Dust Extractors. Comes with hose MIN6519411, MIN6519211, 8992514511 and 8992514711. This adapter goes from the hose into the dust extractor.
 8391111111*	5 Adapter Ø 20 mm / 28 mm for Mirka® Hand Sanding Blocks. Enables using the Ø 27 mm hoses (MIN6519411 and MIN6519211) together with the blocks.
 8992515411*	6 Soft Connector Ø 25.4 mm. Delivered together with hose MIN6519411 and MIN6519211. Enables connecting MIN6519411 and MIN6519211 hoses to Mirka Decosander®, Mirka Dust Suction Hood and sanders of other brands. Note! Not suitable for Mirka® CEROS or Mirka® ROS.
 MIE6511111	7 Quick connector Ø 25.4 mm. Delivered together with hose MIN6519411 and MIN6519211. Enables connecting MIN6519411 and MIN6519211 hoses to Mirka DEROS, DEOS, LEROS and Dust Suction Hood. Note! Not suitable for Mirka® CEROS or Mirka® ROS.
 8993022011	8 Hose Swivel Connector Ø 20 mm / 20 mm. Enables connecting two Ø 20 mm hoses. For example: 2 x Ø 20 mm hose x 4 m hose (839112011).
 8393001511*	10 Adapter Ø 30–48 mm for Dust Extractor. Can be cut to fit dust extractors of other brands.
 8391111211	13 Connector Air Inlet for Hand Sanding Block 20 / 20 mm. When fixed on a Mirka 20 mm dust extraction hose, this new connector enables a quick and smooth change of the hose from one Mirka hand sanding block to another. This connector enables adjusting the airflow.
 MIE6515911	14 Mirka Sleeve for Hose and Cable 3.5 m




* electrical conductive ($\leq 10^6 \Omega/\text{square}$)

** antistatic ($\leq 10^{11} \Omega/\text{square}$)



Mirka® Electric Sanders



Effortlessly Efficient

Mirka electric sanders are unique, lightweight with a compact design. The optimised ergonomics make the tools comfortable to grip and easy to use. The innovative brushless electric motors are powerful enough to maintain a constant speed under load. Mirka's electric sanders are also cheap to run and require minimal maintenance.



Mirka® DEROS reborn.

Mirka® DEROS II

20% more powerful. Longer lifetime.

NextGen Sander

Next generation **Mirka® DEROS II** continues the story of the successful random orbital sander with numerous improvements for the user. Operator comfort is at its highest standard, as the long-life electric brushless motor of the new Mirka® DEROS II now has up to 20 % more sanding power for getting effortlessly through demanding sanding jobs and heavy applications. The lightweight Mirka® DEROS II with its low noise level, low vibration values and the unique symmetrical design guarantees that the tool can be used for long periods without fatigue.

Mirka® DEROS II – More power / longer lifetime / even more user-friendly



NEXT GEN TOOLS

Mirka® DEROS II

Features

- Up to 20 % more powerful brushless motor to maintain constant speed under heavy load
- Ergonomic design – low-profile, lightweight and low noise level
- LED indication on RPM speed selector
- Integrated vibration sensor
- Bluetooth features (connect to myMirka for monitoring vibration)
- New accessories
- Connect Mirka® DEROS II to Mirka's dust extractor and use dust-free abrasives for a healthier and safer working environment



Technical Details

MODEL	DEROS II 325CV	DEROS II 350CV	DEROS II 550CV	DEROS II 625CV	DEROS II 650CV
Code	MID3254044UK	MID3504044UK	KIT2431ALMUK	KIT2429ALMUK	MID6504044UK
Size	77mm	77mm	125mm	150mm	150mm
Power	300w	300w	300w	300w	350w
Input Voltage	220-240 v	220-240 v	220-240 v	220-240 v	220-240 v
Speed	4,000-10,000 rpm	4,000-10,000 rpm	4,000-10,000 rpm	4,000-10,000 rpm	4,000-10,000 rpm
Orbit	2.5mm	5.0mm	5.0mm	2.5mm	5.0mm
Weight	0.8 kg	0.8 kg	1.0 kg	1.0 kg	1.0 kg
Height	95mm	95mm	95mm	95mm	95mm
Noise level	67 dBa	67 dBa	71 dBa	71 dBa	71 dBa
Vibration	2.7m/s ²	2.6m/s ²	3.2m/s ²	2.4m/s ²	3.4m/s ²
Backing Pad	8294791211	8294791211	8292502011	8292605011	8292605011

MODEL	DEROS II 680CV	DEROS II 5650CV	DEROS II 5650XCV	DEROS II 750CV
Code	KIT2430ALMUK	MID56504CAUK	MID56508CAUK	MID7504044UK MID75040CAUK
Size	150mm	125mm & 150mm	125mm & 150mm	175mm
Power	350w	350w	350w	400w
Input Voltage	220-240 v	220-240 v	100-120 v	220-240 v
Speed	4,000-10,000 rpm	4,000-10,000 rpm	4,000-10,000 rpm	6 000 - 9 000rpm
Orbit	8.0mm	5.0mm	5.0mm	5.0mm
Weight	1.1 kg	1.0 kg	1.1 kg	1.1 kg
Height	95mm	95mm	95mm	95mm
Noise level	71 dBa	71 dBa	71 dBa	71 dBa
Vibration	3.5m/s ²	3.4m/s	3.4m/s	2.8m/s ²
Backing Pad	8292605011	8292605011 8292502511	8292605011 8292502511	8292703011



Learn more and request a demonstration at www.mirka.co.uk



MIRKA® DEROS II

Mirka® DEROS II • Direct Electric Random Orbital Sander

Product Code	Description	Pcs/Pack	
MID3254044UK	Mirka® DEROS II 325CV 77mm • 230v • 2.5mm orbit	1	
MID3504044UK	Mirka® DEROS II 350CV 77mm • 230v • 5.0mm orbit	1	
KIT2431ALMUK	Mirka® DEROS II 550CV 125mm • 230v • 5.0mm orbit	1	
MID56504CAUK	Mirka® DEROS II 5650CV 125/150mm • 230v • 5.0mm orbit with Case	1	
MID6504044UK	Mirka® DEROS II 650CV 150mm • 230v • 5.0mm orbit	1	
MID6538344CAUK	Mirka® DEROS II 650CV & Mirka® DEOS II 383CV • 230v • with a case	1	
MID6535344CAUK	Mirka® DEROS II 650CV & Mirka® DEOS II 353CV • 230v • with a case	1	
MID6566344CAUK	Mirka® DEROS II 650CV & Mirka® DEOS II 663CV • 230v • with a case	1	
KIT2429ALMUK	Mirka® DEROS II 625CV 150mm • 230v • 2.5mm orbit	1	
MID56508CAUK	Mirka® DEROS II 5650X CV 125/150mm • 110v • 5.0mm orbit with Case	1	
KIT2430ALMUK	Mirka® DEROS II 680CV 150mm • 230v • 8.0mm orbit	1	
MID7504044UK	Mirka® DEROS II 750CV 175mm • 230v • 5.0mm orbit	1	
MID75040CAUK	Mirka® DEROS II 750CV 175mm • 230v • 5.0mm orbit with case	1	



Mirka® DEROS Accessories

Product Code	Description	Pcs/Pack	
MIE9017011	Rewireable Mains Cable 4.3m 230v UK	1	
MIE9016311	Rewireable Mains Cable 10.5m 230v UK	1	
MIE9017311	Rewireable Mains Cable 4.3m 110v UK	1	
MIE9011111	Rewireable Connector HP-9R	1	
MIN6519411	Hose 27mm x 4m + connector	1	
MIN6519311	Hose 27mm x 6m + connector	1	
MIN6519211	Hose 27mm x 10m + connector	1	
MIE6515911	Mirka sleeve for hose and cable • 3.8m	1	
MIE6515921	Mirka sleeve for hose and cable • 5.8m	1	
MIE6515931	Mirka sleeve for hose and cable • 9.8m	1	
8294791211	77mm • 6 Holes • Medium • Backing pad for Mirka® DEROS 350CV	1	
8292502511	125mm • 5/16" • 28 Holes • Medium • Backing Pad • 130g	1	
8292605011	150mm • 5/16" • 48 Holes • Medium • Backing Pad	1	
8292607011	150mm • Multift • Medium • 130g	1	
8292703011	175mm • 37 Holes • Medium • M9 • Net Backing Pad	1	
8294710111	77mm • 6 Holes • Pad Saver	5	
8295511011	125mm • 33 Holes • Pad Saver	5	
8295610111	150mm • 67 Holes • Pad Saver	5	
8295600011	150mm • Multift • Pad Saver	5	



MIRKA® DEROS II

Mirka® DEROS Accessories Continued

Product Code	Description	Pcs/Pack	
8293173710	175mm • 37 Holes • Pad Saver Net	5	
8295535111	125mm • 33 Holes • 5mm Interface Pad	5	
8295530111	125mm • 33 Holes • 10mm Interface Pad	5	
8295650111	150mm • 67 Holes • 5mm Interface Pad	5	
8295600111	150mm • 67 Holes • 10mm Interface Pad	5	
8294173750	175mm • 37 Holes • 5mm Interface Pad	5	
8290125111	Edge Protector for DEROS 125mm	1	
8290150111	Edge Protector for DEROS 150mm	1	
8290175111	Edge Protector for DEROS 175mm	1	
8995604121	Pad Wrench 125mm / 150mm	1	
MIN6532011	Mirka Case 400x300x158mm	1	
MIN6533011	Mirka Case 400x300x210mm	1	
MIN6535011	Mirka Case 400x300x315mm	1	
MIN6532111	Mirka Toolbox	1	
9190200112	Mirka Tool Bag	1	
8996535011	Case inlay for 150mm discs	1	



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® DEROS RS 600CV



The next generation rotary sander.

Mirka® DEROS RS 600 is designed for heavy-duty, coarse grinding sanding applications. Despite its robust attributes, this tool maintains a surprising level of smoothness during operation, offering a quiet and easily manoeuvrable solution for tackling rough materials. Mirka® DEROS RS is a powerful, lightweight and compact heavy-duty rotary sander that can be used for paint stripping, microcement, stair sanding, body in white and teak decks.

Lightweight and low-profile

Made to withstand demanding use, the purposeful design of the new Mirka® DEROS RS sander makes it instantly recognisable. Lightweight for its size at 1.80 kg and with a low 11.5 cm profile, it retains the hallmarks of the Mirka® DEROS product family, including easy-to-use ergonomics and compatibility with Mirka dust-free sanding. During sanding, the Mirka® DEROS RS extracts dust from around the backing pad as well as through the extraction holes on the pad and abrasive.

The sanding speed is easily adjustable between 700rpm and 2500rpm with a clearly visible LED indicator. A special slow start function can be selected. To monitor vibration levels, the connectivity features of the Mirka® DEROS RS 600 include myMirka app compatibility over Bluetooth®. Accessories for the Mirka® DEROS RS include pad savers and a specially designed shroud to direct dust into extraction channels from the working surface.



Heavy-duty Mirka® DEROS RS 600: rotary movement, more powerful

The Mirka® DEROS RS 600 is a new rotary sander for rough applications and general-purpose sanding. It is a heavy-duty sander suitable for a wide range of surfaces, providing the operator with a low noise level and smooth operation to reduce strain. The long-life brushless motor produces 750W of power.

Features

- Powerful & Lightweight
- Very low noise levels and minimal vibration
- RPM LED indication
- A shroud (incl.) guides dust in right direction when sanding with a pad saver
- Momentary switch function

Technical Details

MODEL	DEROS RS 600	DEROS RS 600 +CASE	DEROS RS 600X +CASE
Product code	MRS6002100UK	MRS60021CAUK	MRS60011CAUK
Pad diameter	150 mm	150 mm	150 mm
Power	750 W	750 W	
Input voltage	220 – 240 V ~	220 – 240 V ~	100 - 120 V
Speed (rpm)	700-2,500	700-2,500	700-2,500
Weight	1.8 kg	1.8 kg	1.8 kg
Noise level	61 dB	61 dB	61 dB
Vibration	1.6 m/s ²	1.6 m/s ²	1.6 m/s ²
Usage*	1, 2, 3, 4, 5	1, 2, 3, 4, 5	1, 2, 3, 4, 5

*The tool is best suited for the following sectors: Construction and Decoration (1), Wood (2), Collision Repair (3), Automotive (4), and Marine (5). Specifically, the Mirka® DEROS RS is highly effective for microcement work and stair sanding (Construction & Decoration), paint stripping (Collision Repair & Wood), body in white applications (automotive), and teak deck sanding (Marine).

MIRKA® DEROS RS

Mirka® DEROS RS • Rotary Sander

Product Code	Description	Pcs/Pack
MRS6002100UK	Mirka® DEROS RS 600 150mm • 230V	1
MRS60021CAUK	Mirka® DEROS RS 600 150mm • 230V • Case	1
MRS60011CAUK	Mirka® DEROS RS 600 150mm • 110V • Case	1



Product Code	Description	Pcs/Pack	
MIE9017011	Rewireable Mains Cable 4.3m 230v UK	1	
MIE9016311	Rewireable Mains Cable 10.5m 230v UK	1	
MIE9011111	Rewireable Connector HP-9R	1	
MIN6532011	Mirka Case 400 x 300 x 158mm	1	
MIN6533011	Mirka Case 400 x 300 x 210mm	1	
MIN6535011	Mirka Case 400 x 300 x 315mm	1	
MIN6532111	Mirka Toolbox	1	
9190200112	Mirka Tool Bag	1	
8996535011	Case inlay for 150mm discs	1	
8995604121	Pad Wrench 125mm / 150mm	1	
MRS6011511	Dust Shroud for Mirka® DEROS RS	1	
8292605011	150mm • 5/16" • 48 Holes • Medium • Backing Pad Net	1	
8292607011	150mm • Multifit • Medium • 130g	1	
8295610111	150mm • 67 Holes • Pad Saver Net	5	
MIN6519411	Hose 27mm x 4m + connector	1	
MIN6519311	Hose 27mm x 6m + connector	1	



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® DEOS II



Flawless From Corner To Corner

The new **Mirka® DEOS II** long-life brushless electric motors have up to 20 % more sanding power for getting effortlessly through demanding sanding jobs. Operator comfort continues at a high standard with a low noise level, reducing stress when sanding for longer periods. The Mirka® DEOS II is available as four different versions.

Well-known for leading ergonomics and balanced feel, the award-winning design of the Mirka® DEOS is made even more user-friendly.

Mirka® DEOS II

The new Mirka® DEOS II features a list of improvements to make sanding even easier than before. As well as ergonomics and ease of use, the hallmark of the Mirka® DEOS range is compatibility with dust-free sanding. Connect your DEOS II to Mirka's Dust extractor and use dust-free abrasives for a healthier and safer working environment.

Mirka® DEOS II is available as four different versions for different sanding applications.

Features:

- Up to 20 % more powerful brushless motor and an integrated vibration sensor
- LED indication on RPM speed selector
- Bluetooth features (connect to myMirka for monitoring vibration)



Technical Details

MODEL	DEOS II 343CV	DEOS II 353CV	DEOS II 383CV	DEOS II 353XCV	DEOS II Delta 663CV	DEOS II Delta 663XCV
Code	MID3434044UK	MID3534044UK MID35340CAUK	MID3834044UK	MID35308CAUK	MID6634044UK	MID6638044UK
Size	75 x 100mm	81 x 133mm	70 x 198mm	81 x 133mm	100 x 152 x 152mm	100 x 152 x 152mm
Power	300w	300w	300w	300w	300w	300w
Input Voltage	220-240 v	220-240 v	220-240 v	100-120 v	220 - 240 v	100-120 v
Speed	5,000-10,000 rpm	5,000-10,000 rpm	5,000-10,000 rpm	5,000-10,000 rpm	5,000 - 10,000 rpm	5,000 - 10,000 rpm
Orbit	3.0mm	3.0mm	3.0mm	3.0mm	3.0mm	3.0mm
Weight	0.97 kg	0.97 kg	1.0 kg	0.97 kg	0.97kg	0.97kg
Height	95mm	95mm	95mm	95mm	95mm	95mm
Noise level	70 dB(A)	69 dBa	71 dBa	69 dBa	68 dBa	68 dBa
Vibration	3.3 m/s ²	2.6m/s ²	2.6m/s ²	2.6m/s ²	2.6m/s ²	2.6m/s ²
Backing pad	8292343011	8292353011	8292383011	8292353011	8292663011	8292663011



MIRKA® DEOS II

Mirka® DEOS II • Direct Electric Orbital Sander

Product Code	Description	Pcs/Pack	
MID3434044UK	Mirka® DEOS II 343CV 75 x 100mm • 230v • 3.0mm orbit	1	
MID35340CAUK	Mirka® DEOS II 353CV 81 x 133mm • 230v • 3.0mm orbit with case	1	
MID35308CAUK	Mirka® DEOS II 353XCV 81 x 133mm • 110v • 3.0mm orbit with case*	1	
MID3534044UK	Mirka® DEOS II 353CV 81 x 133mm • 230v • 3.0mm orbit	1	
MID6535344CAUK	Mirka® DEOS II 353CV & Mirka® DEROS II 650CV • 230v • with a case	1	
MID6634044UK	Mirka® DEOS II Delta 663CV 100 x 152 x 152mm • 230v • 3.0mm	1	
MID6638044UK	Mirka® DEOS II Delta 663XCV 100 x 152 x 152mm • 110v • 3.0mm	1	



Mirka® DEOS Accessories

Product Code	Description	Pcs/Pack	
MIE9017011	Rewireable Mains Cable 4.3m 230v UK	1	
MIE9016311	Rewireable Mains Cable 10.5m 230v UK	1	
MIE9017311	Rewireable Mains Cable 4.3m 110v UK	1	
MIE6515511UK	Mirka Sleeve + Cable 230v + Hose 4m UK	1	
MIE6515611UK	Mirka Sleeve + Cable 230v + Hose 10m UK	1	
MIE9011111	Rewireable Connector HP-9R	1	
MIE6511111	Quick Connector • Soft • 25.4mm	1	
MIE6515911	Mirka sleeve for hose and cable • 3.8m	1	
MIE6515921	Mirka sleeve for hose and cable • 5.8m	1	
MIE6515931	Mirka sleeve for hose and cable • 9.8m	1	
MIN6519411	Hose 27mm x 4m + connector	1	
MIN6519311	Hose 27mm x 6m + connector	1	
MIN6519211	Hose 27mm x 10m + connector	1	
8299101011	Interface 75 x 100mm • 7mm • 33 Holes	5	
8294751010	Groove Interface 75 x 100 10mm Medium	1	
8294750610	Groove Interface 75 x 100 6mm Soft	1	
809BK00137	Profile Foam Interface 81 x 133mm	1	
8299102011	Pad Saver 75 x 100mm • 33 Holes	5	
8299502011	Pad Saver 81 x 133 mm • 54 Holes	5	



MIRKA® DEOS II

Mirka® DEOS Accessories Continued

Product Code	Description	Pcs/Pack	
8299532111	Pad Saver 81 x 165mm • 50 Holes	1	
8292343011	Backing Pad 75 x 100mm • 29 Holes • Medium	1	
8292353011	Backing Pad 81 x 133mm • 46 Holes • Medium	1	
8292366011	Backing Pad 81 x 165mm for Mirka® DEOS 353 • 50 Holes • Medium	1	
8290353111	Edge Protector for DEOS® 81x133 mm	1	
8295901211	Interface 100 x 152 x 152mm • 32 Holes • 7mm	1	
8295901011	Interface 100 x 152 x 152mm • 32 Holes • 7mm	5	
8295912111	Pad Saver 100 x 152 x 152mm • 32 Holes	1	
8295902011	Pad Saver 100 x 152 x 152mm • 32 Holes	5	
8292663011	Backing Pad Net 100 x 152 x 152mm • 32 Holes • Medium	1	
MIN6533011	Mirka Case 400 x 300 x 210mm	1	
MIN6535011	Mirka Case 400 x 300 x 315mm	1	
MIN6532111	Mirka Toolbox	1	
9190200112	Mirka Tool Bag	1	



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® LEROS



Perfection from any angle.

Without the sanding power and precision of electric sanders, finishing large areas such as walls and ceilings can take hours. Our Mirka® LEROS sander is here to streamline this task for a quick and efficient finish. Discover the lightest, most advanced random orbital wall sander that tackles even the toughest of jobs.

A shorter version of the Mirka® LEROS is also available, the Mirka® LEROS-S.




Mirka® LEROS

Long Electric Random Orbital Sander

Years of development work and a determined focus on ergonomics and user-friendliness have resulted in the lightest random orbital electric wall and ceiling sander on the market, Mirka® LEROS. This unique tool has features like no other comparable sander on the market.





180° flexible sanding head

The flexible sanding head enables the tool to easily follow the operator's movements and permits the operator to use an ergonomic working position. The flexible head also helps the operator to reach the surface from different angles.



Lightweight, only 3.5 kg

Mirka® LEROS is the lightest random orbital wall and ceiling sander on the market. Thanks to the light weight, the operator can sand for longer periods and less strain is put on the operator's body.

5 mm random orbital movement

The random orbital movement enables an easy handling of the tool and a better finish, resulting in fewer interruptions due to fatigue and less re-work is needed.



Full force system

Due to the lack of springs and brushes there is no need to press the tool against the wall when sanding with the Mirka® LEROS. Instead the complete force is transferred to the sanding process.

Brushless motor

The brushless motor reduces the weight of the tool significantly. In addition, less maintenance is needed since there are no carbon brushes that need to be changed.

Dust-free

To enable efficient dust-free sanding the shroud has two suction points and a pad that is optimised for Abranet® sanding discs. The operator saves time and money and the work environment is cleaner and healthier.

Technical Details

MODEL	Mirka® LEROS 950CV	Mirka® LEROS-S 950CV
Power input	350 W	350 W
Speed	4,000–8,000 rpm	4,000–8,000 rpm
Orbit	5.0 mm	5.0 mm
Noise level LpA	84 dB	73 dB
Vibration level	2.5 m/s ²	< 2.5 m/s ²
Weight	3.5 kg	3.2 kg
Size of pad	225 mm (24 holes)	225 mm (24 holes)



Mirka® LEROS-S

Reach Closer

The Mirka® LEROS-S 950CV is a compact length brushless sander with a highly flexible sanding head, designed for effortless sanding of large wood and composite surfaces in manufacturing. The LEROS-S is light, balanced and easy to handle, and its large sanding pad with a 5 mm random orbit makes it possible to work faster with a more even result, for a high surface finish quality. With two dedicated grip points, you have secure control of the sanding process – and when you need more reach, the LEROS-S can also be fitted with an extension.



Mirka® LEROS

Product Code	Description	ROQ (Packs)	Pcs/Pack
MIW95070BAUK	Mirka® LEROS 950CV 225mm • Dual Voltage • 5.0 mm orbit with bag	1	1
MIW95071BAUK	Mirka® LEROS-S 950CV 225mm • Dual Voltage • 5.0 mm orbit with bag	1	1



Mirka® LEROS



Mirka® LEROS-S

Mirka® LEROS Accessories

Product Code	Description	Pcs/Pack	
MIE9017011	Rewireable Mains Cable 4.3m 230v UK	1	
MIE9016311	Rewireable Mains Cable 10.5m 230v UK	1	
MIE9017311	Rewireable Mains Cable 4.3m 110v UK	1	
MIE6515511UK	Mirka Sleeve + Cable 230v + Hose 4m UK	1	
MIE6515611UK	Mirka Sleeve + Cable 230v + Hose 10m UK	1	
MIE9011111	Rewireable Connector HP-9R	1	
MIN6519411	Hose 27mm x 4m + connector	1	
MIN6519311	Hose 27mm x 6m + connector	1	
MIN6519211	Hose 27mm x 10m + connector	1	
MIN6529211	Velcro Straps Kit	6	
8393001511	Universal Adapter for Mirka® LEROS Hose	1	
MIE6511111	Quick Connector - Soft - 25.4mm	1	
MIE6515911	Mirka sleeve for hose and cable - 3.8m	1	
MIE6515921	Mirka sleeve for hose and cable - 5.8m	1	
MIE6515931	Mirka sleeve for hose and cable - 9.8m	1	
MIW9589911	Carry bag for Mirka® LEROS	1	
MIW9581911	Carry bag for Mirka® LEROS-S	1	
MIW9534611	Interface pads for Mirka® LEROS - 225mm - 25 Holes	3	
MIW9514611	Interface pad for Mirka® LEROS - 225mm - 25 Holes	1	
MIW9535011	Pad Saver for Mirka® LEROS - 225mm - 25 Holes	1	
MIW9514312	Backing Pad for Mirka® LEROS - 225mm - 25 Holes - Grip + 8 screws	1	
MIW9588011	50cm Extension Shaft	1	



Mirka® Cordless Sanders



Where convenience meets control

Sanding spots in an easy, efficient way with Mirka® AOS-B and Mirka® AROS-B.

Do you want to move freely without getting tangled up in cords or hoses when sanding? Try worry-free sanding with Mirka's cordless sanders.



Mirka® AOS-B and Mirka® AROS-B

Spot repairs have never been easier than with Mirka's cordless sanders. Move freely without getting tangled up in cords or hoses. The small, lightweight sanders have brushless motors. Ergonomic design ensures that the tools can comfortably be used for long periods without fatigue.

The sanders deliver consistent performance up to 16 hours in spot repair use. The 11.1V Li-ion battery charges in 45 minutes – so with two batteries, there is no downtime.

Mirka® AOS-B has a 3 mm orbit, whereas Mirka® AROS-B has a 2.5 mm or 5 mm orbit for more efficient stock removal. Mirka's state-of-the-art cordless tools have Bluetooth connectivity. Download the myMirka® app to make use of advanced features such as auto-stop function and RPM range management (in-app purchases).

Features and benefits

- Small and ergonomic, very comfortable to use
- Quick start and adjustable rpm up to 8000
- Low noise levels and no disturbing cable or hose
- Long usage time, up to 16 hours, for spot repairs
- Economic to use – energy efficient and quick-charging battery
- Easy attachment of backing pad thanks to Quick lock -system



Learn more and request a demonstration at www.mirka.co.uk

Technical Details

MODEL	AOS-B 130NV	AROS-B 150NV	AROS-B 325NV	AROS-B 350NV
Code	KIT2328ALMUK	KIT2326ALMUK	8991153252	8991153502
Size	32mm	32mm	77mm	77mm
Weight	0.57 kg (inc battery)	0.56 kg (inc battery)	0.88 kg (w/o battery)	0.88 kg (w/o battery)
Voltage	max 12.0v	max 12.0v	12 VDC	12 VDC
Speed	4,000-8,000 rpm	4,000-8,000 rpm	4000-7000 rpm	4000-7000 rpm
Orbit	3.0mm	5.0mm	2.5mm	5mm
Size of Backing Pad	32mm	32mm	77mm	77mm
Sound pressure level (LpA)	61.2 dB(A)	61.6 dB(A)	61.0 dB	61.0 dB
Sound power level (LWA)	72.2 dB(A)	72.6 dB(A)	72.2 dB(A)	72.6 dB(A)
Sound measurement uncertainty (K)	3.0 dB	3.0 dB	3.0 dB	3.0 dB
Vibration emission value (Ah)	2.54 m/s ²	1.9 m/s ²	1.6m/s ²	2.5m/s ²
Vibration emission uncertainty (K)	1.5 m/s ²	1.5 m/s ²	1.5 m/s ²	1.5 m/s ²

Measured values are according to EN 60745



Mirka® Cordless Sanders

Product Code	Description	Pcs/Pack
KIT2328ALMUK	Mirka® AOS-B 130NV • 32mm • max 12.0v • 3.0mm orbit	1
KIT2326ALMUK	Mirka® AROS-B 150NV • 32mm • max 12.0v • 5.0mm orbit	1
8991230312WB	Mirka® AOS-B 130NV 32mm without battery and charger	1
8991150312WB	Mirka® AROS-B 150NV • 32mm • without battery and charger	1
8991153252	Mirka® AROS-B 325NV • 77mm • 2.5mm orbit • without battery and charger	1
8991153502	Mirka® AROS-B 350NV • 77mm • 5.0mm orbit • without battery and charger	1



Mirka® Cordless Sander Accessories


Product Code	Description	Pcs/Pack
8991122211	Mirka Intelligent Battery* BPA 11125 11.1v 2.5Ah	1
8991122311	Mirka Intelligent Battery* BPA 11150 11.1v 5.0Ah	1
8991123011	Battery Charger BCA 108 11.1v without power cord	1
8991112411	Power Cord 2.0m for Battery Charger BCA 108	1

* Spare batteries have 1 year warranty (spare batteries will be marked with an 'S' to differentiate them from an original).

Mirka® FBS-B

The new Mirka® FBS-B battery file belt sander is designed for panel beating and body repairs, for spot weld and weld seam grinding as well as vehicle manufacturing and restoration.

With a powerful and long-life brushless electric motor, the smooth, quiet, and light-weight Mirka® FBS-B file belt sander excels in seam and spot weld grinding without the need of any air hoses and compressed air production. It is accompanied by Mirka's line of file belts and surface conditioning belts that provide a high removal rate and a good surface finish in grinding spot welds and removing paint. The Mirka® FBS-B battery file belt sander is available as two models with different belt widths, the FBS-B 10 and FBS-B 13. With the 5.0 Ah battery fitted, these sanders weigh under 1.2 kg.



1. Belt position adjustment

2. Work light

3. Spark protection flap

4. Stepless trigger

5. Open belt protection

6. Battery platform compatible

7. Speed setting buttons

8. Tension arm lock

9. Bluetooth connectivity

10. Wing screw



The cordless, balanced, and ergonomic design gives the operator complete freedom to reach difficult spots **without** restriction from **cables or hoses**, with a rubberised handle that is comfortable to hold. The batteries share their design with other Mirka cordless tools, including cordless sanders and polishers as well as the Mirka® ANGOS ARG-B cordless grinder, and they are available in two sizes: 2.5 Ah and 5.0 Ah.

User safety has been a priority in creating the Mirka® FBS-B 10 and FBS-B 13. The file belt sander features a light to illuminate the work surface and improve sanding precision, and the handle includes a protective flap to shield the operator's hand from sparks.

As well as the convenient and stepless trigger button, sanding speed is easily adjusted between 2200 rpm and 17000 rpm in seven steps with the handle mounted buttons, familiar from other Mirka cordless tools.





Learn more and request a demonstration at www.mirka.co.uk

Technical Details

MODEL	Mirka® FBS-B 10	Mirka® FBS-B 13
Mirka code	KIT2473ALMUK	KIT2474ALMUK
Voltage	Max 12V	Max 12V
Speed	2200-17000 rpm	2200-17000 rpm
Belt size	10 x 330 mm	13 x 457 mm
Battery (2x5.0Ah)/charger	yes/yes	yes/yes
Weight (tool only)	0,70 kg (1.5 lbs)	0,74 kg (1.6 lbs)



Step	RPM	SFM* (FBS-B 10)	SFM* (FBS-B 13)
1	2200	522	499
2	4000	948	907
3	6000	1422	1361
4	9000	2134	2041
5	12000	2845	2721
6	15000	3556	3401
7	17000	4030	3855

Mirka FBS-B 10 and 13 can also be bought without battery/charger.
Mirka codes (FBS-B 10/13): MBB1000100 / MBB1300100

Mirka sanding belts:
File belt CER (red),
File belt ZIR (blue) or
Conditioning belts.

* SFM – Surface feet per minute

Mirka® FBS-B Cordless File Belt Sanders

Product Code	Description	Pcs/Pack
KIT2473ALMUK	Mirka® FBS-B 10 x 330mm • max 12V • 2x5.0Ah	1
MBB1000100	Mirka® FBS-B 10 x 330mm • max 12V • w/o Batt/Charger	1
KIT2474ALMUK	Mirka® FBS-B 13 x 457mm • max 12V • 2x5.0Ah	1
MBB1300100	Mirka® FBS-B 13 x 457mm max 12V w/o Batt/Charger	1



Mirka® Cordless Sander Accessories

Product Code	Description	Pcs/Pack
8991122211	Mirka Intelligent Battery* BPA 11125 11.1V 2.5Ah	1
8991122311	Mirka Intelligent Battery* BPA 11150 11.1V 5.0Ah	1
8991123011	Battery Charger BCA 108 max 12.0V without power cord	1
8991112411	Power Cord 2.0m for Battery Charger BCA 108	1

* Spare batteries have 1 year warranty (spare batteries will be marked with an 'S' to differentiate them from an original).

Mirka® ANGOS

The unique Mirka® ANGOS ARG-B 200 is the first battery-powered grinding tool from Mirka. It can be used with a variety of accessories in grinding and sanding metal, cleaning after welding, surface conditioning, cutting and deburring and paint removal. Fit it with abrasive brushes, quick lock discs, hard metal burrs or cut off wheels to do work in places where bigger tools reliant on hoses and cables cannot go. The user-friendly ergonomic design gives an excellent balance to the tool and the variable speed control trigger, gives the user an optimal speed control while working.



Freedom in grinding

The wide 2500-20000 rpm adjustability of tool speed makes the ANGOS ARG-B especially suitable for a wide range of jobs, together with its light 890 gram weight and comfortable, balanced and ergonomic design. The Mirka ANGOS is supplied with two 5.0 Ah batteries to reduce downtime to a minimum. Featuring Bluetooth® low energy technology, the ANGOS can be paired with a wide variety of devices, supporting the monitoring of exposure to vibration.

Technical Details

MODEL	Mirka® ANGOS ARG-B 200
Mirka code	KIT2328ALMUK
Voltage	10.8 VDC
Speed	2500 - 20000 rpm
Max. size of accessories	Ø 55 mm (2")
Collet	Ø 6 mm (1/4")
Weight (incl. battery)	0.89 kg (2.0 lbs)



Learn more and request a demonstration at www.mirka.co.uk

- Supplied with two 5.0Ah batteries
- Ergonomic design
- Variable speed control trigger 1
- High speed range
2,500 – 20,000 rpm in 7 steps
- 6 mm collet 2
Use with different accessories
- Supplied with Quick Lock adapter 3
- Bluetooth® low energy technology
Pair the sander with a wide variety of devices.
Enables features of the myMirka app.









MIRKA® ANGOS

Mirka® Cordless Grinder

Product Code	Description
KIT2329ALMUK	Mirka® ANGOS ARG-B 200 55mm max 12.0v 5.0Ah
8991100311WB	Mirka® ANGOS ARG-B 200 55mm max 12.0v w/o Batt/Charg




Mirka® Cordless Grinder Accessories

Product Code	Description	Pcs/Pack	
8093260210	Quick Disc Holder 25-32mm, 6 x 20mm shaft	1	
7565060111	Holder for 50 mm cutting disc, 6mm shaft	1	
8991122211	Mirka Intelligent Battery* BPA 11125 11.1V 2.5Ah	1	
8991122311	Mirka Intelligent Battery* BPA 11150 11.1V 5.0Ah	1	
8991123011	Battery Charger BCA 108 max 12.0v without power cord	1	
8991112411	Power Cord 2.0m for Battery Charger BCA 108	1	

* Spare batteries have 1 year warranty (spare batteries will be marked with an 'S' to differentiate them from an original).



Mirka® Pneumatic Sanders



For Professional Performance

Mirka pneumatic random orbital and orbital sanding machines are effective and durable tools for professional sanding. They feature ergonomic design and lightweight, hi-tech materials to create tools with optimal strength and user comfort. These machines are built for maximum dust extraction even at low suction power and have a low noise level even when operating at their 12,000 rpm maximum.

Mirka® PROS






Mirka® PROS is developed in-house by the Mirka's industry leading design team. It is packed with clever features and attention to detail which has created an efficient and effective sanding tool that is perfect for professional operators. Like all Mirka tools, Mirka® PROS features optimised ergonomics that not only make it comfortable to grip and user-friendly for long operating periods – the design also incorporates an integrated cover which isolates the operator's hand from the cold air inlet hose fitting and makes changing discs and backing pads easier.



Technical Details

MODEL	PROS 550CV	PROS 625CV	PROS 650CV	PROS 680CV
Code	8995550111	8995625111	8995650111	8995680111
Size	125mm	150mm	150mm	150mm
Weight	0.89 kg	0.90 kg	0.93 kg	0.95kg
Air Consumption	485 l/min	485 l/min	485 l/min	485 l/min
Workpressure	6.2 Bar	6.2 Bar	6.2 Bar	6.2 Bar
Noise level	74.1 dBa	72.9 dBa	74.8 dBa	75.9 dBa
Vibration	2.4 m/s ²	2.3 m/s ²	3.2 m/s ²	3.4 m/s ²
Speed	12,000 rpm	12,000 rpm	12,000 rpm	12,000 rpm
Orbit	5.0mm	2.5mm	5.0mm	8.0mm
Backing Pad	8292502011	8292605011	8292605011	8292605011
Dust System	Central vacuum ready	Central vacuum ready	Central vacuum ready	Central vacuum ready
Packaging	Cardboard box	Cardboard box	Cardboard box	Cardboard box

Mirka® PROS • Pneumatic Random Orbital Sander

Product Code	Description	Pcs/Pack	
8995550111	Mirka® PROS 550CV • 125mm • 5.0 orbit	1	
8995550211	Mirka® PROS 550DB • 125mm • 5.0 orbit	1	
8995625111	Mirka® PROS 625CV • 150mm • 2.5 orbit	1	
8995650111	Mirka® PROS 650CV • 150mm • 5.0 orbit	1	
8995650211	Mirka® PROS 650DB • 150mm • 5.0 orbit	1	
8995680111	Mirka® PROS 680CV • 150mm • 8.0 orbit	1	



CV = Central Vacuum Ready • DB = Dust Bag

Items in blue are only available from stock in Finland and are subject to a lead time of 5 – 7 days.










Mirka® PROS Backing Pads

Product Code	Description	Pcs/Pack	
8292502511	125mm • 5/16" • 28 Holes • Medium • 130g (Included with Mirka® DEROS 5650CV)	1	
8292605011	150mm • 5/16" • 48 Holes • Medium • 130g (Included with Mirka® DEROS 5650CV)	1	

Mirka® PROS Accessories

Product Code	Description	Pcs/Pack	
8995604151	Dustbag Fleece for PROS DB	3	
8999804111	Hose Ø 27 mm x 0.5m + Connector.	1	
8995951811	Extension Connector NPT 1/4"-18 for PROS	1	
8995951911	Extension Connector NPT 1/4"-19 for PROS	1	
8992339911	Grease Gun for AOS 130NV	1	

Items in blue are only available from stock in Finland and are subject to a lead time of 5 – 7 days.

Mirka® ROS

Mirka® ROS sanders are effective and durable tools for professional sanding. They feature ergonomic design and lightweight, hi-tech materials to create tools with optimal strength and user comfort. These machines are built for maximum dust extraction even at low suction power and have a low noise level even when operating at their 12,000 rpm maximum.



Mirka® ROS 77mm Technical Details

MODEL	ROS 150NV
Code	8992450111
Size	32mm
Weight	0.49 kg
Air Consumption	425 l/min
Workpressure	6.2 Bar
Noise level	71 dBa
Vibration	2.33 m/s ²
Power	112w
Speed	8,000 rpm
Orbit	5.0mm
Backing Pad	8294596311 8294598311
Dust System	No Vacuum



Mirka® ROS 77mm Technical Details

MODEL	ROS 325NV	ROS 325CV	ROS 325DB
Code	8993320111	8993325111	8993425111
Size	77mm	77mm	77mm
Weight	0.51 kg	0.57 kg (sander) 0.40 kg (hose)	0.60 kg (sander) 0.60 kg (hose & dustbag)
Air Consumption	481 l/min	481 l/min	481 l/min
Workpressure	6.2 Bar	6.2 Bar	6.2 Bar
Noise level	77 dBa	75 dBa	84 dBa
Vibration	3.04 m/s ²	3.2 m/s ²	2.66 m/s ²
Power	209w	209w	209w
Speed	12,000 rpm	12,000 rpm	12,000 rpm
Orbit	2.5mm	2.5mm	2.5mm
Backing Pad	8294791311	8294791211	8294791211
Dust System	No vacuum	Central vacuum ready	Dustbag



Mirka® ROS 125mm Technical Details

MODEL	ROS 550CV	ROS 525CV	ROS 550DB
Code	8992700111	8992725111	8992800111
Size	125mm	125mm	125mm
Weight	0.81 kg	0.78 kg	0.83 kg (sander) 0.60 kg (hose & dustbag)
Air Consumption	481 l/min	481 l/min	481 l/min
Workpressure	6.2 Bar	6.2 Bar	6.2 Bar
Noise level	76 dBa	78 dBa	83 dBa
Vibration	2.77 m/s ²	2.29 m/s ²	2.11 5m/s ²
Power	209w	209w	209w
Speed	12,000 rpm	12,000 rpm	12,000 rpm
Orbit	5.0mm	2.5mm	5.0mm
Backing Pad	8292502011	8292502011	8292502011
Dust System	Central vacuum ready	Central vacuum ready	Dustbag



Mirka® ROS 150mm Technical Details

MODEL	ROS 625CV	ROS 625DB	ROS 650CV	ROS 650DB
Code	8993025111	8993225111	8993000111	8993200111
Size	150mm	150mm	150mm	150mm
Weight	0.85 kg	0.90 kg (sander), 0.60 kg (hose & dust bag)	0.85 kg	0.90 kg (sander), 0.60 kg (hose & dust bag)
Air Consumption	481 l/min	481 l/min	481 l/min	481 l/min
Workpressure	6.2 Bar	6.2 Bar	6.2 Bar	6.2 Bar
Noise level	79 dBa	84 dBa	78 dBa	83 dBa
Vibration	2.14 m/s ²	2.11 m/s ²	2.48 m/s ²	2.0 m/s ²
Power	209w	209w	209w	209w
Speed	12,000 rpm	12,000 rpm	12,000 rpm	12,000 rpm
Orbit	2.5mm	2.5mm	5.0mm	5.0mm
Backing Pad	8292602011	8292605011	8292605011	8292605011
Dust System	Central vacuum ready	Dust Bag	Central vacuum ready	Dust Bag

MIRKA® ROS

Mirka Random Orbital Sanders • Palm

Product Code	Description	Pcs/Pack	
8992450111	Mirka® ROS 150NV • 32mm • 5.0 orbit	1	
8993320111	Mirka® ROS 325NV • 77mm • 2.5 orbit	1	
8993325111	Mirka® ROS 325CV • 77mm • 2.5 orbit	1	
8993425111	Mirka® ROS 325DB • 77mm • 2.5 orbit	1	
8992725111	Mirka® ROS 525CV • 125mm • 2.5 orbit	1	
8992700111	Mirka® ROS 550CV • 125mm • 5.0 orbit	1	
8992800111	Mirka® ROS 550DB • 125mm • 5.0 orbit	1	
8993025111	Mirka® ROS 625CV • 150mm • 2.5 orbit	1	
8993225111	Mirka® ROS 625DB • 150mm • 2.5 orbit	1	
8993000111	Mirka® ROS 650CV • 150mm • 5.0 orbit	1	
8993200111	Mirka® ROS 650DB • 150mm • 5.0 orbit	1	

CV = Central Vacuum Ready • DB = Dust Bag • NV = No Vacuum

Mirka® ROS2

Designed by Mirka's own industry leading development team, these machines are loaded with clever features, such as an ergonomically designed grip, easy to reach speed control and superior vibration absorption. Mirka's trademark dependability and attention to detail come together to ensure these simple to use two-handed tools will perform all day, everyday to produce consistent, high quality results.



Technical Details

MODEL	ROS2-610CV	ROS2-650CV
Code	8994610111	8994650111
Size	150mm	150mm
Weight	1.3 kg	1.2 kg
Air Consumption	594 l/min	594 l/min
Power	343w	343w
Speed	12,000 rpm	12,000 rpm
Vibration	3.4 m/s ²	3.0 m/s ²
Orbit	10.0mm	5.0mm
Backing Pad	8292605011	8292605011
Dust System	Central vacuum ready	Central vacuum ready

Mirka Random Orbital Sanders • 2 Handed

Product Code	Description	Pcs/Pack
8994610111	Mirka® ROS2-610CV 150mm • 10.0 orbit	1
8994650111	Mirka® ROS2-650CV 150mm • 5.0 orbit	1



Mirka® AOS

This pneumatic orbital spot repair machine has a 32 mm backing pad. The tool can be used for denibbing in OEM, Collision Repair and Wood applications together with Iridium SR finessing discs. The Mirka® AOS 130NV tool with a 3 mm orbit is oscillating which results in a finer finish and an easier polishing process.



Technical Details

Model	AOS 130NV
Code	8992330111
Size	32mm
Weight	0.60 kg
Air Consumption	509 l/min
Workpressure	6.2 Bar
Noise level	75 dBa
Vibration	2.22 m/s ²
Speed	8,500 rpm
Orbit	3.0mm
Backing Pad	8294593311 8294596311 8294598311
Dust System	No Vacuum

Mirka® AOS

Product Code	Description	Pcs/Pack
8992330111	Mirka® AOS 130NV • 32mm • 3.0 orbit	1



Mirka® OS

Mirka pneumatic orbital sanders are ergonomically designed for guaranteed user comfort and constructed of lightweight, hi-tech, precision molded composite materials that provide outstanding strength and durability. Mirka pneumatic orbital sanders were developed especially for sanding with Mirka's revolutionary Abranet® abrasives.



Mirka® OS 75x100mm Technical Details

MODEL	OS 343CV	OS 343DB
Code	8991600111	8991610111
Size	75x100mm	75x100mm
Weight	0.72 kg	0.72 kg (sander) 0.60 kg (hose & dust bag)
Air Consumption	453 l/min	453 l/min
Work pressure	6.2 Bar	6.2 Bar
Noise level	76 dBa	81 dBa
Vibration	2.6 m/s ²	3.5 m/s ²
Power	179w	179w
Speed OPM	10,000 opm	10,000 opm
Orbit	3.0mm	3.0mm
Backing Pad	8295340111	8295340111
Dust System	Central vacuum ready	Dust Bag



Mirka® OS 81x133mm Technical Details






MODEL	OS 353CV
Code	8991800111
Size	81x133mm
Weight	0.80 kg
Air Consumption	453 l/min
Work pressure	6.2 Bar
Noise level	73 dBa
Vibration	3.3 m/s ²
Power	179w
Speed OPM	10,000 opm
Orbit	3.0mm
Backing Pad	8295350111
Dust System	Central vacuum ready

Mirka® OS 383 • 70x198mm Technical Details

MODEL	OS 383CV
Code	8991500111
Size	70x198mm
Weight	0.96 kg
Air Consumption	453 l/min
Work pressure	6.2 Bar
Noise level	75 dBa
Vibration	3.3 m/s ²
Power	179w
Speed OPM	10,000 opm
Orbit	3.0mm
Backing Pad	8295380111
Dust System	Central vacuum ready

MIRKA® OS

Mirka Orbital Sanders

Product Code	Description	Pcs/Pack	
8991500111	Mirka® OS 383CV • 70 x 198 mm • 3.0 orbit	1	
8991510111	Mirka® OS 383DB • 70 x 198 mm • 3.0 orbit	1	
8991600111	Mirka® OS 343CV • 75 x 100 mm • 3.0 orbit	1	
8991610111	Mirka® OS 343DB • 75 x 100 mm • 3.0 orbit	1	
8991800111	Mirka® OS 353CV • 81 x 133 mm • 3.0 orbit	1	

CV = Central Vacuum Ready • DB = Dust Bag


Mirka® ROS, ROS2 & OS Air Sander Accessories

Product Code	Description	Pcs/Pack	
8993206011	Outer Nylon Dustbag	1	
8993206511	Inner Disposable Dustbag • Paper	10	
8993006711	28mm Hose • 1.8m for 125/150mm Dustbag ROS and Dustbag OS	1	
8995951811	Extension Connector NPT 1/4"-18 for PROS	1	
8995951911	Extension Connector NPT 1/4"-19 for PROS	1	
8992339911	Grease Gun for AOS 130NV	1	
8294596311	32mm • Quick Lock • Soft • PSA	10	
8294598311	32mm • Quick Lock • Soft • Grip	10	
8294791211	77mm • 1/4" • 6 Holes • Medium	1	
8292502011	125mm • 28 Holes • Medium Backing Pad	1	
8292605011	150mm • 48 Holes • Medium Backing Pad	1	
8295340111	75 x 100 mm • 33 Holes Backing Pad	1	
8295350111	81 x 133 mm • 54 Holes Backing Pad	1	













Items in blue are only available from stock in Finland and are subject to a lead time of 5 – 7 days.

MIRKA® ACCESSORIES

Mirka® ROS, ROS2 & OS Pad Savers










Product Code	Description	Pcs/Pack	
8294710111	77mm • 6 Holes • Pad Saver	5	
8295511011	125mm • 33 Holes • Pad Saver	5	
8295610111	150mm • 67 Holes • Pad Saver	5	
8293173710	175mm • 37 Holes • Pad Saver Net	5	
8299102011	75x100mm • 33 Holes Pad Saver	5	
8299502011	81x133mm • 54 Holes Pad Saver	5	

Mirka® ROS, ROS2 & OS Interface Pads

Product Code	Description	Pcs/Pack	
8252000501	77mm • 4 mm • Net Interface for Mirlon	5	
8294700111	77mm • 6 Holes • 5 mm	5	
8295535211	125mm • 33 Holes • 5 mm	1	
8295535111	125mm • 33 Holes • 5 mm	5	
8295531211	125mm • 33 Holes • 10 mm	1	
8295530111	125mm • 33 Holes • 10 mm	5	
8254000101	150mm • 4 mm • Net Interface for Mirlon	1	
8254000501	150mm • 4 mm • Net Interface for Mirlon	5	
8295650111	150mm • 67 Holes • 5mm Suitable for 7H, 9H & 15H	5	
8295600111	150mm • 67 Holes • 10mm Suitable for 7H, 9H & 15H	5	
8299101011	75 x 100 mm • 33 Holes • 7mm	5	
8299501011	81 x 133mm • 54 Holes • 7mm	5	

MIRKA® ACCESSORIES

Backing Pads • Grip

Product Code	Description	Pcs/Pack	
8294791211	77mm • 1/4" • 6 Holes • Medium	1	
8292502031	125mm • 5/16" • 28 Holes • Soft	1	
8292502511	125mm • 5/16" • 28 Holes • Medium • 130g (Included with Mirka® DEROS II 5650CV)	1	
8292502021	125mm • 5/16" • 28 Holes • Hard	1	
8292605031	150mm • 5/16" • 48 Holes • Soft	1	
8292605011	150mm • 5/16" • 48 Holes • Medium • 130g (Included with Mirka® DEROS II 5650CV)	1	
8292605021	150mm • 5/16" • 48 Holes • Hard	1	
8295291111	150mm • 5/16" • Medium	1	
8295291211	150mm • 5/16" • 6 Holes • Medium	1	

Mirka® PBS

The Mirka Pneumatic Belt Sander is the optimal tool for grinding welding spots and seams in vehicle or marine manufacturing and body repair and for removing paint and preparing surfaces in body shop work and collision repair. It works especially well together with Mirka's new line of file belts.



Technical Details

MODEL	PBS 10 NV	PBS 13 NV
Code	8995103301	8995134571
Size	10x330	13x457mm
Weight	0.81kg	0.92kg
Air Consumption	610 l/min	800 l/min
Work pressure	6.2 Bar	6.2 Bar
Noise level	83 dBA	85 dBA
Vibration	1.88 m/s ²	1.04 m/s ²
Power	418w	522w
Speed	17,000 rpm	20,000 rpm
Belt size	10x330mm	13x457mm
Dust System	Non vacuum	Non Vacuum

Benefits

- Easy to change the belts thanks to the tension mechanism.
- Easy to set the speed with the knob on the top.
- Integrated tool in the handle.
- Easy to set angle on the machine.
- Low noise level
- Comfortable to hold with rubber coated handle.





Mirka® Polishers



Polishing for the Perfect Finish


Mirka offers a wide range of polishers, both electric and pneumatic. The electrically driven polishing machines are equipped with a high torque motor. The two-handed powerful orbital and rotary polishers are fast, effective and stable during operation, to help you reach a consistent finishing quality when polishing large surfaces. Pair them with Mirka's polishing supplies, pads and Polarshine® compounds for an ideal finish.



Mirka® Cordless Polishers

Where convenience meets control.

- Small, light and ergonomic
- Strong and efficient – high torque and optimal rpm
- Very low noise level
- Intelligent and quick-charging battery in two sizes
- Possibility to standardise processes with the myMirka app
- Variable speed trigger – adjust speed on the go



Complete control

Mirka® ARP-B and Mirka® AROP-B are ideal for professionals; light, ergonomic and optimised for spot repair polishing. Incredibly nimble, they are easy to move around – with no cord to get tangled or air supply that can get contaminated. Quiet, small and very low maintenance thanks to the brushless motor.

Mirka® ARP-B 300NV is a rotary polisher with a brushless motor and a 77 mm backing pad. The random orbital polisher Mirka® AROP-B 312NV is similarly brushless with 77 mm backing pad and it has a 12 mm orbit. Mirka's state-of-the-art cordless tools have Bluetooth connectivity. Download the myMirka® app to make use of advanced features such as auto-stop function and RPM range management (in-app purchases).



Learn more and request a demonstration at www.mirka.co.uk

Technical Details

MODEL	Mirka® AROP-B 312NV	Mirka® ARP-B 300NV
Code 2.5Ah	KIT2327ALMUK	KIT2325ALMUK
Code 5.0Ah	BMFC00220	BMFC00219
Voltage	Max 12.0V	Max 12.0V
Speed	4,000 – 7,000 rpm	1,500 – 2,000 rpm
Orbit	12.0 mm (1/2")	0 mm (0")
Size of backing pad	Ø 77 mm (3")	Ø 77 mm (3")
Weight (incl. battery)	0.89 kg	0.87 kg
Connectivity	Bluetooth	Bluetooth

Battery charger	BCA 108
Input	100 – 240 VAC, 50/60 Hz
Charging time	< 40 min (2.0 Ah)
Storage temperature range	-20 °C...80 °C
Charging temperature	4 °C...40 °C
Dimension	191 x 102 x 86 mm
Net weight	0.66 kg (1.46 lbs)
Degree of protection	II /

Battery pack	BPA 10825	BPA 10850
Type	Rechargeable Li-ion 31NR19/65	Rechargeable Li-ion 31NR19/65-2
Battery voltage	10.8 VDC	10.8 VDC
Capacity	2.5 Ah / 27.0 Wh	5.0 Ah / 54.0 Wh
Intelligent battery	Yes	Yes



Unmatched Convenience






Experience the unmatched convenience and efficiency of Mirka's cordless finessing solution. Increase productivity and consistency, to get the same great result every time. Mirka's cordless tools are used in car factories, Tier1 manufacturers, body shops and woodworking shops alike, by professionals dedicated to getting that elusive perfect finish.



Mirka® Cordless Polishers

Product Code	Description	Pcs/Pack
KIT2325ALMUK	Mirka® ARP-B 300NV • 77mm • max 12.0V • 2 x 2.5Ah	1
BMFC00219	Mirka® ARP-B 300NV • 77mm • max 12.0V • 2 x 5.0Ah	1
8991000311WB	Mirka® ARP-B 300NV • 77mm • max 12.0V • without Battery and Charger	1
KIT2327ALMUK	Mirka® AROP-B 312NV • 77mm • max 12.0V • 12mm orbit • 2 x 2.5Ah	1
BMFC00220	Mirka® AROP-B 312NV • 77mm • max 12.0V • 12mm orbit • 2 x 5.0Ah	1
8991012311WB	Mirka® AROP-B 312NV • 77mm • max 12.0V • without Battery and Charger	1

Cordless Polisher Accessories

Product Code	Description	Pcs/Pack	
8294791311	Backing Pad • 77mm 1/4" • Grip • Medium	1	
8991122211	Mirka Intelligent Battery* BPA 11125 11.1V 2.5Ah	1	
8991122311	Mirka Intelligent Battery* BPA 11150 max 11.1V 5.0Ah	1	
8991123011	Battery Charger BCA 108 max 12.0V without power cord	1	
8991112411	Power Cord 2.0m for Battery Charger BCA 108 UK	1	

* Spare batteries have 1 year warranty (spare batteries will be marked with an 'S' to differentiate them from an original).



Learn more and
request a
demonstration at
www.mirka.co.uk

Mirka® POLAROS

A new take on polishing.

- Ergonomic design
- Ramp Down function for automatic rpm reduction
- Ultra low noise level
- High-performance 750 W brushless motor
- Lightweight build for effortless operation





Innovation that works for you

The POLAROS® RP 600 redefines rotary polishing with user-first design and modern features that solve real-world polishing challenges. The short, compact body and centrally placed handles keep your grip close to the surface – giving you full control, especially in precision work.

This new ergonomic approach stands apart from conventional polishers that are often tall, heavy, or awkward to handle. With POLAROS, you get enhanced comfort, better results, and a cleaner workflow.

Quiet Strength

Despite its powerful 750 W motor, the POLAROS keeps things quiet. With a maximum noise level under 60 dB, it delivers high performance without compromising operator comfort or safety, even during extended use.

Smarter Power with Ramp Up and Ramp Down

Ramp Up gently increases speed as pressure is applied – minimising splash and keeping your workspace cleaner.

Ramp Down detects excess pressure and automatically lowers the rpm to prevent surface damage or tool strain.

Both features are easily activated with two buttons for added convenience

Technical Details

MODEL	RP 600
Code	MRP6002100UK
Weight	1.7 kg
Power	750 W
Voltage	220 - 240 V
Speed	700-2,500 rpm
Size of Backing Pad	135mm
Noise Level	58 dB(A)
Vibration	1.1 m/s ²

Mirka® POLAROS Accessories

Product Code	Description	Pcs/Pack	
8292557021	Backing Pad 135mm M4 Grip Hard for POLAROS	1	
8292557031	Backing Pad 135mm M4 Grip Soft for POLAROS	1	

Mirka® PS1437

The Mirka Polisher features a powerful, high torque electric motor, along with a step-less switch and pre-selection of rotational speed which makes it possible to achieve the precise speed required when polishing. There's also a bail handle and a side handle for better control and a spindle lock to make pad changes easy. To achieve the best results, it's recommended that Mirka polishing compounds, backing pads and polishing pads are used.




Technical Details

MODEL	PS1437
Code	8991300111UK
Voltage	230v
Power Consumption	1400w
Speed	1100-3700 rpm
Thread	M14
Noise level	84 dBa
Vibration	3.0 m/s ²
Weight	1.9 kg



Benefits

- Powerful high torque electric motor.
- Variable speed control. Step-less switch and pre-selection of rotational speed.
- The switch can be locked for a constant speed without having to keep the switch pressed.
- There's also a bail handle and a side handle for better control.
- Spindle lock to make pad changes easy.



Mirka® Pneumatic Polishers

Powerful performance and a compact, streamlined design that allows operators to polish even difficult to reach areas, make Mirka's Polishers the fast way to achieve a perfect, glossy surface finish.



Mirka® AP

- Easy to handle.
- Dedicated pneumatic tool for smaller polishing applications.
- The speed control can easily be operated when gripping the machine

Mirka® RPS

- 2-in-1 sander and polisher
- Shroud for dust extraction
- Small, lightweight design.

Mirka® Polishers

Product Code	Description	Pcs/Pack
8992340311	Mirka® AP 300NV Air Polisher • 77mm	1
8992340111	Mirka® RPS 300CV 2-in-1 Sander & Polisher • 77mm • Central vacuum	1

Technical Details

MODEL	AP 300NV	RPS 300CV
Code	8992340311	8992340111
Size	77mm	77mm
Speed	3,200 rpm	3,000 rpm
Air Consumption	626 l/min	481 l/min
Working Pressure	6.2 bar	6.2 bar
Noise Level	76 dBa	78 dBa
Power	298 w	209 w
Vibration	1.34 m/s ²	2.86 m/s ²
Weight	0.66 kg	0.63 kg
Backing Pad	8294791311	8294791211



MIRKA® POLISHER ACCESSORIES

Backing Pads for Polishing Pads

Product Code	Description	Pcs/Pack	
8297301011	77mm x M14 • Soft	1	
8297300111	77mm x M14 • Hard	1	
9190153001	125mm x M14 • 17H for Suction Hood	1	
8297800111	125mm x M14 • Hard	1	
8297801011	125mm x M14 • Soft to fit 150mm pads	1	
8297902011	135mm x M14 • Soft to fit 150mm pads	1	
8298402011	165mm x M14 • Soft to fit 180mm pads	1	
8298800111	175mm x M14 • Twisted Wool • Yellow	1	
7990999111	Adapter for Double Sided Pad	1	



Mirka® Hand Sanding



Effortless Sanding for Every Task

Mirka's range of hand sanding tools combines precision, ergonomics, and dust-free technology to make every project more efficient and professional. Designed for both professionals and DIY enthusiasts, these tools cater to various applications, from surface preparation to detailed finishing.

Mirka® DecoSander

The Mirka® DecoSander is designed for precision sanding of walls, ceilings, and tight corners, ensuring a flawless finish in any environment. This pole sander features interchangeable pads with grip fastening, making it versatile for diverse surfaces.




Click & Slide Interchangeable Pads

The Mirka® DecoSander features interchangeable sanding pads for exceptional versatility, enabling precise sanding on a variety of surfaces with ease. Its Click & Slide mechanism allows quick and simple pad changes, reducing downtime and maximising productivity.

The 80 x 230mm sanding pad is ideal for precision tasks and confined spaces, offering excellent control and easy handling. This pad is ideal for corner-sanding, as it enables you to access hard-to-reach areas for thorough and detailed results.

The 225mm sanding pad is perfect for efficiently covering large surfaces. Optimised for flat areas, it delivers smooth and consistent sanding with minimal effort, ensuring an even and professional finish across wide surfaces.




Telescopic Shaft for Effortless Reach

The telescopic shaft extends from 1.1 m to 1.8 m, making it easy to reach remote or difficult areas without ladders. The shaft's ergonomic design reduces strain on your back and arms, ensuring comfort during extended periods of work.

180° Flexibility for Precision and Control

With 180° flexibility, it adapts to tight spaces and uneven surfaces, making every task easier. Designed for accuracy, the swivel assembly allows seamless angle adjustments, boosting productivity and delivering exceptional results on curved or detailed surfaces.



Mirka® DecoSander 80 x 230 mm
 Mirka Code: 8393000111

Contents

Description	QTY
80 x 230mm rectangular pad	1
80 x 230mm sample pack	1
4m Hose and 27mm connector	1
Telescopic pole & swivel assembly	1
Carry bag for DecoSander	1



Mirka® DecoSander 80 x 230 mm/225 mm
 Mirka Code: 8393801011

Contents

Description	QTY
80 x 230mm rectangular pad	1
80 x 230mm sample pack	1
225mm round pad	1
225mm sample pack	1
4m hose and 27mm connector	1
Telescopic pole & swivel assembly	1
Carry bag for DecoSander	1



Mirka® Handy

The Mirka® Handy 80 x 230 mm Hand Sanding Kit includes everything you need for efficient, dust-free hand sanding. The ergonomic Handy sanding block provides excellent control and comfort, while its compatibility with dust extraction systems ensures a clean work environment, ideal for both professionals and DIY users.



Mirka® Handy Kit

Mirka Code: KIT01HANDY

Contents

Description	QTY
80 x 230mm Handy Sanding Block	1
80 x 230mm sample pack	1
4m hose for hand blocks	1



Mirka® Handy

Product Code	Description	Pcs/Pack
8391200111	80 x 230 mm • 55 Holes • Handy	1



Mirka® Roundy

The Mirka® Roundy Kit is a versatile hand sanding solution designed for comfort and efficiency. The ergonomic Roundy hand block fits perfectly in your palm and is ideal for tasks like paint stripping and sanding lacquer. With 34 dust extraction holes, it ensures a cleaner work environment and works with Abranet® abrasives or 15-hole discs to tackle corners and hard-to-reach areas.



Mirka® Roundy Kit

Mirka Code: KIT00ROUNDY

Contents

Description	QTY
150mm Roundy Sanding Block	1
150mm sample pack	1
4m hose for hand blocks	1



Mirka® Roundy

Product Code	Description	Pcs/Pack
9190143011	Roundy for 150mm discs	1



Mirka® Long File Boards

The new Long File Boards make a difference in hand sanding in marine production. They are a special lightweight construction, complete with an ergonomic grip handle, making sanding hulls faster and more comfortable.



Effective Hand Sanding

The special long file boards (Fairing Boards) are available in lengths to suit one or two operators, combining easy and fast hand sanding with dust extraction.

The file boards are designed to be compatible with Mirka's dust-free solutions: simply connect the file board to a dust extractor and minimise the amount of filler and primer dust in the working environment, reducing the chances of developing occupational diseases.



Learn more and request a demonstration at www.mirka.co.uk

Mirka® Long File Boards

Product Code	Description	Pcs/Pack
8395631011	Long File Board 115 x 1600mm Grip Multi Flexible	1
8395631111	Long File Board 115 x 1600mm Grip Multi Rigid	1
8395271111	Long File Board 115 x 680mm Grip Multi Rigid	1








MIRKA® HAND SANDING

Hand Dust Extraction Sanding Block • Grip




Product Code	Description	Pcs/Pack	
8391402011	70 x 125mm • 13 Holes	1	
8391400111	70 x 125mm • 13 Holes • Premium	1	
8391502011	70 x 198mm • 22 Holes	1	
8391500111	70 x 198mm • 22 Holes • Premium	1	
8391520111	70 x 198mm Block Kit • 40 Holes • Premium	1	
8391200111	80 x 230mm • 55 Holes • Handy	1	
8391702011	115 x 230mm • 36 Holes	1	
8391112011	Hose • 20mm x 4m • for Hand Sanding Blocks	1	
8391114011	Hose 4m 20-32mm Antistatic for Hand Sanding Blocks	1	
8391113011	Hose 20mm x 5m • for Hand Sanding Blocks	1	
8391111111	Adapter for Sanding Blocks • 20/28mm	1	
8391111211	Connector Air Inlet for Hand Block 20/20mm	1	
8993022011	Hose Swivel Connector Ø 20mm/20mm	1	
8391415011	Curved Pad for 70 x 125mm Block • 13 Holes	1	
8391515011	Curved Pad for 70 x 198mm • 22 Holes	1	
8391150111	Flexible File Board • 70 x 400mm • 53 Holes	1	
8391155111	Rigid File Board • 70 x 400 m • 53 Holes	1	

MIRKA® HAND SANDING

Hand Dust Extraction Block • Interface Pads • Pad Saver • Grip





Product Code	Description	Pcs/Pack	
8299601011	70 x 125mm • 13 Holes (Interface Pad)	5	
8299701011	70 x 198mm • 56 Holes (Interface Pad)	5	
8299702011	70 x 198mm • 56 Holes (Pad Saver)	5	
8299522011	70 x 400mm • 14 Holes (Pad Saver)	5	
8299512011	115 x 230mm • 10 Holes (Pad Saver)	5	

Abranet® Starter Kits



Product Code	Description	Pcs/Pack	
KIT001HAND	70 x 198mm <i>1 x 70 mm x 198 mm Hand Sanding Block, 1 x Interface Pad, 1 x 4m Flexible Hose, 5 sheets Abranet® (1 x Coarse, 3 x Medium, 1 x Fine)</i>	1	
KIT01HANDY	80 x 230mm • Handy <i>1 x 80 mm x 230 mm Handy Sanding Block, 1 x 4 m Flexible Hose, 5 sheets Abranet® (1 x Coarse, 3 x Medium, 1 x Fine)</i>	1	
KIT00ROUND	150mm • Roundy <i>1 x Hand Sanding Block for 150mm discs, 1 x 4 m Flexible Hose, 15 Abranet® 150mm discs (5 x P120, 5 x P180, 5 x P240)</i>	1	

MIRKA® HAND SANDING



Hand Sanding Block

Product Code	Description	Pcs/Pack	
8390311011	Hand Sanding Pad • Grip • 150 x 6mm • Adjustable Strap	1	
8390800111	Hand Sanding Block • Shaped • Grip • 70 x 125mm	1	
8390900111	Hand Sanding Block • Soft/Hard • Grip • 70 x 125mm	1	
8392202011	Sanding Block • Soft/Hard • 125 x 60 x 12mm	1	
8390100111	Hand Block • Rubber • 70 x 125mm	1	
8390330111	Hand Block • 78 x 78 x 148mm • for 150mm grip discs	1	
8390315011	Half Round Hand Pad • Grip • 150 x 7mm	1	
8390340111	Hand Sanding Pad • Grip • 115 x 140 x 6mm • Adjustable Strap	1	
8299909111	Soft Hand Pad • 74 x 122 x 7mm • Grip	2	
8299910111	Soft Hand Pad • 114 x 154 x 7mm • Grip	2	
8390010111	Sanding Block Cork • 100 x 60 x 40mm	1	

Handtool for Petals

Product Code	Description	Pcs/Pack	
8392300111	30/30mm • Grip/PSA Hard	2	
8392100111	30/30mm • Grip/PSA Soft	2	

Rectification Tools

Product Code	Description	Pcs/Pack	
7871100111	Mini File 20 x 42mm	1	
7872000111	Mirka Shark Blade	1	

BACKING PAD MATRIX

Mirka® DEROS & Mirka® DEROS RS

Sanders and accessories →

		Mirka® DEROS 625CV	Mirka® DEROS 650CV	Mirka® DEROS 5650CV CASE	Mirka® DEROS 680CV	Mirka® DEROS 325/350CV	Mirka® DEROS 550CV	Mirka® DEROS RS 600CV
Backing pads		Mirka code						
150mm								
Multifit Medium	8292607011	Yes	Yes	Yes	Yes			Yes
Net 5/16" Grip 48H Medium	8292605011	Included	Included	Included	Included			Included
Net 5/16" Grip 48H Hard	8292605021	Yes	Yes	Yes	Yes			Yes
Net 5/16" Grip 48H Soft	8292605031	Yes	Yes	Yes	Yes			Yes
5/16" Grip 15H Medium	8295291511	No	No	No	No			No
Net 5/16" Grip 51H Medium	8295692111	No	No	No	No			No
5/16" PSA 6H Medium	8295291211	No	No	No	No			No
5/16" Grip 6H Medium	8295292111	No	No	No	No			No
5/16" Grip 6H Soft	8297292111	No	No	No	No			No
5/16" PSA Medium	8295291111	No	No	No	No			No
5/16" Grip	8295297111	No	No	No	No			No
UNI 5/16"+ M8 Grip 61H Hard	8295495111	No	No	No	No			No
UNI 5/16"+ M8 Grip 61H Medium	8295494111	No	No	No	No			No
UNI 5/16"+ M8 Grip 57H Medium	8295486111	No	No	No	No			No
125mm								
5/16" Grip Medium	8295191511						No	
5/16" Grip 5H Medium	8295192111						No	
Net 5/16" Grip 44H Medium	8295592111						No	
Net 5/16" Grip 28H 100 g	8292502011						Included	
Net 5/16" Grip 28H 130 g	8292502511	Yes	Yes	Included	Yes		No	
Net 5/16" Grip 28H Soft	8292502031						Yes	
Net 5/16" Grip 28H Hard	8292502021						Yes	
77mm								
1/4" Grip Medium	8294791311						No	
1/4" Grip 6H Medium	8294791211						Included	

Mirka® DEROS 175mm

Sanders and accessories →

		Mirka® DEROS 750CV
Backing pads		Mirka code
175mm		
M9 Grip 37H Medium	8292703011	Included

BACKING PAD MATRIX

Mirka® DEOS

Sanders and accessories →		Mirka® DEOS 353CV	Mirka® DEOS Delta 663CV	Mirka® DEOS 383CV
Backing Pads	Mirka code			
70 x 198mm				
Net Grip 48H Medium	8292383011			Included
Grip 56H Medium	8295380111			No
81 x 133mm				
Net Grip 46H Medium	8292353011	Included		
Grip 54H Medium	8295350111	No		
100 x 152 x 152mm				
Net Grip 32H Medium	8292663011		Included	

Mirka® Cordless Sanders

Sanders and accessories →		Mirka® AOS-B 130NV	Mirka® AROS-B 150N	Mirka® AROS-B 325/350NV
Backing Pads	Mirka code			
32mm				
PSA Soft, 5/Unit	8294593311	No	No	No
Grip Medium, 10/Unit	8294591311	No	No	No
Quick Lock PSA Hard, 10/Unit	8294595311	Included	Included	No
Quick Lock PSA Soft, 10/Unit	8294596311	Yes	Yes	No
Quick Lock Grip Soft, 10/Unit	8294598311	Included	Included	No
Quick Lock PSA Soft Edge, 5/Unit	8294594311	Yes	Yes	No
20mm				
Quick Lock PSA Hard, 10/Unit	8294590311	Yes	Yes	No
77mm				
1/4" Quick Lock Grip 6H Medium	8294791211	No	No	Included
1/4" Quick Lock Grip Medium	8294791311	No	No	Yes
1/4" Quick Lock PSA Medium	8294791111	No	No	Yes

BACKING PAD MATRIX

Mirka® LEROS

Sanders and accessories →		Mirka® LEROS	Mirka® LEROS-S
Backing Pads	Mirka code		
225mm			
Grip 56H Medium	8295380111	Included	Included

Mirka® PROS

Sanders and accessories →		Mirka® PROS 550CV	Mirka® PROS 625CV	Mirka® PROS 650CV	Mirka® PROS 680CV
Backing pads	Mirka code				
150mm					
5/16" PSA Medium	8295291111	No	No	No	No
5/16" PSA 6H Medium	8295291211	No	No	No	No
5/16" Grip 6H Medium	8295292111	No	No	No	No
5/16" Grip 6H Soft	8297292111	No	No	No	No
5/16" Grip	8295297111	No	No	No	No
5/16" Grip 15H Medium	8295291511	No	No	No	No
Net 5/16" Grip 48H Medium	8292605011	Included	Included	Included	
Net 5/16" Grip 51H Medium	8295692111	Yes	Yes	Yes	
Net 5/16" Grip 48H Soft	8292605031	Yes	Yes	Yes	
Net 5/16" Grip 48H Hard	8292605021	Yes	Yes	Yes	
UNI 5/16"+ M8 Grip 61H Hard	8295495111	No	No	No	No
UNI 5/16"+ M8 Grip 61H Medium	8295494111	No	No	No	No
UNI 5/16"+ M8 Grip 57H Medium	8295486111	No	No	No	No
125mm					
5/16" Grip Medium	8295191511	No			
5/16" Grip 5H Medium	8295192111	No			
Net 5/16" Grip 44H Medium	8295592111	No			
Net 5/16" Grip 28H 100 g	8292502011	Included			
Net 5/16" Grip 28H 130 g	8292502511	No	Yes	Yes	Yes
Net 5/16" Grip 28H Soft	8292502031	Yes			
Net 5/16" Grip 28H Hard	8292502021	Yes			

BACKING PAD MATRIX

Mirka® ROS

Sanders and accessories →

		Mirka® ROS 625CV	Mirka® ROS 625DB	Mirka® ROS 650CV	Mirka® ROS 650DB	Mirka® ROS 525CV	Mirka® ROS 550CV	Mirka® ROS 550DB
Backing pads	Mirka code							
150mm								
5/16" PSA Medium	8295291111	No	No	No	No			
5/16" PSA 6H Medium	8295291211	No	No	No	No			
5/16" Grip 6H Medium	8295292111	Yes	Yes	Yes	Yes			
5/16" Grip 6H Soft	8297292111	Yes	Yes	Yes	Yes			
5/16" Grip	8295297111	No	No	No	No			
5/16" Grip 15H Medium	8295291511	Yes	Yes	Yes	Yes			
Net 5/16" Grip 48H Medium	8292605011	Included	Included	Included	Included			
Net 5/16" Grip 51H Medium	8295692111	Yes	Yes	Yes	Yes			
Net 5/16" Grip 48H Soft	8292605031	Yes	Yes	Yes	Yes			
Net 5/16" Grip 48H Hard	8292605021	Yes	Yes	Yes	Yes			
UNI 5/16"+ M8 Grip 61H Hard	8295495111	No	No	No	No			
UNI 5/16"+ M8 Grip 61H Medium	8295494111	No	No	No	No			
UNI 5/16"+ M8 Grip 57H Medium	8295486111	No	No	No	No			
125mm								
5/16" Grip Medium	8295191511					No	No	No
5/16" Grip 5H Medium	8295192111					No	No	No
Net 5/16" Grip 44H Medium	8295592111					Yes	Yes	Yes
Net 5/16" Grip 28H 100 g	8292502011					Included	Included	Included
Net 5/16" Grip 28H 130 g	8292502511	Yes	Yes	Yes	Yes	No	No	No
Net 5/16" Grip 28H Soft	8292502031					Yes	Yes	Yes
Net 5/16" Grip 28H Hard	8292502021					Yes	Yes	Yes

BACKING PAD MATRIX

Mirka® AOS & ROS 32 mm & 77 mm

Sanders and accessories →		Mirka® AOS 130NV	Mirka® ROS 150NV	Mirka® ROS 325NV	Mirka® ROS 325CV	Mirka® ROS 325DB
Backing pads	Mirka code					
32mm						
PSA Soft, 5/Unit	8294593311	Included	No			
Grip Medium, 10/Unit	8294591311	Yes	No			
Quick Lock PSA Hard, 10/Unit	8294595311	Yes	Yes			
Quick Lock PSA Soft, 10/Unit	8294596311	Included	Included			
Quick Lock Grip Soft, 10/Unit	8294598311	Included	Included			
Quick Lock PSA Soft Edge, 5/Unit	8294594311	Yes	Yes			
20mm						
Quick Lock PSA Hard, 10/Unit	8294590311	Yes	Yes			
77mm						
1/4" Grip Medium	8294791311			Yes	No	No
1/4" Grip 6H Medium	8294791211			No	Yes	Yes

BACKING PAD MATRIX

Mirka® ROS 2

Sanders and accessories →		Mirka® ROS2 510CV	Mirka® ROS2 550CV	Mirka® ROS2 610CV	Mirka® ROS2 650CV	Mirka® ROS2 850CV
Backing pads	Mirka code					
150mm						
5/16" PSA Medium	8295291111			No	No	
5/16" PSA 6H Medium	8295291211			No	No	
5/16" Grip 6H Medium	8295292111			Yes	Yes	
5/16" Grip 6H Soft	8297292111			Yes	Yes	
5/16" Grip	8295297111			No	No	
5/16" Grip 15H Medium	8295291511			Yes	Yes	
Net 5/16" Grip 48H Medium	8292605011			Included	Included	
Net 5/16" Grip 51H Medium	8295692111			Yes	Yes	
Net 5/16" Grip 48H Soft	8292605031			Yes	Yes	
Net 5/16" Grip 48H Hard	8292605021			Yes	Yes	
UNI 5/16"+ M8 Grip 61H Hard	8295495111			No	No	
UNI 5/16"+ M8 Grip 61H Medium	8295494111			No	No	
UNI 5/16"+ M8 Grip 57H Medium	8295486111			No	No	
125mm						
5/16" Grip Medium	8295191511	No	No			
5/16" Grip 5H Medium	8295192111	No	No			
Net 5/16" Grip 44H Medium	8295592111	Yes	Yes			
Net 5/16" Grip 28H 100 g	8292502011	Included	Included			
Net 5/16" Grip 28H 130 g	8292502511	No	No	Yes	Yes	
Net 5/16" Grip 28H Soft	8292502031	Yes	Yes			
Net 5/16" Grip 28H Hard	8292502021	Yes	Yes			
200mm						
Net Grip 89H	8295885111					Included

BACKING PAD MATRIX

Mirka® OS

Sanders and accessories →

Backing pads	Mirka code	Mirka® OS 343CV 75 x 100 mm	Mirka® OS 343DB 75 x 100 mm	Mirka® OS 353CV 81 x 133 mm	Mirka® OS 353DB 81 x 133 mm	Mirka® OS 383CV 70 x 198 mm	Mirka® OS 383DB 70 x 198 mm
70 x 198mm							
Grip 56H Medium	8295380111					Included	Included
81 x 133mm							
Grip 54H Medium	8295350111			Included	Included		
75 x 100mm							
Grip 33H Medium	8295340111	Included	Included				

Mirka® Polishers

Sanders and accessories →

Backing pads	Mirka code	Mirka® POLAROS RP600	Mirka® ARP-B 300NV 77 mm	Mirka® AROP-B 312NV 77 mm	Mirka® PS1437 Polisher 150 mm	Mirka® AP 300NV 77 mm	Mirka® RPS 300CV 77 mm
77mm							
1/4" Grip Medium	8294791311		Included	Included		Included	Yes
1/4" Grip 6H Medium	8294791211		No	No		No	Included
1/4" PSA Medium	8294791111		Yes	Yes		Yes	Yes
77mm – for polisher							
M14 Grip Hard	8297300111				Yes		
M14 Grip Soft	8297301011				Yes		
125mm – for polisher							
M14 Grip Hard	8297800111				Yes		
M14 Grip Soft	8297801011				Yes		
135mm – for polisher							
M4 Grip Hard	8292557021	Yes			No		
M4 Grip Soft	8292557031	Included			No		
M14 Grip Soft Edge	8297902011	No			Yes		
150mm – for polisher							
M14 Grip Hard	8298000111				Yes		
M14 Grip Soft	8298100111				Yes		



Mirka (UK) Ltd
Saxon House
Shirwell Crescent
Furzton Lake
Milton Keynes MK4 1GA

T: 01908 866100
E: marketing.uk@mirka.com
W: www.mirka.co.uk

